

ndrH\$V: 16392 dmV{dH: 13428 [a°\$ n 2964

Jm	nXZm	Jm	Andí`H\$/gr/\$	AZndí`H\$	J6-no	ndr.	dmV{dH\$	[a°\$	SfAm a\$	Sfmr \$	EbSf gr	B\$0	Eg(gnos	M` Z Aa` (°\$ - Cn` P\$Vm/ Q\$-QmQ	
<b>(d^mJ COMMERCIAL</b>															
<b>NON SAFETY</b>															
CHECKING GR.	CTI/DY.SS(COML)	1329	C	non essential	4600	29	29	0	0	0	0		1		
CHECKING GR.	TTI/HTC	1331	C	non essential	4200	105	105	0	0	0	0				
CHECKING GR.	SR.TE	1332	C	non essential	2400	69	46	23	0	23	0		1	Panel published on 22.03.11.P.O will be issued after completion of 2 years of residency period of the selected candidates.	
CHECKING GR.	TE	1333	C	non essential	1900	26	13	13	-1	14	0	19		Notification issued on 06.12.11.	
COACHING	CBS/CPS	1320	C	non essential	4600	20	20	0	0	0	0		1		
COACHING	CCC(BOOKING/PARC	1322	C	non essential	4200	71	54	17	9	1	7			Indent placed. DPQ Vac will be filled up as per calender 2012.	
COACHING	SR.CC(UNIFIED)	1323	C	non essential	2800	93	95	-2	0	-2	0			As per Selection Calender 2012.	
DRIVER	JEEP DRIVER	1355	C	non essential	2400	1	1	0	0	0	0	0	1		
GOODS	CGS	1324	C	non essential	4600	19	19	0	0	0	0	0	2		
GOODS	CCC/GOODS	1326	C	non essential	4200	70	51	19	10	2	7	0	4	Indent placed. DPQ vac will be filled up as per calender 2012.	
Gr.C(EX-CADRE)	WAGON TRACER	1349	C	non essential	2400	1	1	0	0	0	0	0	0		
Gr.D	COR REC SETTER	1357	D	non essential	1800	7	4	3	3	0	0	0	1		
Gr.D	SAFAIWALA	1358	D	non essential	1800	58	48	10	10	0	0		5		
Gr.D	TWM	1361	D	non essential	1800	13	10	3	3	0	0				
Gr.D	WRB/RRB/WRA	1362	D	non essential	1800	27	29	-2	-2	0	0				
Gr.D	HAMAL	1364	D	non essential	1800	39	36	3	3	0	0		2		
Gr.D	TTE PORTER	1366	D	non essential	1800	7	10	-3	-3	0	0				
Gr.D	FCCA	1368	D	non essential	1800	3	0	3	3	0	0				
Gr.D	STORE KSI	1369	D	non essential	1800	3	5	-2	-2	0	0				
Gr.D	MARKER	1371	D	non essential	1800	1	0	1	1	0	0				
Gr.D	JEEP CLEANER	1372	D	non essential	1800	1	1	0	0	0	0				
Gr.D	J PEON	1373	D	non essential	1800	52	51	1	1	0	0				
Gr.D	BUNG PEON	1375	D	non essential	1800	1	1	0	0	0	0				
INSPECTOR	CCI	1334	C	non essential	4600	7	6	1	0	1	0	0	1	Kept reserved for ST.	

Jn	nXZm	Jn gr/\$	Andí AZndí H\$	H\$	J6-no	ñdr.	gH\$ dmV(dH\$	la°\$	SrAm a\$	Srnr \$	EBSF gr	B\$0	E\$gn0\$	M` Z Aä` (°\$ - Cn` P\$Vm/ 0\$-0ñ0
INSPECTOR	CI	1337	C	non essential	4200	7	6	1	0	0	1			Notification published on 06.12.11 for Hg. L vac.
INSPECTOR	SRDI	1338	C	non essential	4200	1	1	0	0	0	0	0	0	Notification to be published on 24.10.11 as per calender 2011.
INSPECTOR(EX-CADRE)	Sr.ADV.INSP	1350	C	non essential	4200	1	0	1	0	1	0	0	0	Letter issued for readiness & preselection coaching.
LAW	LAW ASSTT.	1351	C	non essential	4600	1	1	0	0	0	0			
MINISTERIAL	CH.OS	1343	C	non essential	4600	3	3	0	0	0	0			
MINISTERIAL	OS	1345	C	non essential	4200	13	10	3	0	2	1	0	1	Notification to be published on 06.12.11 as per calender 2011.To be processed shortly.
MINISTERIAL	SR.CLERK	1347	C	non essential	2800	6	5	1	0	0	1	1	0	
MINISTERIAL	JR.CLERK	1348	C	non essential	1900	6	6	0	0	0	0			
RESERVATION GR.(HQ)	CRS	1339	C	non essential	4600	2	0	2	0	2	0			HQ controlled post.
RESERVATION GR.(HQ)	E&RS	1340	C	non essential	4200	5	0	5	0	5	0			HQ controlled post.
RESERVATION GR.(HQ)	ECRC-I	1341	C	non essential	4200	7	7	0	0	0	0			HQ controlled post.
RESERVATION GR.(HQ)	ECRC--III	1342	C	non essential	2800	9	10	-1	0	-1	0			HQ controlled post.
STENO	SR.STENO	1353	C	non essential	4200	1	1	0	0	0	0			
STENO	CONF.ASSTT.	1354	C	non essential	4200	1	0	1	0	1	0			
TYPIST	HD.TYPIST	1352	C	non essential	4200	2	1	1	0	1	0			
UNIFIED	CC	1328	C	non essential	2000	24	19	5	-7	12	0	17	0	Written test postpond from 03.12.11.
mmary for 'DEPTT' = COMMERCIAL (40 detail recor						812	705	107	28	62	17			

Jn

nXZm

Jn Andí H\$ / gr/\$ AZndí H\$ J6>no

gH\$b ndr. dñV(dH\$ la°\$

[a°\$ SrAm Srrr EDSF a\$ \$ gr

BSQ E9(gno\$ M` Z Aä` (°\$ - Cn` P\$Vm/ OS>0ñQ

(d^mJ EDUCATION

NON SAFETY

LAB	LAB ATTENDENT	1617	D	non essential	1800	5	3	2	2	0	0	0	0	DRQ
TEACHER	PGT	1610	C	non essential	4800	35	33	2	2	0	0	0	0	Hq controlled post
TEACHER	TGT	1611	C	non essential	4600	86	67	19	19	0	0	0	0	Hq controlled post
TEACHER	PRT	1612	C	non essential	4200	67	48	19	19	0	0	0	0	Hq controlled post
TEACHER	DEMONESTROTOR	1613	C	non essential	4600	1	1	0	0	0	0	0	0	Hq controlled post
TEACHER	PET/PTI	1614	C	non essential	4600	3	2	1	1	0	0	0	0	Hq controlled post
TEACHER	LIBRARIAN	1615	C	non essential	4600	2	2	0	0	0	0	0	0	Hq controlled post
TEACHER	MUSIC TEACHER	1616	C	non essential	4600	1	1	0	0	0	0	0	0	Hq controlled post
Summary for 'DEPTT' = EDUCATION (8 detail records						200	157	43	43	0	0			

AC GR.	Sr.Tech.(AC)	1266	C	essential	4200	3	3	0	0	0	0			Result published on 01.08.11 & P.O issued dated 11.08.11.
AC GR.	Tech.I(AC)	1267	C	essential	2800	14	13	1	0	1	0			Office order issued on 01.06.11 but promotion will be effected after completion of 2 years service i.e Nov,11.
AC GR.	Tech.II(AC)	1268	C	essential	2400	2	1	1	0	1	0			Excess staff working against higher grade.
AC GR.	Tech.III(AC)	1269	C	essential	1900	0	2	-2	-1	-1	0			Excess staff are working against higher grade.DRQ staff under training.
SUPERVISOR GR.	SSE	1247	C	essential	4600	29	23	6	2	4	0	1		File put up to DEE/G on 01.09.11 for fill up the no. of coloumn of tabulating sheet with the gradation of last 3 years ACRs.
SUPERVISOR GR.	JE/G	1250	C	essential	4200	29	15	14	12	2	0	11	1	Written test held on 29.11.11. Supplimentary test will be fixed up shortly.
TL GR.	Sr.Tech.(TL)	1260	C	essential	4200	5	4	1	0	1	0			P.O. issued for one candidate but not effected due to D&A case.
TL GR.	Tech.I(TL)	1261	C	essential	2800	24	19	5	0	5	0		2	Result published on 05.05.11 for 3 candidates. P.O. issued on 01.06.11
TL GR.	Tech.II(TL)	1262	C	essential	2400	8	5	3	0	3	0			T/Test held on 02.08.11 & result is published on 02.09.11.O.O. issued.
TL GR.	Tech.III(TL)	1263	C	essential	1900	0	2	-2	0	-2	0			Execess staff working against Higher grade.

**NON SAFETY**

AC GR.	Helper-I(Ac)	1270	D	essential	1800	0	7	-7	0	-7	0			
AC GR.	Helper-II(AC)	1271	D	essential	1800	0	4	-4	-4	0	0			
Chowkider	Chowkider-I	1258	D	non essential	1800	0	1	-1	0	-1	0			
Chowkider	Chowkider-II	1259	D	non essential	1800	0	3	-3	-3	0	0			
DRG. GR.	SSE(D&D)	1272	C	essential	4600	1	0	1	0	1	0			HQ controlled post.
DRG. GR.	SE(D&D)	1273	C	essential	4600	1	0	1	1	0	0			HQ controlled post.
DRG. GR.	JE-I(D&D)	1274	C	essential	4200	1	0	1	0	1	0			HQ controlled post.
DRG. GR.	JE-II(D&D)	1275	C	essential	4200	1	1	0	0	0	0			HQ controlled post.
PL GR.	Sr.Tech.(PL)	1252	C	non essential	4200	28	28	0	0	0	0		2	Result published on 01.08.11 and P.O. issued dated 11.08.11.

Jn	nXZm	Jn	Andi`H\$/gr/\$	AZndi`H\$	J6>no	gH\$b	ndr. dmiV(dH\$	la°\$	SrAm aS`	Srnr S`	EbSf gr	B\$0	Er(gnos	M` Z Aä` (°\$ - Cn` P\$Vm/ 0\$>0mQ
PL GR.	Tech.I(PL)	1253	C	non essential	2800	146	131	15	0	15	0		0	P.O. issued on 01.06.11 & 26.06.11.Next selection will be held as per selection calender 2012.
PL GR.	Tech.II(PL)	1254	C	non essential	2400	93	58	35	0	35	0			Trade test held on 02.08.11 & result has been published on 02.09.2011 and put up to DEEG for the remarks.The change of trade has desired by DRM from 08.09.2011.
PL GR.	Tech.III/G/(PL)	1255	C	non essential	1900	38	41	-3	5	-8	0	40		Result published on 28.03.11 for 16 candidates and P.O. issued on 13.05.11 against 50% DPQ. Exsisting Vac=1 + 4 Vac filled up by the staff after completion of traning.
PL GR.	Helper(PL)	1256	D	non essential	1800	272	214	58	0	58	0		1	
TL GR.	Helper(TL)	1264	D	essential	1800	43	33	10	0	10	0			
<b>Summary for 'DEPTT' = Elect.(General) (24 detail record</b>						<b>738</b>	<b>608</b>	<b>130</b>	<b>12</b>	<b>118</b>	<b>0</b>			

**(d^mJ ELECT.(TRD)**

**SAFETY**

MVD GR.	Sr.Tech.(MVD)	1228	C	essential	4200	1	1	0	0	0	0			
SUPERVISOR/TRD	SSE(TRD)	1222	C	essential	4600	21	17	4	0	4	0			
SUPERVISOR/TRD	JE (TRD)	1225	C	essential	4200	24	18	6	6	0	0	5	1	Empanalled 1 candidate (50% DPQ) under training & O.O. issued dated 23.06.11.2 posts unfilled due to refusal.
TWD GR.	Sr.Tech.(TWD)	1226	C	essential	4200	1	1	0	0	0	0			
TWD GR.	Tech.I(TWD)	1227	C	essential	2800	12	12	0	0	0	0			

**NON SAFETY**

DRG.GR	SSE(D/D)	1242	C	non essential	4600	1	1	0	0	0	0			HQ controlled post
DRG.GR	SE(D&D)	1243	C	non essential	4600	1	1	0	0	0	0			HQ controlled post
DRG.GR	JE-I(D&D)	1244	C	non essential	4200	1	1	0	0	0	0			HQ controlled post
DRG.GR	JE-II(D&D)	1245	C	non essential	4200	1	1	0	0	0	0			HQ controlled post
GR.A	Sr.Tech.(Gr.A)	1229	C	non essential	4200	13	12	1	0	1	0			Panel published on 12.07.11. Office order issued on 02.08.11.
GR.A	Tech.I(Gr.A)	1230	C	non essential	2800	67	64	3	0	3	0		1	Panel published on 12.07.11 & P.O.issued on 24.08.11.
GR.A	Tech.II(Gr.A)	1231	C	non essential	2400	50	48	2	0	2	0			O.O issued on 30.09.2011.
GR.A	Tech.III(Gr.A)	1232	C	non essential	1900	27	29	-2	0	-2	0	4		File is put up for certification of roster point.O.O. issued on 29.07.11 against 25% SEQ. Out of 27 sanc, 1 work charge post.
GR.A	HelperI(Gr.A)	1233	D	non essential	1800	150	121	29	29	0	0			
GR.A	Chow(H) (Gr.A)	1234	D	non essential	1800	5	4	1	1	0	0			
GR.B	Sr.Tech.(Gr.B)	1236	C	non essential	4200	4	3	1	0	1	0			Panel published on 12.07.11. O.O issued on 02.08.11.
GR.B	Tech.I(Gr.B)	1237	C	non essential	2800	20	19	1	0	1	0			Panel published on 12.07.11.O.O. Issued on 24.08.11.
GR.B	Tech.II(Gr.B)	1238	C	non essential	2400	13	10	3	0	3	0			O.O. issued on 30.09.2011.
GR.B	Tech.III(Gr.B)	1239	C	non essential	1900	7	9	-2	-1	-1	0			O.O issued on 29.07.11 against 25% SEQ.
GR.B	Helper(Gr.B)	1240	D	non essential	1800	36	25	11	11	0	0			
Gr.D	J.Peon	1218	D	non essential	1800	8	4	4	0	4	0			
Gr.D	Peon	1219	D	non essential	1800	3	6	-3	-3	0	0			
Gr.D	B/Peon	1220	D	non essential	1800	2	2	0	0	0	0			

Summary for 'DEPTT' = Elect.(TRD) (23 detail records) 468 409 59 43 16 0

Jm

nXZm

Jm Andí`H\$ / gr/\$ AZndí`H\$ J6>no

gH\$b ndr. dñV(dH\$ la°\$

[a°\$ SrAm Srrr EDSF a\$ \$` gr

B\$0

E9(gno\$

M` Z Aä` (°\$ - Cn` P\$Vm/ OS>0ñQ

(d^mJ **ELECTRIC LOCO SHED/BKSC SAFETY**

Supervisor	SSE	1586	C	essential	4600	2	1	1	0	1	0	Select list published on 22.01.10 but staff concerned not yet been released by the executive concern till date.
------------	-----	------	---	-----------	------	---	---	---	---	---	---	---

Supervisor	JR.ENGG.	1588	C	essential	4200	2	1	1	0	1	0	Select list published on 22.01.10 but staff concerned not yet been released by the executive concern till date.
------------	----------	------	---	-----------	------	---	---	---	---	---	---	---

**NON SAFETY**

Artisan Group	TECH GR.I	1590	C	non essential	2800	10	2	8	0	8	0	Select list published on 22.01.10 but staff concerned not yet been released by the executive concern till date.
---------------	-----------	------	---	---------------	------	----	---	---	---	---	---	---

Artisan Group	TECH GR.II	1591	C	non essential	2400	20	7	13	0	13	0	Select list published on 22.01.10 but staff concerned not yet been released by the executive concern till date.
---------------	------------	------	---	---------------	------	----	---	----	---	----	---	---

Artisan Group	TECH GR.III	1592	C	non essential	1900	10	4	6	0	6	0	Select list published on 22.01.10 but staff concerned not yet been released by the executive concern till date.
---------------	-------------	------	---	---------------	------	----	---	---	---	---	---	---

for 'DEPTT' = ELECTRIC LOCO SHED/BKSC (5 deta **44 15 29 0 29 0**

Jm

nXZm

Jm Andí`H\$/gr/Sr AZndí`H\$ J6>no

gH\$b ndr. dñV(dH\$ la°\$

[a°\$ SrAm Srrr EBSF aS` S` gr

B\$@ E9(gnos M` Z Aä` (°\$ - Cn` P\$Vm/ OS>0ñQ

(d^mJ ELECTRICAL

NON SAFETY

MINISTERIAL	Ch.OS	1212	C	non essential	4600	10	6	4	0	4	0	1	After received the Acr of last 3 years of eligible staff S/test will be fixed up.
MINISTERIAL	OS	1214	C	non essential	4200	34	36	-2	1	-3	0		Result published on 11.11.2011 only 04 candidates.
MINISTERIAL	Sr.Clerk	1216	C	non essential	2800	18	11	7	5	2	0		
MINISTERIAL	Jr.Clerk	1217	C	non essential	1900	5	12	-7	-3	-4	0		
<b>Summary for 'DEPTT' = Electrical (4 detail records)</b>						<b>67</b>	<b>65</b>	<b>2</b>	<b>3</b>	<b>-1</b>	<b>0</b>		

**ENGINEERING**

**SAFETY**

PWAY	MATE	1544	C	essential	1900	199	174	25	0	25	0	5	Controlled by respective ADENs
PWAY	KEYMAN	1545	C	essential	1900	220	207	13	0	13	0	2	Controlled by respective ADENs.
PWAY	WELDER-I	1550	C	essential	2800	1	1	0	0	0	0		
PWAY	WELDER-II	1551	C	essential	2400	5	0	5	0	5	0		No eligible candidate available in the feeder grade completed two years service.
PWAY	WELDER-III	1552	C	essential	1900	3	7	-4	0	-4	0		
PWAY	UG GATEMAN	1541	D	essential	1800	125	150	-25	-25	0	0		
PWAY	UG TRACKMAN	1543	D	essential	1800	1697	1049	648	648	0	0	21	Merged category .
PWAY	SR.GATEMAN	1556	D	essential	1800	119	104	15	15	0	0		Merged category .
PWAY	JR.GATEMAN	1557	D	essential	1800	77	149	-72	-72	0	0	45	Merged category .
PWAY	SR.TRACKMAN	1561	D	essential	1800	1504	747	757	757	0	0	6	Merged category .
PWAY	JR.TRACKMAN	1562	D	essential	1800	0	389	-389	-389	0	0	980	Indent placed taking higher grade i.e. Mate, K/man upto 31.12.2012.
PWAY SUP.	SSE/PWAY	1445	C	essential	4600	34	29	5	0	5	0		To fill up 05 No. posts already put up to C.A for suitable date.
PWAY SUP.	JE/PWAY	1447	C	essential	4200	40	36	4	8	-4	0		Due to merged grade no vac. Available.
PWAY SUP.	SR.SUP./PWAY	1449	C	essential	4200	73	61	12	-2	7	7	1	07 post of LDC already processed & 07 DPQ posts written test already held on 30.11.11. Result published.
PWAY SUP.	SAFETY COUNSELLO	1608	C	essential	4200	1	1	0	0	0	0	0	0

**NON SAFETY**

BRIDGE SUPV.	SSE	1468	C	non essential	4600	1	1	0	0	0	0		
BRIDGE SUPV.	JE-I	1469	C	essential	4200	1	0	1	0	1	0		
BRIDGE SUPV.	JE-II	1470	C	essential	4200	1	1	0	0	0	0		
BRI-GR.D	HELPER-I	1568	D	essential	1800	17	6	11	11	0	0		Controlled by respective ADEN.
BRI-GR.D	CHOWKIDAR	1569	D	non essential	1800	2	4	-2	0	-2	0		Controlled by respective ADEN.
BRI-GR.D	SR.TROLLEYMAN	1570	D	non essential	1800	0	2	-2	0	-2	0		Controlled by respective ADEN.
BRI-GR.D	JR.TROLLEYMAN	1571	D	non essential	1800	0	2	-2	0	-2	0		Controlled by respective ADEN.
BRI-PRR	SR.TECHNICIAN	1572	C	essential	4200	1	1	0	0	0	0		
BRI-PRR	TECHNICIAN-I	1573	C	essential	2800	8	8	0	0	0	0		
BRI-PRR	TECHNICIAN-II	1574	C	essential	2400	5	4	1	0	1	0		To be put up on June'2012.
BRI-PRR	TECHNICIAN-III	1575	C	essential	1900	1	2	-1	0	-1	0		DEN/BRI controlled.

Jn	nXZm	Jn gr/\$	Andí AZndí	H\$/H\$	J6>no	ñdr.	dmV(dH\$)	la°\$	SrAm a\$	Srnr \$	EBSF gr	B\$0	Er(gnos	M` Z Aä` (°\$ - Cn` P\$Vm/ 0\$>0ñQ
BRI-PRR	BLACK SMITH-II	1576	C	non essential	2400	1	1	0	0	0	0			
DSD-ADRA Gr.C	MATE	1477	C	non essential	1900	1	1	0	0	0	0			
DSD-ADRA Gr.C	MDM-I	1478	C	non essential	2800	1	1	0	0	0	0			
DSD-ADRA Gr.D	UG TROLLEYMAN	1479	D	non essential	1800	8	0	8	0	8	0			Controlled by respective ADEN.
DSD-ADRA Gr.D	HELPER	1482	D	non essential	1800	15	19	-4	0	-4	0			Controlled by respective ADEN.
DSD-ADRA Gr.D	CHOWKIDAR	1483	D	non essential	1800	3	5	-2	0	-2	0			Controlled by respective ADEN.
DSD-ADRA Gr.D	SR.TROLLEYMAN	1484	D	non essential	1800	4	1	3	0	3	0			Controlled by respective ADEN.
EST & DRG	SSE(ESTIMATOR)	1454	C	non essential	4600	7	5	2	1	1	0			
EST & DRG	JE(ESTIMATOR)	1456	C	non essential	4200	6	5	1	4	-3	0			
EST & DRG	SSE(DRG)	1458	C	non essential	4600	9	7	2	1	1	0			
EST & DRG	JE(DRG)	1460	C	non essential	4200	5	6	-1	5	-6	0			
MILL WRIGHT	SR.TECHNICIAN	1489	C	non essential	4200	1	1	0	0	0	0			
MILL WRIGHT	TECH-I	1490	C	non essential	2800	1	1	0	0	0	0			
MILL WRIGHT	TECH-II	1491	C	non essential	2400	2	2	0	0	0	0			
MILL WRIGHT	TECH-III	1492	C	non essential	1900	1	0	1	0	1	0			controlled by respective ADENs.
MINISTERIAL	CH.OS	1462	C	non essential	4600	16	13	3	0	3	0		1	Sent for roster verification.
MINISTERIAL	OS	1464	C	non essential	4600	62	53	9	0	-3	12		1	50% LDC quota to be filled up very shortly.
MINISTERIAL	SR.CLERK	1466	C	non essential	2800	29	21	8	5	3	0			04 posts out of 23 DPQ Sanc. are from Graduate quota.
MINISTERIAL	JR.CLERK	1467	C	non essential	1900	12	25	-13	3	-16	0			
OFFICE GR.D	J/PEON	1474	D	non essential	1800	6	5	1	0	1	0			Controlled by respective ADEN.
OFFICE GR.D	PEON	1475	D	non essential	1800	1	2	-1	0	-1	0			Controlled by respective ADEN.
OFFICE GR.D	FERRO KHALASI	1476	D	non essential	1800	1	1	0	0	0	0			Controlled by respective ADEN.
OFFICE GR.D	FERRO PRINTER	1593	D	non essential	1800	1	1	0	0	0	0			Controlled by respective ADEN.
PWAY	LUTTER CUM ALING	1546	C	non essential	2400	4	2	2	0	2	0			
PWAY	LUTTER CUM ALING	1547	C	non essential	1900	3	0	3	0	3	0			
PWAY	GRINDER-II	1548	C	non essential	2400	4	1	3	0	3	0			
PWAY	GRINDER-III	1549	C	non essential	1900	3	1	2	0	2	0			
PWAY	MDM-I	1553	C	non essential	2800	2	1	1	0	1	0			Reserved for ST candidate.
PWAY	MDM-II	1554	C	non essential	2400	1	2	-1	0	-1	0			
PWAY	MDM-III	1555	C	non essential	1900	1	0	1	0	1	0			Controlled by respective ADENs.
PWAY	GRINDER-II	1581	C	non essential	2800	0	0	0	0	0	0			
PWAY	LUTTER CUM ALING	1582	C	non essential	2800	0	0	0	0	0	0			

Jn	nXZm	Jn gr/\$	Andí AZndí H\$	H\$	J6>no	gh\$ b	ndr. dñV(dH\$	la°\$	SrAm a\$	Srnr \$	EdSf gr	B\$0	Exp(gn0\$	M` Z Aä` (°\$ - Cn` P\$Vm/ 0\$>0ñ0
PWAY	UG TROLLEYMAN	1542	D	non essential	1800	95	139	-44	-44	0	0			Controlled by respective ADEN.
PWAY	SR.TROLLEYMAN	1558	D	non essential	1800	90	69	21	21	0	0			Controlled by respective ADEN.
PWAY	JR.TROLLEYMAN	1559	D	non essential	1800	40	21	19	19	0	0			Controlled by respective ADEN.
PWAY	B/MAN	1563	D	non essential	1800	9	2	7	7	0	0			Controlled by respective ADEN.
PWAY	KSI/HELPER	1564	D	essential	1800	3	10	-7	-7	0	0			Controlled by respective ADEN.
PWAY	SAFAIWALA	1565	D	non essential	1800	1	3	-2	-2	0	0			
PWAY	CHOWKIDAR	1566	D	non essential	1800	39	25	14	14	0	0		2	Controlled by respective ADEN.
PWAY	CARETAKER	1567	D	non essential	1800	0	1	-1	-1	0	0			Controlled by respective ADEN.
WORKS	KSI/HELPER	1528	D	non essential	1800	388	318	70	70	0	0		6	Controlled by respective ADEN.
WORKS	MALI	1529	D	non essential	1800	3	2	1	1	0	0			Controlled by respective ADEN.
WORKS	SAFAIWALA	1530	D	non essential	1800	5	4	1	1	0	0		1	Controlled by respective ADEN.
WORKS	BTM	1531	D	non essential	1800	3	0	3	3	0	0			Controlled by respective ADEN.
WORKS	BTS	1532	D	non essential	1800	6	3	3	3	0	0			Controlled by respective ADEN.
WORKS	ASSTT.COOK	1533	D	non essential	1800	2	1	1	1	0	0			Controlled by respective ADEN.
WORKS	CARETAKER	1534	D	non essential	1800	6	6	0	0	0	0			Controlled by respective ADEN.
WORKS	FARRASH	1535	D	non essential	1800	4	1	3	3	0	0			Controlled by respective ADEN.
WORKS	CFO	1536	D	non essential	1800	2	1	1	1	0	0			Controlled by respective ADEN.
WORKS	D/RUNNER	1537	D	non essential	1800	1	1	0	0	0	0			Controlled by respective ADEN.
WORKS	V/OPERATOR	1538	D	non essential	1800	2	0	2	2	0	0			Controlled by respective ADEN.
WORKS	TROLLEYMAN	1539	D	non essential	1800	0	4	-4	-4	0	0			Controlled by respective ADEN.
WORKS (GR.'C')	MATE	1526	C	non essential	1900	9	4	5	0	5	0			Controlled by respective ADENs.
WORKS & PWAY COMBINED CADRE- DRIVER	DRIVER(SR.TECH)	1496	C	non essential	4200	1	1	0	0	0	0			
WORKS & PWAY COMBINED CADRE- DRIVER	DRIVER-I	1497	C	non essential	2800	5	4	1	0	1	0			Reserved for ST candidates.
WORKS & PWAY COMBINED CADRE- DRIVER	DRIVER-II	1498	C	non essential	2400	2	2	0	0	0	0			
WORKS & PWAY COMBINED CADRE- DRIVER	DRIVER-III	1499	C	non essential	1900	0	1	-1	0	-1	0			
WORKS & PWAY COMBINED CADRE- EBS	EBS(SR.TECH)/H.M	1508	C	non essential	4200	3	3	0	0	0	0			S/test held on 04.05.2011.P.O issued.

Jn	nXZm	Jn gr/\$	Andi`H\$ AZndi`H\$	J6>no	gh\$ b	ndr. dmiV(dH\$	la°\$	SrAm a\$`	Srnr S`	EBSF gr	B\$0	E9r(gnos	M` Z Aä` (°\$ - Cn` P\$Vm/ OS>0mQ
WORKS & PWAY COMBINED CADRE- EBS	EBS-I/H.M	1509	C non essential	2800	18	15	3	0	3	0			reserved for SC candidates.
WORKS & PWAY COMBINED CADRE- EBS	EBS-II/H.M	1510	C non essential	2400	10	5	5	0	5	0			P.O. issued on 02.01.12.
WORKS & PWAY COMBINED CADRE- EBS	EBS-III/H.M	1511	C non essential	1900	2	3	-1	0	-1	0			
WORKS & PWAY COMBINED CADRE- ECR	ECR(SR.TECH)	1504	C non essential	4200	4	4	0	0	0	0			Put up for place of posting.
WORKS & PWAY COMBINED CADRE- ECR	ECR-I	1505	C non essential	2800	20	13	7	0	7	0			O.O to be issued.
WORKS & PWAY COMBINED CADRE- ECR	ECR-II	1506	C non essential	2400	11	3	8	0	8	0			P.O already issued.
WORKS & PWAY COMBINED CADRE- ECR	ECR-III	1507	C non essential	1900	3	7	-4	0	-4	0			
WORKS & PWAY COMBINED CADRE- FITTER	FITTER(SR.TECH)	1512	C essential	4200	4	4	0	0	0	0			
WORKS & PWAY COMBINED CADRE- FITTER	FITTER-I	1513	C essential	2800	19	14	5	0	5	0			No eligible candidate in the feeder grade completed 2 years service.
WORKS & PWAY COMBINED CADRE- FITTER	FITTER-II	1514	C essential	2400	11	2	9	0	9	0			P.O. issued.
WORKS & PWAY COMBINED CADRE- FITTER	FITTER-III	1515	C essential	1900	5	11	-6	0	-6	0			
WORKS & PWAY COMBINED CADRE- FOM	FOM(SR.TECH)	1521	C non essential	4200	2	2	0	0	0	0			
WORKS & PWAY COMBINED CADRE- FOM	FOM-II	1522	C non essential	2400	8	8	0	0	0	0			P.O already issued.
WORKS & PWAY COMBINED CADRE- FOM	FOM-III/FPOIII	1523	C non essential	1900	6	5	1	0	1	0			

Jn	nXZm	Jn gr/\$	Andí AZndí	H\$ H\$	J6>no	ñdr. dñV(dH\$	gH\$ la°\$	SrAm a\$	Srnr \$	EBSF gr	B\$0	Er(gnos	M` Z Aä` (°\$ - Cn` P\$Vm/ OS>OnQ
WORKS & PWAY COMBINED CADRE-FOM	FOM-I	1524	C	non essential	2800	12	10	2	0	2	0		P.O. issued .
WORKS & PWAY COMBINED CADRE-MASON	MASON(SR.TECH)	1500	C	non essential	4200	4	4	0	0	0	0		P.O already issued.
WORKS & PWAY COMBINED CADRE-MASON	MASON-I	1501	C	non essential	2800	23	18	5	0	5	0		P.O already Issued.
WORKS & PWAY COMBINED CADRE-MASON	MASON-II	1502	C	non essential	2400	13	4	9	0	9	0		T/test conducted by .Already put up for TT.
WORKS & PWAY COMBINED CADRE-MASON	MASON-III	1503	C	non essential	1900	0	4	-4	0	-4	0		
WORKS & PWAY COMBINED CADRE-MATE	UG TROLLEYMAN	1601	D	non essential	1800	0	2	-2	0	-2	0		Controlled by respective ADEN.
WORKS & PWAY COMBINED CADRE-PAINTER	PAINTER(SR.TECH)	1516	C	non essential	4200	2	1	1	0	1	0	1	P.O already Issued.
WORKS & PWAY COMBINED CADRE-PAINTER	PAINTER-I	1517	C	non essential	2800	12	10	2	0	2	0	2	P.O already Issued.
WORKS & PWAY COMBINED CADRE-PAINTER	PAINTER-II	1519	C	non essential	2400	8	6	2	0	2	0		File put up for place of posting.O.O issued on 03.01.12.
WORKS & PWAY COMBINED CADRE-PAINTER	PAINTER-III	1520	C	non essential	1900	5	4	1	0	1	0		Controlled by respective ADENs.
WORKS (GR.'C')	COOK GR-III	1525	C	non essential	1900	1	1	0	0	0	0		
WORKS (GR.'D')	CHOWKIDAR	1527	D	non essential	1800	34	29	5	5	0	0		Controlled by respective ADEN.
WORKS SUP.	SSE/WORKS	1450	C	essential	4600	23	16	7	3	4	0		Case put up for approval of vac.
WORKS SUP.	JE/WORKS	1452	C	essential	4200	26	23	3	4	-5	4		4 LDC is actually intermediate app. Quota and put up the file to fill up the vac .
WORKSHOP ARTISAN	SR.TECHNICIAN	1485	C	non essential	4200	2	2	0	0	0	0		P.O. issued on 17.05.11.
WORKSHOP ARTISAN	TECH-I	1486	C	non essential	2800	9	9	0	0	0	0		
WORKSHOP ARTISAN	TECH-II	1487	C	non essential	2400	6	3	3	0	3	0		P.O already Issued.
WORKSHOP ARTISAN	TECH-III	1488	C	non essential	1900	0	6	-6	0	-6	0		
WORKSHOP Gr.D	HELPER-I	1578	D	essential	1800	8	9	-1	-1	0	0		Controlled by respective ADEN.

Jn	nXZm	Jn	Andi`H\$/gr/\$	AZndi`H\$	J6>no	ñdr.	dmV(dH\$	la°\$	SrAm aS`	Srnr S`	EBSF gr	B\$0	Er(gnos	M` Z Aä` (°\$ - Cn` P\$Vm/ OS>OnQ
WORKSHOP Gr.D	CHOWKIDAR	1579	D	non essential	1800	3	2	1	1	0	0			Controlled by respective ADEN.
WORKSHOP Gr.D	SR.TROLLEYMAN	1580	D	non essential	1800	2	1	1	1	0	0			Controlled by respective ADEN.
WORKSHOP Gr.D	UG TROLLEYMAN	1598	D	non essential	1800	0	2	-2	-2	0	0			Controlled by respective ADEN.
WORKSHOP-SUP	SSE	1471	C	non essential	4600	1	1	0	0	0	0			Controlled by respective ADEN.
WORKSHOP-SUP	JE-I	1472	C	non essential	4200	1	0	1	0	1	0			Controlled by respective ADEN.
WORKSHOP-SUP	SUPV.	1473	C	non essential	2800	1	0	1	0	1	0			Controlled by respective ADEN.
Summary for 'DEPTT' = ENGINNERING (123 detail recor						5384	4207	1177	1069	85	23			

{d^mJ SAFETY

MECHANICAL

C&W	SSE	955	C	essential	4600	31	22	9	0	9	0	1	HQ controlled post.	
C&W	SE/C&W	956	C	essential	4600	48	38	10	5	5	0	9	1	HQ controlled post.
C&W	JE I	957	C	essential	4200	40	31	9	0	9	0			
C&W	JE II/C&W	958	C	essential	4200	47	28	19	9	10	0	30	0	Notification issued on 30.05.11 for 11 vac & advised to the candidate for readiness. Out of 8 candidates 7 candidates submitted unwillingness.
C&W	Sr.Tech	959	C	essential	4200	63	54	9	0	9	0	5	5	To fill up 16 vac(taking anticipated) date S/test fixed on 14.12.11.
C&W	Tech.I	960	C	essential	2800	318	297	21	0	21	0	9	9	last select list published 15.09.11.
C&W	Tech II	961	C	essential	2400	200	151	49	0	49	0	4	4	last select list 23.03.11.
C&W	Tech III/C&W	962	C	essential	1900	87	95	-8	0	-8	0	65	2	Last Select published on 24.03.11. After completion of 01 year debarment period from the date of earlier O.O. No. 54/10 dated 11.05.10, offer of 2nd P.O issued on 17.11.11 of 31 candidates.
C&W	CMS I	963	C	essential	4600	1	1	0	0	0	0			CMT/KGP controlled post.
C&W	Lab.Asstt.	964	C	essential	2000	1	1	0	0	0	0			CMT/KGP controlled post.
DLS	SSE(DLS)	1033	C	essential	4600	7	6	1	0	1	0			HQ controlled post.
DLS	SE(DLS)	1034	C	essential	4600	11	9	2	1	1	0	1		HQ controlled post.
DLS	JE-I	1035	C	essential	4200	9	8	1	0	1	0			Merg grade with JE-II
DLS	JE-II/DLS	1036	C	essential	4200	10	5	5	3	2	0	7		W/test was held on 25.05.11 for 2 vacancies.(25% DPQ). Result awaitd.
DLS	Sr.Tech.(F)	1037	C	essential	4200	23	27	-4	0	-4	0	1		Last select list published 02.08.11.
DLS	Mech.I(F)	1038	C	essential	2800	118	108	10	0	10	0	2		Last select list published on 29.07.11
DLS	Mech.II(F)	1039	C	essential	2400	76	61	15	0	15	0			Last select list published on 29.08.11.
DLS	Mech.III(F)/Tech. III	1040	C	essential	1900	28	18	10	9	1	0	44		Surrender of 15 posts Grd-III Fitter vide No. E/cadre/MPP/Surrender of posts/12/11 dated 09.09.11.
DLS	Lab.Supdt.I	1045	C	essential	4600	2	2	0	0	0	0			CMT/KGP controlled post.
DLS	CMS-II	1046	C	essential	4600	1	0	1	0	1	0			CMT/KGP controlled post.
DLS	CMA-I	1047	C	essential	4200	4	2	2	0	2	0			CMT/KGP controlled post.
DLS	CMA-II	1048	C	essential	4200	2	2	0	0	0	0			CMT/KGP controlled post.
DLS	Lab.Asstt.II	1049	C	essential	2000	1	0	1	0	1	0			CMT/KGP controlled post.

Jn	nXZm	Jn gr/\$	Andí AZndí` H\$	H\$	J6>no	ñdr. dñV(dH\$	gH\$ la°\$	SrAm a\$	Srnr \$	EBSF gr	B\$0	Erignos	M` Z Aä` (°\$ - Cn` P\$Vm/ OS>0ñQ
DLS	Lab.Asstt.III	1050	C	essential	1900	3	4	-1	0	-1	0		CMT/KGP controlled post.
LOCO	SLI	1056	C	essential	4600	5	5	0	0	0	0		
LOCO	LI	1057	C	essential	4600	3	2	1	0	1	0		To fill up 02 vac date of written test was held on 22.11.11 and 29.11.11. & 14.12.11. Result awaited.
LOCO	Safety Councillor	1058	C	essential	4600	1	1	0	0	0	0		
LOCO	CMS-II	1069	C	essential	4600	1	1	0	0	0	0		CMT/KGP controlled post.
LOCO	Lab.Asstt.	1070	C	essential	2000	1	1	0	0	0	0		CMT/KGP controlled post.
WRS	SSE	993	C	essential	4600	3	3	0	0	0	0		WPO/KGP controlled post.
WRS	SE	994	C	essential	4600	5	5	0	0	0	0		WPO/KGP controlled post.
WRS	JE-I	995	C	essential	4200	5	0	5	0	5	0		WPO/KGP controlled post.
WRS	JE-II	996	C	essential	4200	5	5	0	0	0	0		WPO/KGP controlled post.
WRS	Tech.III(F)/WRS	1000	C	essential	1900	27	12	15	1	14	0	18	To fill up 3 vac.(25% SEQ). W/test was hel don 02.06.11. None of the candidate has empannelled.

**NON SAFETY**

C&W	Sr.Tech.(ISO)	965	C	non essential	4200	12	11	1	0	1	0		Last select list published on 22.06.11.
C&W	Welder I	966	C	non essential	2800	32	28	4	0	4	0		Last select list published on 22.06.11.
C&W	Welder II	967	C	non essential	2400	21	9	12	0	12	0		
C&W	Welder III	968	C	non essential	1900	20	21	-1	0	-1	0		Last select list published on 01.12.11.
C&W	Mechinist I	969	C	non essential	2800	8	8	0	0	0	0		
C&W	Mechinist II	970	C	non essential	2400	5	5	0	0	0	0		
C&W	Mechnist III	971	C	non essential	1900	2	2	0	0	0	0		
C&W	B/Smith I	972	C	non essential	2800	7	6	1	0	1	0		Dt. of S/test iwas held on 08.06.11 to fill up 1 vac.Result published on 22.06.11. P.O. issued on 07.07.11.
C&W	B/Smith II	973	C	non essential	2400	3	1	2	0	2	0		
C&W	B/Smith-III	974	C	non essential	1900	0	0	0	0	0	0		
C&W	AC Driver-I	975	C	non essential	2800	6	3	3	0	3	0		To fill up 04 vac death of suitability test is fixed on 14.12.11.
C&W	AC Driver - II	976	C	non essential	2400	6	4	2	0	2	0		
C&W	AC Driver-III	977	C	non essential	1900	1	6	-5	0	-5	0		
C&W	Cr.Driver-I	978	C	non essential	2800	4	4	0	0	0	0		
C&W	Cr.Driver-II	979	C	non essential	2400	3	3	0	0	0	0		
C&W	Cr.Driver-III	980	C	non essential	1900	2	4	-2	0	-2	0		Accommodate against the vac of Welder-III

Jn	nXZm	Jn gr/\$	Andí AZndí` H\$	H\$	J6>no	ñdr.	dmV(dH\$	la°\$	SrAm a\$`	Srnr \$`	EBSF gr	B\$@	Er(gnos	M` Z Aä` (°\$ - Cn` P\$Vm/ 0\$>0ñQ
C&W	Painter-I	981	C	non essential	2800	5	4	1	0	1	0			
C&W	Painter-II	982	C	non essential	2400	3	2	1	0	1	0			Last select list published on 03.08.11.
C&W	Painter-III	983	C	non essential	1900	1	0	1	0	1	0			
C&W	Carpenter-I	984	C	non essential	2800	4	3	1	0	1	0			
C&W	Carpenter-II	985	C	non essential	2400	1	0	1	0	1	0			
C&W	J/T Driver(MCM)	986	C	non essential	4200	1	0	1	0	1	0			
C&W	J/T Driver(I)	987	C	non essential	2800	4	3	1	0	1	0			
C&W	J/T Driver(II)	988	C	non essential	2400	2	2	0	0	0	0			
C&W	J/T Driver(III)	989	C	non essential	1900	2	2	0	0	0	0			
C&W	Helper-I	990	D	non essential	1800	483	168	315	0	315	0		6	
C&W	Helper-II	1583	D	non essential	1800	0	99	-99	-99	0	0			
DLS	Sr.Tech.(ISO)	1041	C	non essential	4200	2	2	0	0	0	0			
DLS	Tech.I(ISO)	1042	C	non essential	2800	9	8	1	0	1	0			Suitability test was held on 18.05.11.P/O. issued on 17.06.11.
DLS	Tech.II(ISO)	1043	C	non essential	2400	5	4	1	0	1	0			
DLS	Tech.III(ISO)	1044	C	non essential	1900	3	2	1	0	1	0			
DLS	Helper-I	1051	D	non essential	1800	53	30	23	0	23	0			
DLS	Helper-II	1052	D	non essential	1800	0	22	-22	-22	0	0			
DLS	SAFAIWALA-I	1053	D	non essential	1800	1	1	0	0	0	0			
DLS	SAFAIWALA-II	1054	D	non essential	1800	1	1	0	0	0	0			
Gr.D	B.Peon	1084	D	non essential	1800	3	1	2	2	0	0			
LOCO	Drafted CCC	1059	C	non essential	4200	3	1	2	0	2	0			
LOCO	Drafted CC	1060	C	non essential	4200	11	9	2	0	2	0			
LOCO	Sr.Tech.	1061	C	non essential	4200	0	1	-1	0	-1	0			
LOCO	Tech.I	1062	C	non essential	2800	0	5	-5	0	-5	0			
LOCO	Tech.II	1063	C	non essential	2400	0	5	-5	0	-5	0			
LOCO	Tech.III	1064	C	non essential	1900	0	29	-29	0	-29	0			
LOCO	B/Maker-I	1066	C	non essential	2800	0	3	-3	0	-3	0			
LOCO	B/Maker-II	1067	C	non essential	2400	0	3	-3	0	-3	0			
LOCO	Sr.Cook	1071	C	non essential	2400	0	2	-2	0	-2	0			
LOCO	Cook	1072	C	non essential	1900	0	0	0	0	0	0			
LOCO	Wash Boy	1068	D	non essential	1800	0	0	0	0	0	0			
LOCO	Caretaker	1073	D	non essential	1800	2	1	1	0	1	0			
LOCO	Asstt.Cook	1074	D	non essential	1800	0	4	-4	0	-4	0			

Jn	nXZm	Jn gr/\$	Andi`H\$ AZndi`H\$	J6>no	gH\$b	ndr. dmV(dH\$	la°\$	SrAm a\$	Srnr \$	EBSF gr	B\$0	Er(gnos	M`Z Aä` (°\$ - Cn` P\$Vm/ OS>OnQ
LOCO	Bearer-cum-cook	1075	D non essential	1800	0	0	0	0	0	0			
LOCO	Bearer	1076	D non essential	1800	7	2	5	0	5	0			
LOCO	Masalchi	1077	D non essential	1800	0	2	-2	0	-2	0			
LOCO	SAFAIWALA	1078	D non essential	1800	0	1	-1	0	-1	0			
LOCO	Sr.Chowkidar	1079	D non essential	1800	0	3	-3	0	-3	0			
LOCO	Sr.Call Boy	1080	D non essential	1800	8	24	-16	0	-16	0			15 posts of call boy surrendered in loco cadre vide no. E/Cadre/MPP/surrender of post/12/11 dated 09.09.11. Actual=23+ 1 lien
MINISTERIAL	Ch.OS	948	C non essential	4600	15	14	1	0	1	0			Last select list published on 08.04.11 .
MINISTERIAL	OS	950	C non essential	4200	56	43	13	0	2	11			Suitability test held on 28.11.11.Result published on 05.12.11 of 06 candidate.
MINISTERIAL	Sr.Clerk	952	C non essential	2800	23	20	3	5	-2	0			W/Test held on 10.07.11. Result published 04.08.11 of 4 candidates.P.O. issued on 12.08.11.
MINISTERIAL	Jr.Clerk	953	C non essential	1900	2	4	-2	-3	1	0			
MINISTERIAL	J.Peon	1082	D non essential	1800	10	10	0	0	0	0			
MINISTERIAL	Peon	1083	D non essential	1800	10	12	-2	-2	0	0			
WRS	Sr .Tech(F)	997	C non essential	4200	21	21	0	0	0	0		2	S/test was held on 08.06.11 for fill up of 10 vac.Result published on 22.06.11 & P. O issued on 23.06.11.
WRS	Tech.I(F)	998	C non essential	2800	107	105	2	0	2	0		3	Last select list published on 22.06.11.
WRS	Tech.II(F)	999	C non essential	2400	68	36	32	0	32	0			Result published on 17.05.11 of 16 candidates.Promotion order issued on 06.0611 for 7 candidate & remaining P.O. issued after completion of 2 years service.
WRS	Sr.Tech.(DMW)	1001	C non essential	4200	1	1	0	0	0	0			
WRS	Tech.I (DMW)	1002	C non essential	2800	4	4	0	0	0	0			
WRS	Tech.II(DMW)	1003	C non essential	2400	2	2	0	0	0	0			
WRS	Tech.III(DMW)	1004	C non essential	1900	0	1	-1	0	-1	0			
WRS	Sr.Tech.(ISO)	1006	C non essential	4200	9	9	0	0	0	0			
WRS	Welder-I	1007	C non essential	2800	17	15	2	0	2	0		2	Last select list published on 28.09.11.
WRS	Welder-II	1008	C non essential	2400	10	8	2	0	2	0			Result published on 11.05.11. P.O issued after completion of 2 years of service on 17.11.11.

Jn	nXZm	Jn	Andí H\$	H\$	J6-no	gH\$	la°\$	SrAm	Srnr	EBSF	B\$0	Er(gno\$	M` Z Aä` (°\$ - Cn` P\$Vm/
		gr/\$	AZndí` H\$			ñdr. dñV(dH\$		a\$`	\$`	gr			0\$-0ñ0
WRS	Welder-III	1009	C	non essential	1900	3	0	3	0	3	0		Option invited form Helper-I/WRS vide letter dated 26.05.11 to fill up of 5 vac. 4 No. of option received & Put up for fix up date.
WRS	B/Smith-I	1010	C	non essential	2800	8	8	0	0	0	0		
WRS	B/Smith-II	1011	C	non essential	2400	5	5	0	0	0	0		
WRS	B/Smith-III	1012	C	non essential	1900	2	1	1	0	1	0		
WRS	Machinist-I	1013	C	non essential	2800	9	9	0	0	0	0		Last select list published on 28.09.11.
WRS	Machinist-II	1014	C	non essential	2400	6	2	4	0	4	0	1	Last select list published on 02.08.11.
WRS	Machinist-III	1015	C	non essential	1900	1	1	0	0	0	0		
WRS	Painter-I	1016	C	non essential	2800	4	3	1	0	1	0		Vac kept reserved for ST candidates.
WRS	Painter-II	1017	C	non essential	2400	2	1	1	0	1	0		Date of Trade test fixed on 13.06.11. Result received on 06.01.12 & result will be published after obtaining of D&A clearance.
WRS	Painter-III	1018	C	non essential	1900	1	1	0	0	0	0		
WRS	Tin Smith-I	1019	C	non essential	2800	3	3	0	0	0	0		
WRS	Carpenter-I	1020	C	non essential	2800	1	1	0	0	0	0		
WRS	Carpenter-II	1021	C	non essential	2400	1	1	0	0	0	0		
WRS	Carpenter-III	1022	C	non essential	1900	1	1	0	0	0	0		
WRS	AC Driver-I	1023	C	non essential	2800	2	1	1	0	1	0		Vac kept reserved for SC candidates.
WRS	AC Driver-II	1024	C	non essential	2400	1	1	0	0	0	0		
WRS	AC Driver-III	1025	C	non essential	1900	1	1	0	0	0	0		
WRS	EC Driver-I	1026	C	non essential	2800	2	2	0	0	0	0		
WRS	EC Driver-II	1027	C	non essential	2400	1	1	0	0	0	0		
WRS	EC Driver-III	1028	C	non essential	1900	1	1	0	0	0	0		
WRS	Helper-I	1029	D	non essential	1800	48	14	34	0	34	0		
WRS	Helper-II	1030	D	non essential	1800	0	22	-22	-22	0	0		
Summary for 'DEPTT' = MECHANICAL (127 detail recor						2391	1954	437	-113	539	11		

(d^mJ MEDICAL

NON SAFETY

Cook	Sr.Cook	1189	C	non essential	2400	2	2	0	0	0	0		Office order issued on 05.08.11.
Cook	Cook	1190	C	non essential	1900	2	2	0	0	0	0		
Cook	Asstt.Cook	1206	D	non essential	1800	1	0	1	1	0	0		
Dresser	Dresser-I	1184	C	non essential	2800	2	2	0	0	0	0		
Dresser	Dresser-II	1185	C	non essential	2400	9	9	0	0	0	0	2	O.O. issued on 8.4.11.
Dresser	Dresser-III	1186	C	non essential	1900	4	4	0	0	0	0		O.O. issued on 13.09.01.
Driver	Amb.Driver-I	1197	C	non essential	2800	1	2	-1	0	-1	0		
Driver	Amb.Driver-II	1198	C	non essential	2400	2	2	0	0	0	0		
Driver	Amb.Driver-III	1199	C	non essential	1900	3	2	1	0	1	0		
Gr.C	Ext.Educator	1194	C	non essential	4200	1	0	1	1	0	0	1	
Gr.C	Field worker	1195	C	non essential	1900	1	0	1	1	0	0		
Gr.C	Tailor	1196	C	non essential	1900	1	1	0	0	0	0		
Gr.D	SAFAIWALA	1200	D	non essential	1800	486	471	15	15	0	0	11	
Gr.D	Hosp.Cleaner	1201	D	non essential	1800	53	49	4	4	0	0	2	
Gr.D	Khalasi	1202	D	non essential	1800	34	26	8	8	0	0	2	
Gr.D	Peon	1203	D	non essential	1800	19	19	0	0	0	0		
Gr.D	B.Peon	1205	D	non essential	1800	1	1	0	0	0	0		
Gr.D	Ayah	1207	D	non essential	1800	20	18	2	2	0	0		
Gr.D	Attendant	1208	D	non essential	1800	30	27	3	3	0	0		
Gr.D	Mali	1209	D	non essential	1800	2	1	1	1	0	0		
Gr.D	Record Sorter	1210	D	non essential	1800	1	1	0	0	0	0		
Inspector	CHI	1191	C	non essential	4600	5	3	2	0	2	0	1	HQ controlled post
Inspector	HI/MI -III	1193	C	non essential	4200	10	7	3	3	0	0	4	
Laboratory	Ch.Lab Supdt.	1164	C	non essential	4600	1	1	0	0	0	0		
Laboratory	Lab. Supdt.II	1165	C	non essential	4200	1	2	-1	0	-1	0		
Laboratory	Lab.Supdt.III	1166	C	non essential	4200	2	1	1	1	0	0		
MINISTERIAL	Ch.OS	1180	C	non essential	4600	2	2	0	0	0	0		
MINISTERIAL	OS	1181	C	non essential	4200	8	6	2	0	2	0		O.O. issued on 17.08.01.
MINISTERIAL	Sr.Clerk	1182	C	non essential	2800	4	3	1	1	0	0		
MINISTERIAL	Jr.Clerk	1183	C	non essential	1900	0	3	-3	0	-3	0		
MINISTERIAL	Comp. Clerk	1584	C	non essential	2800	1	1	0	0	0	0		

Jn	nXZm	Jn	Andí`H\$/gr/\$	AZndí`H\$	J6>no	ñdr.	dmV(dH\$	la°\$	SrAm aS`	Srnr S`	EBSF gr	B\$0	Er(gnos	M`Z Aä` (°\$ - Cn` P\$Vm/ OS>OnQ
Nurse	Ch.Matron	1172	C	non essential	5400	25	24	1	0	1	0		1	01 promoted as ANO.
Nurse	NRSS	1174	C	non essential	4800	19	13	6	0	6	0			O.O. issued on 02.09.11.
Nurse	Staff Nurse	1175	C	non essential	4600	9	1	8	8	0	0	14	5	
Pharmacist	Ch.PHS-I	1167	C	non essential	4600	2	2	0	0	0	0			
Pharmacist	Ch.PHS-II	1168	C	non essential	4600	2	1	1	0	1	0			
Pharmacist	PHS-I	1169	C	non essential	4200	6	6	0	0	0	0			
Pharmacist	PHS-II	1170	C	non essential	4200	4	5	-1	0	-1	0			
Pharmacist	PHS-III	1171	C	non essential	2800	3	2	1	1	0	0	1		
Physiotherapist	Physiotherapist	1179	C	non essential	4200	1	1	0	0	0	0		1	
Radiographer	Radiographer-I	1176	C	non essential	4200	1	0	1	0	1	0			
Radiographer	Radiographer-II	1177	C	non essential	4200	1	1	0	0	0	0			
Radiographer	Radiographer-III	1178	C	non essential	2800	1	1	0	0	0	0	1		
Steno	Jr.CA	1187	C	non essential	1900	1	1	0	0	0	0			
Typist	Ch.Typist	1188	C	non essential	4200	1	1	0	0	0	0			
<b>Summary for 'DEPTT' = Medical (45 detail records)</b>						<b>785</b>	<b>727</b>	<b>58</b>	<b>50</b>	<b>8</b>	<b>0</b>			

Jn	nXZm	Jn	Andi`H\$	gr/\$	AZndi`H\$	J6>no	gH\$b	ndr. dmV(dH\$	la°\$	SrAm	Srnr	EdSf	B\$@	Er(gnos	M`Z Aä` (°\$ - Cn` P\$Vm/	OS>OnQ
(d^mJ	OPERATING															
ASM GR.	SS	1377	C	essential	4600	131	117	14	0	14	0		19	3 staff is under order of promotion.		
ASM GR.	SM	1380	C	essential	4200	291	250	41	28	-14	27	28	9	Due to merger of cader no vac against DPQ.		
ASM GR.	ASM	1381	C	essential	2800	40	52	-12	-17	5	0	4		Panel published on 15.06.11. No body empannelled.		
ASM GR.	ASM INSTRUCTOR	1383	C	essential	4200	1	1	0	0	0	0					
CABIN GR.	CABIN MASTER	1396	C	essential	2400	117	49	68	0	68	0		14	Due to interlocking of panel cadre has been declared as redendent surplus category & selection kept pending.		
CABIN GR.	SR.CM	1407	C	essential	2400	123	57	66	0	66	0		26	Due to interlocking of panel cadre has been declared as redendent surplus category & selection kept pending.		
CABIN GR.	CM-I	1408	C	essential	1900	98	87	11	0	11	0			HQ refer for AVC to give promotion from Gr D to Gr.C after 6th pay commission.		
CONTROLLER GR.	CHC	1384	C	essential	4600	37	34	3	0	3	0			No eleigible candidate is available in feeder grade.		
CONTROLLER GR.	SECTION CONTROLL	1386	C	essential	4200	20	4	16	3	11	2	1		Written test held on 22.11.11 . Awaiting for result.		
COUNCILER	SAFETY COUNCELLO	1404	C	essential	4200	1	1	0	0	0	0					
GUARD GR.	M.EXP GD.	1387	C	essential	4200	28	28	0	0	0	0		7			
GUARD GR.	SR. PASS GD.	1388	C	essential	4200	86	81	5	0	5	0		16	Last panel published on 26.07.11. Next S/test will be processed in Jan'2012.		
GUARD GR.	SR.GOODS GD.	1390	C	essential	4200	102	102	0	0	0	0		3	Last panel published on 08.07.11. Next S/test will be processed in Jan'2012.		
GUARD GR.	GOODS GD.	1391	C	essential	2800	277	181	96	42	16	38	58	3	LDC examination held on 29.11.11.Awaiting for result.		
GUARD GR.	ASSTT. GD.	1393	C	essential	1900	1	1	0	0	0	0					
POINTSMAN GR.	PM-I	1409	C	essential	1900	614	489	125	0	125	0		51			
POINTSMAN GR.	PM-II	1410	D	essential	1800	125	4	121	0	121	0			Merged grade of Gr.D staff in PB-I 5200-20200 + GP 1800 .		
SHUNTING MASTER GR.	STG MASTER-I	1394	C	essential	4200	25	21	4	0	4	0		4			
SHUNTING MASTER GR.	STG MASTER-II	1395	C	essential	2400	24	14	10	0	10	0		1	Selection will be processed in Jan'2012.		
TGM	SR.TGM & TGM	1412	D	essential	1800	93	41	52	52	0	0		3	Options from other deptt. called for filling up the vac. of TGM.		

Jn	nXZm	Jn gr/\$	Andí AZndí` H\$	H\$	J6>no	ñdr. dñV(dH\$	gH\$b	la°\$	SrAm a\$`	Srnr \$`	EBSF gr	B\$@	Exp(gnos	M` Z Aä` (°\$ - Cn` P\$Vm/ OS>OnQ
TM	SR.TM & TM	1413	D	essential	1800	7	6	1	1	0	0			
TNC	CH.TNC	1397	C	essential	4200	74	60	14	0	14	0		11	P.O. issued for 8 candidates on 01.12.11.
TNC	SR.TNC	1399	C	essential	2400	19	12	7	0	7	0			P.O issued for 04 candidates on 01.12.11.
TNC	JR.TNC	1400	C	essential	1900	6	5	1	-2	3	0	15		cancelling earlier selection fresh vac assessed and dt of written test fixed on 21.01.2012.
TP	TP	1411	D	essential	1800	312	408	-96	-96	0	0		2	
<b>NON SAFETY</b>														
BC	BOX CARRIER	1414	D	non essential	1800	28	28	0	0	0	0		1	Redendent surplus category.
BC	COLL BOY/BOX CAR	1415	D	non essential	1800	8	5	3	3	0	0			Redendent surplus category.
BR	B/R	1421	D	non essential	1800	0	1	-1	-1	0	0		1	Unfit for further service. Incubment Kept in supernumery post.
CB	CALL BOY	1416	D	non essential	1800	12	31	-19	-19	0	0		5	Redendent surplus category.
CONTROL GR.	CH.OS	1435	C	non essential	4600	6	5	1	0	1	0		1	kept pending for absorption of medically decategorised staff.
CONTROL GR.	OS	1437	C	non essential	4200	22	19	3	0	3	0		4	kept pending for absorption of medically decategorised staff.
CONTROL GR.	SR.CLERK	1439	C	non essential	2800	11	12	-1	-2	1	0	0	2	kept pending for absorption of medically decategorised staff.
CONTROL GR.	JR.CLERK	1440	C	non essential	1900	1	1	0	0	0	0	0		
INSP.	D/INSPECTOR	1405	C	non essential	2800	2	0	2	0	2	0			Will be processed shortly.
JEEP DR. GR.	JEEP/MTD-I	1401	C	non essential	2800	3	3	0	0	0	0		2	
JEEP DR. GR.	JEEP/MTD-II	1402	C	non essential	2400	3	3	0	0	0	0		1	
JEEP DR. GR.	JEEP/MTD-III	1403	C	non essential	1900	2	2	0	0	0	0			
KSI	KSI	1418	D	non essential	1800	2	1	1	1	0	0			No AVC.
LM	LM	1420	D	non essential	1800	0	2	-2	-2	0	0		1	Redeployment O.O will be issued shortly.
OFFICE GR.	CH.OS	1422	C	non essential	4600	6	6	0	0	0	0			
OFFICE GR.	OS	1424	C	non essential	4200	25	17	8	0	4	4		4	kept reserved for 3 SC & 1 ST candidate.
OFFICE GR.	SR.CLERK	1426	C	non essential	2800	12	17	-5	2	-7	0	0	2	
OFFICE GR.	JR.CLERK	1427	C	non essential	1900	9	12	-3	-1	-2	0	0		
PEON	OFFICE PEON	1441	D	non essential	1800	26	30	-4	-4	0	0		3	
PEON	STN. PEON	1442	D	non essential	1800	55	47	8	8	0	0		9	
PEON	C.C.PEON	1443	D	non essential	1800	5	4	1	1	0	0		1	

Jn	nXZm	Jn	Andí`H\$/gr/\$	AZndí`H\$	J6>no	ñdr.	dmV(dH\$	la°\$	SrAm a\$`	Srnr \$`	EBSF gr	B\$0	Er(gnos	M` Z Aä` (°\$ - Cn` P\$Vm/ OS>OnQ
PEON	BUNGLOW PEON	1444	D	non essential	1300	3	3	0	0	0	0			
R& S&T GR.	CH.OS	1428	C	non essential	4600	6	5	1	0	1	0		2	Process for filling up the vacs.
R& S&T GR.	OS	1431	C	non essential	4200	22	18	4	0	3	1		6	kept reserved for SC candidate.
R& S&T GR.	SR.CLERK	1433	C	non essential	2800	11	11	0	1	-1	0	3		
R& S&T GR.	JR.CLERK	1434	C	non essential	1900	0	2	-2	-2	0	0	4		
SCLM	SCLM	1419	D	non essential	1800	0	4	-4	-4	0	0			Redeployment O.O will be issued shortly.
TTH	TTH	1417	D	non essential	1800	5	5	0	0	0	0		1	
WAGON	W/CHASER	1406	C	non essential	4200	1	0	1	0	1	0			
<b>ummary for 'DEPTT' = OPERATING (54 detail records</b>						<b>2938</b>	<b>2399</b>	<b>539</b>	<b>-8</b>	<b>475</b>	<b>72</b>			

(d^mJ PERSONNEL

NON SAFETY

CANTEEN	CANTEEN MANAGER	1306	C	non essential	2400	1	1	0	0	0	0	
CANTEEN	SR.COOK	1307	C	non essential	2400	2	1	1	0	1	0	
CANTEEN	COOK/HALWAI	1308	C	non essential	1900	2	1	1	0	1	0	
CANTEEN	SR.SALESMAN	1309	C	non essential	1900	1	1	0	0	0	0	
CANTEEN	SALESMAN	1310	D	non essential	1800	4	5	-1	0	-1	0	
CANTEEN	VENDOR	1311	D	non essential	1800	2	1	1	0	1	0	1
CANTEEN	CANTEEN ASST.	1312	D	non essential	1800	0	1	-1	0	-1	0	
COMPUTER	SYSTEM MANAGER	1315	C	non essential	4200	3	2	1	1	0	0	
COMPUTER	ASST. MAINTAINER	1316	C	non essential	1900	1	1	0	0	0	0	
Gr.C	G.OPERATOR	1313	C	non essential	1900	1	1	0	0	0	0	
Gr.D	R.SORTER-I	1300	D	non essential	1800	5	4	1	0	1	0	
Gr.D	R.SORTER-II	1301	D	non essential	1800	4	4	0	0	0	0	
Gr.D	MISC.GR.'D'	1302	D	non essential	1800	22	21	1	0	1	0	
Gr.D	PEON	1304	D	non essential	1800	34	34	0	0	0	0	
Gr.D	B.PEON	1318	D	non essential	1300	3	3	0	0	0	0	
INSPECTORIAL	CH.S&WI	1283	C	essential	4600	6	5	1	1	0	0	
INSPECTORIAL	S&WI	1285	C	essential	4200	5	6	-1	0	-1	0	
LAW	LAW ASST.	1314	C	non essential	4600	2	0	2	2	0	0	
MINISTERIAL	CH.OS	1277	C	non essential	4600	30	28	2	0	2	0	1 Held up due to nonavailability of current CRs.
MINISTERIAL	OS	1279	C	non essential	4200	111	83	28	19	9	0	Notesheet put up to liasion officer.
MINISTERIAL	SR.CLERK	1281	C	non essential	2800	56	51	5	19	-14	0	22
MINISTERIAL	JR.CLERK	1282	C	non essential	1900	0	17	-17	-12	-5	0	25
RB GR.	RB.SUPDT.	1297	C	non essential	4600	1	1	0	0	0	0	Hq controlled post.
RB GR.	RB.ASST-I	1298	C	non essential	4200	2	1	1	0	1	0	Hq controlled post.
RB GR.	RB.ASST.-II	1299	C	non essential	2800	2	0	2	0	2	0	Hq controlled post.
STENO	PS-II	1287	C	essential	4600	2	1	1	0	1	0	
STENO	Stenographar Gd.I	1288	C	essential	4200	14	12	2	0	2	0	Some queries made by the competent authority which is being complied with.
STENO	JR.STENO	1290	C	essential	2400	9	7	2	2	0	0	6
TYPIST	SUP.TYPIST	1291	C	non essential	4600	6	5	1	0	1	0	
TYPIST	CH.TYPIST	1293	C	non essential	4200	22	21	1	0	1	0	

Jn	nXZm	Jn	Andi`H\$/gr/\$	Andi`H\$/AZndi`H\$	J6>no	gH\$b	ndr. dmiV(dH\$	la°\$	SrAm aS`	Srnr S`	EbSf gr	B\$0	Er(gno\$	M` Z Aä` (°\$ - Cn` P\$Vm/ 0\$>0m0
TYPIST	SR.TYPIST	1295	C	non essential	2400	2	4	-2	0	-2	0			
TYPIST	JR.TYPIST	1296	C	non essential	1900	0	1	-1	0	-1	0			
Summary for 'DEPTT' = PERSONNEL (32 detail record:						355	324	31	32	-1	0			

		Jm	nXZm	gr/Sr	Andi`H\$	J6>no	gH\$	la°\$	SrAm	Srnr	EBSF	B\$	Er(gnos	M`Z Aä`	CP\$ - Cn`P\$Vm/	
					AZndi`H\$		ñdr. dñV(dH\$		a\$`	\$`	gr				OS>OnQ	
<b>(d^mJ</b>		<b>RUNNING</b>														
<b>SAFETY</b>																
Elect.(RSO)Rg.Group	LP/Mail Exp.(Elect.)	905	C	essential	4200	25	22	3	0	3	0		1	Case processed on 08.12.11.		
Elect.(RSO)Rg.Group	LP Pass(Elect)	906	C	essential	4200	72	60	12	0	12	0		1	S/test held on 01.12.11. For supplementary S/test file put up to Sr.DEE/OP on 30.12.11.		
Elect.(RSO)Rg.Group	LP Goods(Elect)	908	C	essential	4200	319	277	42	0	42	0		1	Case file put up to Sr.DEE/Op for fix up the date of suitability test.		
Elect.(RSO)Rg.Group	LP Shunting Gr I	910	C	essential	4200	16	12	4	0	4	0		3	S/test held from 26.09.11 to 28.09.11 . Result published on 06.12.11. P.O issued on 02.01.12.		
Elect.(RSO)Rg.Group	LP Shunting Gr II	911	C	essential	2400	37	20	17	0	17	0		3	P.O.issued on 11.05.11. S/test held from 19.09.11 to 23.09.11. Result published on 06.12.11. and put up for indicating place of posting.		
Elect.(RSO)Rg.Group	Sr ALP	912	C	essential	2400	371	77	294	0	294	0			Vac will be filled up after implementation of restructuring in terms of Estt. Srl No. 82/10.		
Elect.(RSO)Rg.Group	ALP	913	C	essential	1900	93	228	-135	-142	7	0	151		Dt. of written test aagainst 50% DPQ fixed on 20.06.11 & aptitude test held on 18.08. & 19.08.11. Result awaited. 39 Trainee ALP recruited through RRB /MLTD has been received.		
Elect.Supervisor	CHIEF LI(Elect)	924	C	essential	4600	22	14	8	0	8	0			date of written test has been fixed from 09.11 to 21.11. 03 candidate remain absent . Reason of absent are asked for.		
Mech (Diesel)Rg.Group	LP /Mail/Exp/Diesel	915	C	essential	4200	5	4	1	0	1	0		0	Date of S/test held on 26.12.11.Result awaited.		
Mech (Diesel)Rg.Group	LP Pass(DL)	916	C	essential	4200	17	15	2	0	2	0		5	suitability test held on 14.09.11.Result published on 15.12.11 and P.O issued on 21.12.11.		
Mech (Diesel)Rg.Group	LP Goods(DL)	918	C	essential	4200	143	124	19	0	19	0		9	S/test fixed on 08.06.11.Part result published on 04.07.11, 20.07.11 & 15.12.11 , P.O. issued on 18.07.,25.07.11 & 21.12.11.		
Mech (Diesel)Rg.Group	LP shunting Gr.I	920	C	essential	4200	13	17	-4	0	-4	0		4			
Mech (Diesel)Rg.Group	LP Shunting Gr.II	921	C	essential	2400	30	21	9	0	9	0		2	Continuty suitability test held on 20.09.11 . Result published on 18.10.11. P.O. issued on 20.10.11.		

Jn	nXZm	Jn gr/\$	Andí AZndí`H\$	H\$	J6>no	ñdr. dñV(dH\$	gH\$ la°\$	SrAm a\$`	Srnr \$`	EBSF gr	B\$0	Exp(gnos	M` Z Aä` (°\$ - Cn` P\$Vm/ 0\$>0ñQ	
Mech (Diesel)Rg.Group	Sr ALP	922	C	essential	2400	51	42	9	0	9	0	0	Vac will be filled up after implementation of restructuring vide srl no. 82/10.	
Mech (Diesel)Rg.Group	ALP/DL	923	C	essential	1900	13	34	-21	-16	-5	0	183	1	Written test against 50% DPQ held on 2.06.11. result published on 28.10.11.
Technician Supv-Group SSE)Elect)	SSE/ELECT	926	C	essential	4600	5	5	0	0	0	0			S/test has been held on 20.06.11 result published on 13.07.11 & P.O. issued on 20.07.11.
Technician Supv-Group SSE)Elect)	JR. ENGG	928	C	essential	4200	5	0	5	1	4	0	2		Post of JEE against 25% DPQ has ben processed . Date of written test will be fixed on 16.01.2012.
<b>NON SAFETY</b>														
Artisan Group	Sr/Technician	930	C	non essential	4200	4	3	1	0	1	0		1	Date of suitability held on 11.08.11. Result published on 30.08.11. P.O issued on 14.09.11.
Artisan Group	Technician Gr.I	931	C	non essential	2800	20	18	2	0	2	0			vacacncy kept reserved for ST.
Artisan Group	TechnicianGr.II	932	C	non essential	2400	13	12	1	0	1	0			Date of T/Test fixed on 06.09.11.Staff reported sick.
Artisan Group	Technician.Gr.III	933	C	non essential	1900	10	6	4	3	1	0			Date of T/Test held on 06.09.11. result published on 30.08.11. P.O issued on 31.10.11.
Artisan Group	Janitor	935	C	non essential	2400	1	1	0	0	0	0			
Artisan Group	Caretaker	936	C	non essential	1900	1	1	0	0	0	0			
Artisan Group	Cook	937	C	non essential	1900	1	0	1	0	1	0			
Elect.Supervisor	CC(I/C)Drafted CC	944	C	non essential	4600	18	14	4	0	4	0			There is no AVC . Normally vac filled up on option on the basis of tenure.
Elect.Supervisor	LC/ICDrafted	945	C	non essential	4600	13	11	2	0	2	0			There is no AVC . Normally vac filled up on option on the basis of tenure.
Gr.D	Helper I	938	D	non essential	1800	46	33	13	0	13	0			
Gr.D	Asstt Cook	940	D	non essential	1800	2	1	1	0	1	0			
Gr.D	Masalchi	941	D	non essential	1800	2	3	-1	0	-1	0			
Gr.D	BEARER	942	D	non essential	1800	3	3	0	0	0	0			
Gr.D	Bearer cum Cook	943	D	non essential	1800	1	1	0	0	0	0			
Gr.D	Helper II	1585	D	non essential	1800	0	10	-10	-10	0	0			
Mech Diesel Supv.	CDPC / DPC	946	C	non essential	4600	8	7	1	0	1	0			
<b>Summary for 'DEPTT' = RUNNING (33 detail records)</b>						<b>1380</b>	<b>1096</b>	<b>284</b>	<b>-164</b>	<b>448</b>	<b>0</b>			

(d^mJ S & T

**SAFETY**

COUNCELLOR	Safety Councillor	1111	C	essential	4600	1	1	0	0	0	0			HQ controlled post.
Gr.D	Helper(Sig.)	1152	D	essential	1800	299	280	19	19	0	0			
SM	Sr.Tech.(SM)	1094	C	essential	4200	25	25	0	0	0	0		0	
SM	Tech.I(SM)	1095	C	essential	2800	83	79	4	0	4	0			
SM	Tech.II(SM)	1096	C	essential	2400	31	18	13	7	6	0	11	2	As per selection calender 2012
SM	Tech.III(SM)	1097	C	essential	1900	17	26	-9	-7	-2	0	5	0	
SUPERVISOR(S)	SSE(Sig.)	1086	C	essential	4600	5	2	3	0	3	0			HQ controlled post.
SUPERVISOR(S)	SE(Sig.)	1087	C	essential	4600	7	7	0	-1	1	0			HQ controlled post.
SUPERVISOR(S)	JE-I(Sig.)	1088	C	essential	4200	5	1	4	0	4	0			Selection date held on 22.11.11.Result awaited.
SUPERVISOR(S)	JE-II(Sig.)	1089	C	essential	4200	6	9	-3	-5	2	0	2		Selection/written test held on 22.11.11. Result is awited.
TCM	Sr.Tech.(TCM)	1098	C	essential	4200	17	17	0	0	0	0		2	
TCM	Tech.I(TCM)	1099	C	essential	2800	55	53	2	0	2	0		2	
TCM	Tech.II(TCM)	1100	C	essential	2400	21	11	10	0	10	0		2	
TCM	Tech.III(TCM)	1101	C	essential	1900	2	13	-11	-4	-7	0	9		
WTM	Sr.Tech.(WTM)	1102	C	essential	4200	1	1	0	0	0	0			
WTM	Tech.I(WTM)	1103	C	essential	2800	3	2	1	0	1	0			
WTM	Tech.II(WTM)	1104	C	essential	2400	1	0	1	0	1	0			
WTM	Tech.III(WTM)	1106	C	essential	1900	1	2	-1	0	-1	0			

**NON SAFETY**

Blacksmith	Sr.Tech.(B/S & H/M)	1114	C	non essential	4200	3	3	0	0	0	0		1	
Blacksmith	Tech.I(B/S & H/M)	1115	C	non essential	2800	14	14	0	0	0	0		1	
Blacksmith	Tech.II(B/S & H/M)	1116	C	non essential	2400	9	5	4	0	4	0			Result is received on 17.11.11.
Blacksmith	Tech.III(B/S & H/M)	1117	C	non essential	1900	5	2	3	0	3	0		1	
C/Jointer	Sr.Tech.(C/Jointer)	1107	C	non essential	4200	1	1	0	0	0	0			
C/Jointer	Tech.I(C/Jointer)	1108	C	non essential	2800	4	4	0	0	0	0			
C/Jointer	Tech.II(C/Jointer)	1109	C	non essential	2400	2	2	0	0	0	0			
C/Jointer	Tech.III(C/Jointer)	1110	C	non essential	1900	2	2	0	0	0	0			
Carpenter	Sr.Tech.(Carpenter)	1125	C	non essential	4200	1	0	1	0	1	0			No eligible candnidate is available .
Carpenter	Tech.I(Carpernter)	1126	C	non essential	2800	2	1	1	0	1	0			No eligible candnidate is available .
DRG.	SSE/Drg.	1112	C	non essential	4600	1	0	1	0	1	0			HQ controlled post.

Jn	nXZm	Jn	Andr`H\$	H\$	J6>no	gH\$	la°\$	SrAm	Srnr	EdSf	B\$	Edr(gn\$	M`Z Aä`	Cn`P\$Vm/
		gr/Sf	AZndr`H\$			ndr. dnrV(dH\$		a\$`	\$`	gr			OS>OnQ	
DRIVER	Jeep Driver-I	1145	C	non essential	2800	1	0	1	0	1	0			
DRIVER	Jeep Driver-II	1146	C	non essential	2400	2	1	1	0	1	0			Seniority & selection is being maintained by C&W deptt.
DRIVER	Jeep Driver-III	1147	C	non essential	1900	0	1	-1	0	-1	0			
DRIVER	Truck Driver-I	1148	C	non essential	2800	0	1	-1	0	-1	0			
DRIVER	MT Driver II	1149	C	non essential	2400	1	1	0	0	0	0			
Estimator	Estimator	1113	C	non essential	4200	1	0	1	1	0	0			
Gr.D	Record Sorter	1130	D	non essential	1800	1	1	0	0	0	0			
Gr.D	Trolleyman(Sig.)	1150	D	non essential	1800	11	11	0	0	0	0			
Gr.D	Trolleyman(Tele)	1151	D	non essential	1800	8	8	0	0	0	0			
Gr.D	Helper(Tele)	1156	D	essential	1800	96	83	13	13	0	0			
Gr.D	Store Khalasi	1158	D	non essential	1800	1	1	0	0	0	0			
Gr.D	Peon	1160	D	non essential	1800	2	2	0	0	0	0			
Lineman	Lineman-I	1128	C	non essential	2800	2	0	2	0	2	0			
Lineman	Lineman-II	1129	C	non essential	2400	2	0	2	0	2	0			
Mason	Mason-I	1118	C	non essential	2800	2	2	0	0	0	0			
Mason	Mason-II	1119	C	non essential	2400	1	1	0	0	0	0			
Mason	Mason-III	1120	C	non essential	1900	1	0	1	0	1	0			
MINISTERIAL	Ch.OS	1136	C	non essential	4600	1	1	0	0	0	0			
MINISTERIAL	OS Gr.I	1137	C	non essential	4600	2	2	0	0	0	0			
MINISTERIAL	OS Gr.II	1138	C	non essential	4200	4	3	1	0	1	0			
MINISTERIAL	Sr.Clerk	1140	C	non essential	2800	6	6	0	0	0	0			
MINISTERIAL	Jr.Clerk	1141	C	non essential	1900	4	4	0	0	0	0			
MINISTERIAL	Hd.Clerk	1600	C	non essential	4200	7	7	0	0	0	0			
OPERATOR	Supt.TO	1131	C	non essential	4600	2	2	0	0	0	0			
OPERATOR	Ch.TO	1132	C	non essential	4200	6	5	1	0	1	0			
OPERATOR	Hd.TO	1133	C	non essential	4200	7	7	0	0	0	0			
OPERATOR	Sr.TO	1134	C	non essential	2400	5	6	-1	0	-1	0			
Painter	Sr.Tech.(Painter)	1121	C	non essential	4200	1	1	0	0	0	0			
Painter	Tech.I(Painter)	1122	C	non essential	2800	3	3	0	0	0	0			
Painter	Tech.II(Painter)	1123	C	non essential	1900	2	2	0	0	0	0			
Painter	Tech.III(Painter)	1124	C	non essential	1900	2	1	1	0	1	0			
STENO	Sr.Steno	1142	C	non essential	4200	1	1	0	0	0	0			
STENO	Jr.Steno	1143	C	non essential	2400	1	0	1	0	1	0			

Jn	nXZm	Jn gr/\$	Andí AZndí` H\$	H\$	J6>no	ñdr.	gH\$ dmV(dH\$	la°\$	SrAm a\$`	Srnr \$`	EBSF gr	B\$0	Er(gnos	M` Z Aä` (°\$ - Cn` P\$Vm/ 0\$>0ñ0
Sub.	Sub Helper(SIG)	1155	D	essential	1800	0	0	0	0	0	0			
Sub.	Sub Helper(TELE)	1599	D	essential	1800	0	0	0	0	0	0			
SUPERVISOR(T)	SSE(Tele)	1090	C	essential	4600	4	1	3	0	3	0			HQ controlled post.
SUPERVISOR(T)	SE(Tele)	1091	C	essential	4600	6	6	0	-2	2	0			HQ controlled post.
SUPERVISOR(T)	JE-I(Tele)	1092	C	essential	4200	4	1	3	0	3	0			No vacancies as 3 excess in lower grade.
SUPERVISOR(T)	JE-II(Tele)	1093	C	essential	4200	5	8	-3	-5	2	0	2		
TYPIST	Hd. Typist	1144	C	non essential	4200	1	1	0	0	0	0			
<b>Summary for 'DEPTT' = S &amp; T (69 detail records)</b>						<b>830</b>	<b>762</b>	<b>68</b>	<b>16</b>	<b>52</b>	<b>0</b>			

Jm

nXZm

Jm Andí`H\$/  
gr/\$f AZndí`H\$ J6>no

gh\$  
ñdr. dmV(dH\$ la°\$

[a°\$  
SfAm Sfr Ebsf  
a\$` \$` gr

B\$0

Ergnos

M` Z Aä` (°\$ - Cn` P\$Vm/  
0\$>0m0