

SER/HQ-STOR0P(65)/15/2020-SEC60N80/PCMM/GRC



Office of the
Principal Chief Materials Manager
Garden Reach, Kol-4
Date: 18.02.2021

No. SER/HQ-STOR0P(65)/15/2020-SEC60N80/PCMM/GRC

Sr. Deputy General Manager
S.E Railway, Kolkata-43

Sub: X-Ray Baggage Scanner installed at important stations of S.E Railway.

Ref: Your office letter No.G.130/PC/2019/12/0208/V5/GM/V/N/CKP/366 Dt.07/12/2020
02138
regarding X-Ray Baggage Scanner installed at important stations of S.E Railway.

Consequent upon the receipt of above referred letter regarding X-Ray Baggage Scanner installed at important stations of S.E Railway, letters were written to the consignee to offer their remarks and the details pertaining to the case. With regard to the after sales services the consignee has provided the information which is enclosed herewith. Details were also sought from the Firm. Copies of reply from firm have been enclosed for ready reference.

The instant purchase order dated 16/02/2017 did not include any penalty clause on the firm for delay in response time on being called for warrantee repairs. Office of IG cum PCSC/RPF was requested to withhold release of outstanding bill/Security deposit till further advice from this office. PCSC vide his letter has confirmed that Security Deposit to the tune of Rs.26,49,760/- only has been deducted from firms First Bill. In case of unsatisfactory performance by firm, the consignee will be asked to take penal action on firm as deemed fit, as advised.

Subsequently the general tender conditions for stores contracts of SER (GCC) was modified to include provisions for M&P items defining amount of penalty on the defaulting firm based on period of delay in responding to the such request for warrantee repairs (copy enclosed). Accordingly, tenders for all M&P items and other important installations are henceforth being floated with incorporation of such penalty provisions.

Enclo: As referred.

V SUDHAKARA
RAO

Digitally signed by V
SUDHAKARA RAO
Date: 2021.02.18
18:00:05 +05'30'

Principal Chief Materials Manager
S.E.Railway, Kolkata

Copy to : IG cum PCSC/RPF : In case of unsatisfactory performance by firm it is requested to take penal action on firm as deemed fit.

दक्षिण पूर्व रेलवे
South Eastern Railway

मंडल रेल प्रबंधक (ईजीनियरिंग) का कार्यालय
Office of the Divl. Railway Manager(Engg)
चक्रधरपुर, Chakradharpur
दिनांक/ Date: 08.12.2020

Our Ref. No.Engg/ WA/CVO/MB/CKP/2020

सेवा में /To,

All ADENs of CKP Division.


- Sub: Preventive check on the record of measurement in MB against a contractual work system improvement thereof.
- Ref: i. CVO (G)/GRC's letter No: G.130/PC/2019/06/01637/V4/N/CKP/Sys Improvement/1291 dated 19.11.2020.
ii. Railway Board's letter No:2013/CE-I/CT/O/25/VOC dated 26.08.2013.

Vide letter under reference, it has been noticed during preventive check that measurement towards execution of contractual work has been recorded in 10 different MBs. This is gross violation of guidelines laid down vide letter under reference (ii) and may lead to potential scope for malpractices. The relevant Para of letter under reference (ii) is reproduced below;

Para-3(g): "All measurement in respect of a single works contract shall be entered in only one Measurement Book. Once this Measurement Book is filled up, then only a new measurement book will be used for this work."

It is therefore advised to follow the guidelines issued vide letter under reference (ii) and advise concerned supervisors accordingly to follow the same.

Encl: Railway Board's letter


वरिष्ठ मंडल अभियंता (समन्वय)
Sr. Divl. Engineer(Co-Ord)
चक्रधरपुर, Chakradharpur

✓ Copy to: CVO (G)/GRC for kind information please.

Copy to: All Sr. DEN/DENs for information and necessary action

एस.डी.जी.एम. सचिवालय, द.पू. रेलवे
S.D.G.M. Secretariat S.E. Railway GRC
No. (सं) 369/र
Date (दिनांक) 29 DEC 2020

SOUTH EASTERN RAILWAY

Office of the
Chief Administration Officer (CON)
South Eastern railway, Garden each

No. CE/Con/GRC/ER/ Post Tender/Policy/Part-II/ 2978/

4297

Dt. 29.12.2020

To
The Dy. Chief Engineer /Con
GRC, BLS, ADA, TATA, ROU, RNC -I, RNC-II, JSG
S.E. Railway

SDGM
23.12.20

Sub: Suggested system improvement towards streamline of 'Quotation Contracts'
in field units of construction organization.

Ref: (i) This office even letter No. 0524 dt. 23.01.2020..
(ii) SDGM/GRC's letter No. G.130/PC/2019/07/00149 V4/1996 dt.
20.11.2020.

Vide this office letter under reference (i), Procedure Order for quotation contract has been issued by this office on dt. 23.01.2020.

Now, SDGM/GRC's letter under reference (ii), it has been proposed for streamlining the Quotation Contracts in field units of Construction Organization 'Letter of Acceptance number should be obtained from the office of CAO/CON/GRC even when the approval for calling quotation tender is within the competency of concerned Dy.CE/CON at different field units'.

As such, henceforth before issuing LOA of a quotation contract in field units, draft LOA copy should be sent to this office preferably through e-office to minimize the time elapsed for obtaining the LOA number and after obtaining the same LOA will be issued by the concerned field Office under CAO/CON/GRC.

This is for your kind information and necessary action please. This letter has been issued with the approval of CAO/CON/GRC.

29/12/20
(A.R. Jana)

Dy. Chief Engineer/ Con /Works & Arb./GRC

- Copy to: (i) CAO/CON/GRC —for kind information please.
(ii) SDGM/SER/GRC — for kind information please. This letter has been issued in response to your office letter under reference (ii) above.
(iii) CE/CON-HQ/GRC, CE/CON-II/GRC, CE/CON-III/GRC— for kind information please.
(iv) CSTE/CON & CEE/CON --- for information and requested to follow the same in their office for S & T and Electrical works,

29/12/20
(A.R. Jana)

Dy. Chief Engineer/ Con /Works & Arb./GRC



06
24/02/21

SOUTH EASTERN RAILWAY

मुख्य वाणिज्य प्रबंधक का दफतर /
Office of the Principal Chief Commercial Manager
स्ट्रैंड रोड (8वां तल) /14, Strand Road (8th Floor)
कोलकाता/Kolkata - 700 001

No. OP 128/1(Misc.)/C-8/Pt.

dtd: 19/02/2021


To
Sr.Divl.Comml.Manager,
South Eastern Railway,
ADRA,KGP,CKP, RNC.

Sub: System improvement for prevention of manipulation of Demurrage charges and wharfage charges in Goods shed.

Ref: This office letter of even no. dtd. 24.11.2020.

It has already been instructed for System improvement for prevention of manipulation of Demurrage charges and wharfage charges in Goods shed as suggested by Vigilance Branch/GRC vide above reference letter. But follow up action on this issue yet to be received from Division.

Your personal intervention in the issue is required so that the reply on the views / suggestion of vigilance is given in time .


(Md.Owais)
Chief Comml.Manager(FM&Claims)

✓ Copy to: Dy.CVO(T)/SERIy., GRC, Kol-1 for information please.


Chief Comml.Manager(FM&Claims)