

**STORES COMPENDIUM PERTAINING TO EMU/MEMU**

Updated upto 31.03.2011

Sl. No.	P.L.No.	Description	PAC	RDSO / ICF	Must Change item	Safety	EAC		Remarks
							KGP	TPKR	
1	30010512	RUBBER PACKING RING FOR AXLE BOX GUIDE ARRANGEMENT TO ICF DRAWING NO.T 0-1-632 ALT. D/7 ITEM 1 ALONG WITH LATEST AMENDMENT/ALTERATION IF ANY.		ICF	Every POH	Safety ICF/M Sl.No.176 Page 201	3648	1036	
2	30070340	SILENT BLOCK IN ASSEMBLED CONDITION FOR ANCHORLINK TO RDSO DRAWING NO.SK-94101 ALT.1 AND RDSO SPECIFICATION NO.C-9406 (REV-II/2000) ALONG WITH LATEST AMENDMENT / ALTERATION IF ANY.		ICF	Every Alternate POH	Safety ICF/M Sl.No.22 Page 27	516	24	
3	31000010	ANCHOR LINK ARRANGEMENT TO SR.DEE/TRS/TPKR's DRG.NO.SR.DEE/RS/M/346 ALT-1 ALONGWITH LATEST AMENDMENT/ALTERATION IF ANY.					-	12	
4	31010088	HELICAL SPRING FOR AXLE GUIDE ARRANGEMENT FOR TRAILER COACH TO ICF'S DRG.NO.DC/EMU-0-1-002 ALT.H/4, ITEM 1 ALONGWITH LATEST AMENDMENT/ALTERATION IF ANY.		ICF	Every Third POH		286	70	
5	31010131	UPPER RUBBER WASHER FOR AXLE BOX GUIDE ARRANGEMENT TO ICF'S DRG.NO.EMU/0-1-005 ALT Q/5, SPECIFICATION IRS R 64-98 (REV-2) OF DEC' 05 ALONG WITH LATEST AMENDMENT/ALTERATION IF ANY.		RDSO	Every POH	Safety ICF/M Sl.No.20 Page 23	3072	72	
6	31010246	LOWER RUBBER WASHER FOR AXLE BOX GUIDE ARRANGEMENT. TO ICF'S DRG.NO.EMU/M-0-1-008 .ALT.S/6 SPECIFICATION IRS R-64/98 (REV-2) OF DEC' 05 ALONGWITH LATEST AMENDMENT/ALTERATION IF ANY.		RDSO	Every POH	Safety ICF/M Sl.No.20 Page 23	1440	60	
7	31010295	SAFETY STRAP FOR AXLE BOX GUIDE ARRENGEMENT TO ICF DRG NO. EMU/M-0-1-019 ALT.D/3 ALONGWITH LATEST AMENDMENT/ALTERATION IF ANY.					192	-	
8	31010301	PROTECTIVE TUBE COMPLETE FOR AXLE BOX GUIDE ARRANGEMENT FOR EMU MOTOR COACH TO ICF DRG NO. EMU/M-0-1-011 ALT. E/2 ITEM 1&2 ALONGWITH LATEST AMENDMENT/ALTERATION IF ANY.					192	-	
9	31010349	GUIDE BUSH FOR AXLE BOX GUIDE ARRANGEMENT TO RDSO DRG NO SK 85242, ALT 1, ITEM-1 ALONG WITH LATEST AMENDMENT/ALTERATION IF ANY.		RDSO	Every Alternate POH	Safety ICF/M Sl.No.24 Page 28	1344	-	
10	31010350	RUBBER SNUBBER FOR AXLE GUIDE ARRANGEMENT TO ICF'S DRG.NO.EMU/M-0-1-016 ALT"G' ALONGWITH LATEST AMENDMENT/ALTERATION IF ANY.			Every POH		1344	-	

**STORES COMPENDIUM PERTAINING TO EMU/MEMU**

Updated upto 31.03.2011

Sl. No.	P.L.No.	Description	PAC	RDSO / ICF	Must Change item	Safety	EAC		Remarks
							KGP	TPKR	
11	31010428	LOWER SPRING SEAT FOR EMU MOTOR COACH TO ICF DRG. NO. EMU/M-0-1-020 ALT.'K' ITEMS NO. 1 & 2 ALONGWITH LATEST AMENDMENT/ALTERATION IF ANY.					48	-	
12	31017046	COMPONENTS OF SLIDING CARRIER ASSLY. COMPLETE FOR AXLE BEARING FELT LUBRICATOR TO Sr. DEE/TRS/TPKR DRG. NO. SR.DEE/TRS/M/390 ALT.C ITEMS 1 TO 5 ALONGWITH LATEST AMENDMENT/ALTERATION IF ANY.			Every Alternate POH		192	262	
13	31017058	HELICAL SPRING FOR AXLE BOX GUIDE ARRANGEMENT TO ICF DRG.NO.EMU/M-0-1-024 ALT.G ALONGWITH LATEST AMENDMENT/ALTERATION IF ANY.		ICF	Every Third POH		190	70	
14	31020021	AXLE BOX HOUSING FOR EMU MOTOR COACHES TO ICF DRG. NO.EMU/M-0-2-002 ALT-A/2 ITEM-2 ALONGWITH LATEST AMENDMENT/ALTERATION IF ANY.		ICF		Safety ICF/M Sl.No.83 Page 107	12	-	
15	31020069	COLLAR FOR AXLE BOX ROLLER BEARING ARRANGEMENT OF EMU MOTOR COACH TO ICF DRG NO. EMU/M-0-2-005 ALT "N" ALONG WITH LATEST AMENDMENT/ALTERNATION IF ANY					240	-	
16	31027003	REAR COVER FOR AXLE BOX TO TPKR CARSHED DRG. NO.SR.DEE/RS/M/245 ALT.A, ITEM-2 ALONG WITH LATEST AMENDMENT/ALTERATION IF ANY.				Safety ICF/M Sl.No.84 Page 107	312	-	
17	31030002	GUIDE FOR AXLE BOX GUIDE ARRANGEMENT FOR EMU MOTOR COACH TO ICF DRG NO.EMU/M-0-3-005 ALT M/5 ALONGWITH LATEST AMENDMENT / ALTERATION IF ANY.					24	-	
18	31050049	MODIFIED HANGER FOR BOLSTER SUSPENSION OF EMU TRAILER COACH TO RDSO SK. NO. CG-K 6019 ALONG WITH LATEST AMENDMENT/ALTERATION IF ANY.		RDSO	Every Alternate POH	Safety ICF/M Sl.No.25 Page 31	960	36	
19	31050128	PIN FOR BOGIE BOLSTER SUSPENSION (MOTOR COACH) TO CEE'S DRG.NO.EMU/4/BD/002 MOD-'A'. ALONGWITH LATEST AMENDMENT/ALTERATION IF ANY.			Every POH	safety as per COS Ltr.13.04.11	288	24	
20	31050220	RUBBING PLATE FOR BOLSTER SUSPENSION TO ICF DRG.NO.EMU/M-0-5-017 ALT.f/4.ITEM 1 ALONGWITH LATEST AMENDMENT/ALTERATION IF ANY.		ICF	Every POH		1152	240	

**STORES COMPENDIUM PERTAINING TO EMU/MEMU**

Updated upto 31.03.2011

Sl. No.	P.L.No.	Description	PAC	RDSO / ICF	Must Change item	Safety	EAC		Remarks
							KGP	TPKR	
21	31050270	MODIFIED HANGER FOR BOLSTER SUSPENSION (MOTOR BOGIE) AS PER RDSO SKETCH 95006 AND RDSO' s SPECN /STR NO C-K105 WITH AMMENDMENT 1 OF AUG.02 AND AMMENDMENT 2 OF MARCH 03..ALONGWITH LATEST AMENDMENT/ALTERATION IF ANY.		RDSO	Every Alternate POH	Safety ICF/M Sl.No.25 Page 31 & COS Ltr. 13.04.11	600	36	
22	31050323	SPECIAL PIN FOR BOGIE BOLSTER SUSPENSION OF EMU MOTOR COACHES ICF DRG. NO. EMU/M-0-5-009 ALT-K COL-1 (ITEM 1) ALONG WITH LATEST AMMENDMENT/ALTERATION IF ANY			Every POH		24	-	
23	31050475	WEARING PLATE FOR SIDE BEARER OF EMU MOTOR COACHES TO ICF DRG NO. EMU/M-0-5-047 ALT-A ALONGWITH LATEST AMENDMENT/ALTERATION IF ANY.			Every Third POH		216	-	
24	31057007	HELICAL SPRING(CENTER LESS GROUND)FOR BOGIE BOLSTER SUSPENSION OF EMU MOTOR COACH TO ICF DRG.NO.EMU/M-0-5-049 ALT.`D` ITEM NO .1 & 2 ALONGWITH LATEST AMENDMENT/ALTERATION IF ANY.		ICF	Every Third POH		78	30	
25	31057019	HELICAL SPRING FOR BOGIE BOLSTER OF EMU TRAILER COACH TO ICF DRG.NO. DC/EMU-0-5-005 ALT.`C` ITEM NO.1 & 2 ALONGWITH LATEST AMENDMENT/ALTERATION IF ANY.		ICF	Every Third POH		152	8	
26	31057020	DOUBLE ACTING HYDRAULIC SHOCK ABSORBER FOR VERTICAL APPLICATION HAVING CAPACITY OF 600 KGS. TO ICF DRG.NO. ICF/SK.0-5-015 ALT-'K/3' ITEM 1 ALONGWITH LATEST AMENDMENT/ALTERATION IF ANY.		RDSO	Every Alternate POH	Safety ICF/M Sl.No.27 Page 33	-	100	
27	31057068	SADDLE FOR BOGIE BOLSTER SUSPENSION (MOTOR BOGIE ) TO RDSO DRG NO /SKETCH-95018 ALONGWITH LATEST AMENDMENT/ALTERATION IF ANY.			Every Alternate POH		-	240	
28	31057070	MODIFIED HANGER BLOCK TO RDSO SK NO. 93319, ALT.2, ITEM - 2 ALONGWITH LATEST AMENDMENT/ALTERATION IF ANY.			Every Alternate POH		2160	-	
29	31057196	MODIFIED PIN FOR BOGIE BOLSTER SUSPENSION OF EMU TRAILER COACH TO RDSO SK NO. 93319, ALT.2, ITEM-3 ALONG WITH LATEST AMENDMENT / ALTERATION IF ANY.			Every POH	safety as per COS Ltr.13.04.11	960	-	

**STORES COMPENDIUM PERTAINING TO EMU/MEMU**

Updated upto 31.03.2011

Sl. No.	P.L.No.	Description	PAC	RDSO / ICF	Must Change item	Safety	EAC		Remarks
							KGP	TPKR	
30	31060031	TOP BUSH FOR CENTRE PIVOT OF EMU MOTOR COACH TO ICF DRG NO. EMU/M-0-6-005 ALT K/2 ITEM 2 ALONGWITH LATEST AMENDMENT/ALTERATION IF ANY.			Every POH		60	-	
31	31060080	SPLIT RING COMPLETE FOR CENTRE PIVOT ARRANGEMENT OF EMU M/COACHES TO ICF DRG NO EMU/M-0-6-010 ALT 2/D AND EMU/M-0-6-011 ALT 2 ALONGWITH LATEST AMENDMENT/ALTERATION IF ANY.			Every Fourth POH		48	-	
32	31220060	ARTICULATION BEARING TO ESCORTS OR WSF DRG NO.40 SK. 1960(3) AND RDSO SPEC NO.61-B-36 REV.68-1 ALONG WITH LATEST AMENDMENT/ALTERATION IF ANY.		RDSO		Safety ICF/M Sl.No.32 Page 38	36	-	
33	31220745	INTERMEDIATE TUBE ASSLY TO ESCORT OR WSFDRG.NO. 40-586-01-01 (2) & RDSO SPEC NO.61-B-36 REV.68-1 ALONGWITH LATEST AMENDMENT/ ALTERATION IF ANY.		RDSO		Safety ICF/M Sl.No.32 Page 38	24	-	
34	31221051	BUSH FARROZAL TOP TO ESCORTS OR WSF DRG.NO.40-524-07-3(4) & RDSO SPEC NO.61-B-36 REV.68-1 ALONG WITH LATEST AMENDMENT/ALTERATION IF ANY.		RDSO		Safety ICF/M Sl.No.32 Page 38	72	-	
35	31221063	BUSH FARROZAL BOTTOM TO ESCORTS OR WSF DRG.NO.40-524-07-4(4) & RDSO SPEC NO.61-B-36 REV.68-1 ALONGWITH LATEST AMENDMENT/ALTERATION IF ANY.		RDSO		Safety ICF/M Sl.No.32 Page 38	72	-	
36	31227028	SPENCER RUBBER SPRING PLATE FOR BUFFING GEAR OF EMU TRAILER COACH TO ESCORTS DRG NO.SK-343.OR WSF DRG NO 40-SK-1837(1) & RDSO SPEC NO.61-B-36 REV.68-1 ALONGWITH LATEST AMENDMENT/ALTERATION IF ANY.		RDSO		Safety ICF/M Sl.No.32 Page 38	960	-	
37	31227030	STEEL PLATE FOR BUFFING GEAR TO ESCORT'S DRG.NO.SK-342 OR WSF DRG NO 40-SK-1837(1) AND RDSO SPEC NO.61-B-36 REV.68-1 ALONGWITH LATEST AMENDMENT /ALTERATION IF ANY.		RDSO		Safety ICF/M Sl.No.32 Page 38	240	-	
38	31227041	REAR PLATE (SUB ASSLY) FOR BUFFING GEAR OF EMU COACH TO ESCORTS OR WSF DRG NO.40.586.06.03(4) & RDSO SPEC NO.61-B-36 REV.68-1 ALONGWITH LATEST AMENDMENT/ALTERATION IF ANY.		RDSO		Safety ICF/M Sl.No.32 Page 38	72	-	

**STORES COMPENDIUM PERTAINING TO EMU/MEMU**

Updated upto 31.03.2011

Sl. No.	P.L.No.	Description	PAC	RDSO / ICF	Must Change item	Safety	EAC		Remarks
							KGP	TPKR	
39	31227053	CENTERING DEVICE FOR EMU SCHAKU COUPLER TO ESCORTS OR WSF DRG.NO.40-1000-10 (2) & RDSO SPEC NO.61-B-36 REV.68-1 ALONGWITH LATEST AMENDMENT/ ALTERATION IF ANY.		RDSO		Safety ICF/M Sl.No.32 Page 38	24	-	
40	31227065	SPINDLE FOR EMU SCHAKU COUPLER TO ESCORTS DRG NO.40-317-17-2(3) OR WSF DRG NO 40.317-13-2(3) & RDSO SPEC NO.61-B-36 REV.68-1 ALONGWITH LATEST AMENDMENT/ ALTERATION IF ANY.		RDSO		Safety ICF/M Sl.No.32 Page 38	48	-	
41	31227077	BUSH POLYMOIDE FOR EMU SCHAKU COUPLER TO ESCORTS OR WSF DRG.NO.40.586.06.4(4) RDSO SPEC NO.61-B-36 REV.68-1 ALONGWITH LATEST AMENDMENT /ALTERATION IF ANY.		RDSO	Every POH	Safety ICF/M Sl.No.32 Page 38	24	-	
42	31250324	O/H KIT OF AIR DRIER OF FTIL MAKE CONSISTING OF 20 ITEMS AS PER ANNEXURE ATTACHED.	FTIL		Every Alternate POH	Safety ICF/M Sl.No.29 Page 36	16	2	
43	31250336	O/H KIT OF AIR DRIER OF SIL MAKE CONSISTING OF 17 ITEMS AS PER ANNEXURE ATTACHED.	SIL		Every Alternate POH	Safety ICF/M Sl.No.29 Page 36	17	2	
44	31250348	O/H KIT OF AIR DRIER OF KBIL MAKE CONSISTING OF 48 ITEMS AS PER ANNEXURE ATTACHED.	KBIL		Every Alternate POH	Safety ICF/M Sl.No.29 Page 36	10	1	
45	31250350	O/H KIT OF ELGI MAKE COMPRESSOR TYPE TRC 1000 DCM CONSISTING OF 49 ITEMS AS PER ANNEXURE ATTACHED.	ELGI		Every POH	Safety ICF/M Sl.No.29 Page 36	28	3	
46	31250361	O/H KIT OF AIR DRIER OF SIL MAKE CONSISTING OF 5 ITEMS AS PER ANNEXURE ATTACHED.	SIL		Every POH	Safety ICF/M Sl.No.29 Page 36	30	4	

**STORES COMPENDIUM PERTAINING TO EMU/MEMU**

Updated upto 31.03.2011

Sl. No.	P.L.No.	Description	PAC	RDSO / ICF	Must Change item	Safety	EAC		Remarks
							KGP	TPKR	
47	31250373	O/H KIT OF AIR DRIER OF FTIL MAKE CONSISTING OF 03 ITEMS AS PER ANNEXURE ATTACHED.	FTIL		Every POH	Safety ICF/M Sl.No.29 Page 36	32	4	
48	31250385	O/H KIT OF DRIER OF KBIL MAKE CONSISTING OF 01 ITEM AS PER ANNEXURE ATTACHED.	KBIL		Every POH	Safety ICF/M Sl.No.29 Page 36	20	2	
49	31310011	BRAKE HEAD FOR EMU TRAILER COACH TO SR.DEE'S DRG.NO. SR.DEE/RS/M/302 ALT A. ALONG WITH LATEST AMENDMENT/ALTERATION IF ANY.		ICF		Safety ICF/M Sl.No.82 Page 106	-	0	TPKR Qty. Revised from 36 to nil
50	31316001	NON-ASBESTOS BASED "K" TYPE HIGH FRICTION COMPOSITION BRAKE BLOCKS FOR EMU STOCK TO RDSO'S SPECN. NO. C 9508 (REV.3) & DRG. NO. SK 80029 ALT.4 ALONGWITH LATEST AMENDMENT/ALTERATION IF ANY.		RDSO	Every POH	Safety ICF/M Sl.No.11 Page 12	3840	36000	
51	31317017	BRAKE HEAD FOR MOTOR COACH TO SR.DEE'S DRG.NO.DEE/RS/M/295 ALT. 'A' ALONGWITH LATEST AMENDMENT/ALTERATION IF ANY.		ICF		Safety ICF/M Sl.No.82 Page 106	-	48	
52	31317066	BRAKE SHOE ADJUSTING BOLT FOR TRAILER COACH WITH ADJUSTING PIECES, SPRING AND COVER ETC AS PER SR DEE/TRS/TPKR'S DRG NO. DEE/RS/M/361 ITEM NO 11,9,6 & 5 AND PART DRG NO. SR.DEE/TRS/M/437, SR DEE/TRS/M/362,T-3-1-609 ALT h/9,SR DEE/TRS/M/363.(THE HEAD OF THE BOLT SHALL BE AS PER DRG NO. Sr.DEE/TRS/M/437 IN PLACE OF 'HEXAGONAL SHOWN IN THE ASSLY DRG.) ALONGWITH LATEST AMENDMENT/ALTERATION IF ANY.			Every POH		-	200	
53	31320065	BLOCK HANGER COMPLETE TO ICF DRG.NO.EMU-3-2-009 ALT.g/3 AND PART DRG.NO.T-3-2-603.ALT. U/28. ALONGWITH LATEST AMENDMENT/ALTERATION IF ANY.					60	-	
54	31320077	LEVER HANGER FOR BOGIE BRAKE OF EMU TRAILER COACH TO ICF DRG NO. EMU-3-2-010 ALT 'J/4' ITEMS 1 TO 3 & PT. DRG NO. EMU-3-2-025 ALT.'K' & T-3-3-506 ALT.'N'. ALONGWITH LATEST AMENDMENT/ALTERATION IF ANY.					24	-	

**STORES COMPENDIUM PERTAINING TO EMU/MEMU**

Updated upto 31.03.2011

Sl. No.	P.L.No.	Description	PAC	RDSO / ICF	Must Change item	Safety	EAC		Remarks
							KGP	TPKR	
55	31320107	ADJUSTING PULL ROD FOR BOGIE BRAKE TO ICF DRG. NO. EMU-3-2-012 ALT. b/4 & PART DRG. NO. EMU-3-2-006 ALT.'A' & EMU-3-2-007ALT.'B/3'. ALONGWITH LATEST AMENDMENT/ALTERATION IF ANY.		ICF			288	-	
56	31320181	SINGLE PIECE FORGE ADJUSTING BRAKE PALM PULL ROD FOR ALL 20T AXLE LOAD BOGIE (ADJUSTING PULL ROD) TO ICF DRG.NO.SK3-3-2-002 ALT.NIL		ICF			420	-	
57	31320338	BRAKE BEAM(INNER) COMPLETE FOR EMU MOTOR COACH TO ICF DRG NO.EMU/M-3-2-011 ALT'K'. , ALONGWITH LATEST AMENDMENT/ALTERATION IF ANY.			Every Alternate POH		72	12	
58	31320340	BRAKE BEAM (OUTER) FOR EMU MOTOR COACH ICF'S DRG.NO.EMU/M-3-2-015 ALT.'H/7' ALONGWITH LATEST AMENDMENT/ALTERATION IF ANY.			Every Alternate POH		144	30	
59	31327023	SAFTY CHAIN COMPLETE FOR EMU MOTOR COACH.AS PER ICF DRG NO.EMU/M-3-2-055 ALT.2 & PT.DRG.NO .EMU/M-3-2-054 ALT 'A/3'. ALONGWITH LATEST AMENDMENT/ALTERATION IF ANY.					864	-	
60	31327035	PIN FOR LEVER HANGER FOR EMU TRAILER COACH TO ICF DRG. NO EMU-3-2-049 ALT "E" COL-II i.e ITEMS 2,4,5 & 6. ALONGWITH LATEST AMENDMENT/ALTERATION IF ANY.			Every POH		60	-	
61	31327047	SPLIT COTTER TO ICF DRG.NO. T-3-2-632 ALT.'C/17'.ITEM 2. ALONGWITH LATEST AMENDMENT/ALTERATION IF ANY.			Every POH		-	5694	
62	31327060	SET OF RUBBER COMPONENTS FOR WSF MAKE DRIVER'S BRAKE VALVE TYPE ED-6 TO WESTER RLY.DRG.NO.TR/RS/EMU-1168 R1 AND TR / RS/EMU-1171 RDSO STR NO.RDSO/PE/STR/EMU/0021-2008 (REV.0) FOR OTHER THAN OEM ALONG WITH LATEST AMENDMENT/ALTERATION IF ANY.		RDSO	Every POH		48	50	
63	31327072	KIT OF NYLON BUSHES FOR EMU MOTOR COACHES CONSISTING OF 10 ITEMS DESCRIPTION & QUANTITY AS PER ICF DRG NO EMU/M-3-2-060 ALT D/3 ALONGWITH LATEST AMENDMENT/ALTERATION IF ANY.		RDSO	Every POH	Safety ICF/M Sl.No.04 Page 05	84	-	
64	31327084	KIT FOR BRAKE GEAR PIN FOR EMU M/COACH TO ICF DRG NO.EMU/M-3-2-065 ALT-'A' OR LATEST. EACH SET CONSISTING OF ITEM 1 - 4NO, ITEM2 - 8NOS , ITEM3 - 4NOS , ITEM4 - 4NOS , ITEM5 - 16 NOS , ITEM6 - 4 NOS , ITEM7 - 8NOS. ALONGWITH LATEST AMENDMENT/ALTERATION IF ANY.		ICF	Every POH	Safety ICF/M Sl.No.94 Page 116	84	-	
65	31350082	DRAIN COCK 1/2" TO E.RLY, KPA DRG. NO. ER/KPA/EL/AR3. HE 1540A SHEET 1 & 2 ALONGWITH LATEST AMENDMENT/ ALTERATION IF ANY					375	257	

**STORES COMPENDIUM PERTAINING TO EMU/MEMU**

Updated upto 31.03.2011

Sl. No.	P.L.No.	Description	PAC	RDSO / ICF	Must Change item	Safety	EAC		Remarks
							KGP	TPKR	
66	31350215	COCK ISOLATION (MR) 1" TO WSF PT.NO. IB 70383/1 OR SIMILAR (FIRMS OTHER THAN WSF TO ENCLOSED MANUFACTURING AND DIMENSIONAL DRAWING WITH THEIR OFFER, AUTHENTICATING SIMILAR ITEM TO WSF).					60	-	
67	31350227	CHECK VALVE TUBULAR 1-1/4" TO KPA DRG. NO. ER/KPA/EL/VA 2HE 396 ALONG WITH LATEST AMENDMENT/ALTERATION IF ANY.					-	0	TPKR Qty. Revised from 18 to nil.
68	31350252	SAFETY VALVE 3/4" (BRASS) TYPE T.2 SET AT 7.75 KG/CM SQ. TO WSF PT.NO. J 70929/19 OR SIMILAR (FIRMS OTHER THAN WSF TO ENCLOSED MANUFACTURING AND DIMENSIONAL DRAWING WITH THEIR OFFER, AUTHENTICATING SIMILAR ITEM TO WSF).			Every fourth POH		46	-	
69	31350501	MODULER BRAKE CONTROLLER TYPE-ESBC III M TO ESCORTS PT NO 6000 ALONGWITH LATEST AMENDMENT/ALTERATION IF ANY.	ESCOR TS				6	2	
70	31350513	E.P.BRAKE VALVE COMPLETE (FOR TYPE ED-6 BRAKE CONTROLLER) TO WSF PT.NO. D74910/1 ALONGWITH LATEST AMENDMENT/ALTERATION IF ANY.	WSF				20	0	TPKR Qty. Revised from 02 to nil
71	31350537	ISOLATING VALVE SWITCH COMPLETE (FOR ED-6 BRAKE CONTROLLER) TO WSF PT.NO.C75256/1 OR SIMILAR (FIRMS OTHER THAN WSF TO ENCLOSE MANUFACTURING AND DIMENSIONAL DRAWING WITH THEIR OFFER, AUTHENTICATING SIMILAR ITEM TO WSF).					12	6	
72	31350598	BRAKE ELECTRO PNEUMATIC (MODIFIED TYPE) FOR MOTOR COACH TO WSF PART NO. ID70231/4 ALONG WITH LATEST AMENDMENT/ ALTERATION IF ANY.	WSF				-	1	
73	31350628	TRIPLE VALVE STABILIZING VALVE FOR (LD2 BRAKE UNIT) TO WSF Pt. NO.B77714/1 ALONGWITH LATEST AMENDMENT/ALTERATION IF ANY.	WSF				-	5	
74	31351566	SAFETY VALVE TYPE E1 SET AT 3.9 KG/CM.SQ. TO WSF PT.NO.A76525/3 OR KPA/E.Riy's DRG. NO. ER/KPA/EL/PN.2HE 409 B ALONG WITH LATEST AMENDMENT/ALTERATION IF ANY.			Every fourth POH		23	30	
75	31351773	6" DUPLEX AIR PRESSURE GAUGE (RANGE 0-10 KG/SQ. CM) AS PER DRG. NO. SR. DEE/TRS/SK/145 ALONG WITH LATEST AMENDMENT/ALTERATION IF ANY.		RDSO	Every Alternate POH		36	20	
76	31351785	6" SINGLE AIR PRESSURE GAUGE (SELF ILLUMINATED LED TYPE) AS PER DRG. NO. SR.DEE/TRS/SK/144 (RANGE 0.10 KG/SQ CM.) ALONG WITH LATEST AMENDMENT/ALTERATION IF ANY.		RDSO	Every Alternate POH		23	20	



**STORES COMPENDIUM PERTAINING TO EMU/MEMU**

Updated upto 31.03.2011

Sl. No.	P.L.No.	Description	PAC	RDSO / ICF	Must Change item	Safety	EAC		Remarks
							KGP	TPKR	
77	31352042	ENCAPSULATED COIL COMPLETE WITH TWO CHEESE HEAD SCREWS 2 BA X 3/8" LONG AND 2 BA SHAKE PROOF PLAIN WASHER OPERATING VOLTAGE 110V DC. TO KPA DRG NO. ER/KPA/EL MV- 3HB - 148B ALONGWITH LATEST AMENDMENT/ALTERATION IF ANY.			Every fourth POH		24	16	
78	31352522	ISOLATING COCK WITH VENT 1/2" TO WSF PT.NO. IB70372/2 OR ESCORTS DRG NO. 3KB 1089 ALONG WITH LATEST AMENDMENT/ALTERATION IF ANY.					305	-	
79	31352637	1/2" RELEASE VALVE TYPE `H' TO WSF PT.NO. PC 491 OR SIMILAR (FIRM OTHER THAN WSF TO ENCLOSE MANUFACTURING AND DIMENSIONAL DRG. AUTHENTICATING SIMILAR ITEM TO WSF).					110	-	
80	31352741	3" SINGLE PRESSURE GAUGE 0 TO 10 KG / PER SQUARE CM. DIRECT ILLUMINATION, DIAL WHITE, POINTER AND READING BLACK COMPLETE, WITH 3/8" UNION NUT BOTTOM CONNECTION,SURFACE MOUNTING TYPE AS PER WSF PT.NO. IB70726 OR SIMILAR. (FIRMS OTHER THAN WSF TO ENCLOSE MANUFACTURING & DIMENSIONAL DRAWING AUTHENTICATING SIMILAR ITEM TO WSF).		RDSO	Every Alternate POH		23	0	TPKR Qty. Revised from 20 to nil.
81	31352870	203 MM AIR BRAKE CYLINDER OF STROKE LENGTH - 40 MM.WITH SLACK ADJUSTER BUT WITHOUT HAND BRAKE CONNECTION FOR EMU COACHES TO RDSO DRG. NO. SKETCH 81200 ALT. 5 & SPECN. C- K013 ALONGWITH LATEST AMENDMENT/ALTERATION IF ANY.				Safety ICF/M Sl.No.18 Page 21	120	-	
82	31352881	203 MM AIR BRAKE CYLINDER OF STROKE LENGTH - 40 MM.WITH SLACK ADJUSTER BUT WITH HAND BRAKE CONNECTION FOR EMU COACHES TO RDSO DRG. NO. SKETCH 81200 ALT.5 & SPECN. C- K013 ALONGWITH LATEST AMENDMENT/ALTERATION IF ANY.		RDSO		Safety ICF/M Sl.No.18 Page 21	120	-	
83	31352911	PISTON PACKING FOR 203mm AIR BRAKE CYLINDER TO RDSO SPECN NO C-K013 & RDSO SKETCH 81200 ALT-5 ITEM 3 & PART DRG NO. RDSO SKETCH 81204 ALT 4 ITEM 10 ALONGWITH LATEST AMENDMENT/ALTERATION IF ANY.		RDSO	Every POH	Safety ICF/M Sl.No.18 Page 21	4680	130	
84	31352935	ADJUSTING SHIMS FOR 203mm AIR BRAKE CYLINDER TO RDSO SPECN NO C-K013 &RDSO SKETCH 81200 ALT-5 ITEM 27 & PART DRG NO. RDSO SKETCH 81206 ALT 3 ITEM 16. ALONGWITH LATEST AMENDMENT/ALTERATION IF ANY.		RDSO	Every POH	Safety ICF/M Sl.No.18 Page 21	2724	-	
85	31353113	WORM DRIVE HOSE CLIP TYPE A OF IS 4762 SIZE 50 ITEM NO 21 OF RDSO'S DRG NO. SKETCH 81200 ALT 5 ALONGWITH LATEST AMENDMENT/ALTERATION IF ANY.		CLW	Every POH		288	0	TPKR Qty. Revised from 400 to nil

**STORES COMPENDIUM PERTAINING TO EMU/MEMU**

Updated upto 31.03.2011

Sl. No.	P.L.No.	Description	PAC	RDSO / ICF	Must Change item	Safety	EAC		Remarks
							KGP	TPKR	
86	31353125	DUST EXCLUDER FOR 203mm AIR BRAKE CYLINDER TO RDSO SPECN NO C-K013 & RDSO SKETCH 81200 ALT-5 ITEM 22 & PART DRG NO. RDSO SKETCH 81204 ALT 4 ITEM 5 ALONGWITH LATEST AMENDMENT/ALTERATION IF ANY.		RDSO	Every POH	Safety ICF/M Sl.No.18 Page 21 & COS Ltr. 13.04.11	1800	-	
87	31353198	COUPLING COCK 3/4" TYPE BL TO WSF PT.NO.IB 70377/2 OR SIMILAR DRG. OF KPA/E. RLY. NO. ER/KPA/EL VA.3HB.160, ITEM NO. B (WITH 4" BENT HANDLE AND WITH VENT) ALONG WITH LATEST AMENDMENT/ALTERATION IF ANY.			Every fourth POH		84	-	
88	31353332	COUPLING COCK(RH) 1" WITH SIDE BOSS TO WSF PT. NO. IB 70378/1 OR SIMILAR (FIRM OTHER THAN WSF TO ENCLOSE MANUFACTURING AND DIMENSIONAL DRG. AUTHENTICATING SIMILAR ITEM TO WSF).			Every fourth POH		72	-	
89	31353538	4" SINGLE AIR PRESSURE GAUGE (SURFACE MOUNTED) AS PER DRG. NO. SR. DEE/TRS/SK/143 (RANGE 0-10 KG./SQ.CM.) ALONG WITH LATEST AMENDMENT/ALTERATION IF ANY.		RDSO	Every Alternate POH		36	24	
90	31353642	COUPLING COCK 1" TO WSF'S PT.NO. IB 70381/1 OR EASTERN RAILWAY (KANCHRAPARA) DRG. NO. ER/KPA/EL/VA3HB 161(A) WITH EXTENSION PIECE & BEND HANDLE BUT WITHOUT BY PASS ALONG WITH LATEST AMENDMENT/ALTERATION IF ANY.					46	-	
91	31353769	EMERGENCY APPLICATION VALVE TO WSF PT.NO. PC4830 PAMPHLET NO. AI-220 (FIRMS OTHER THAN WSF TO ENCLOSE MANUFACTURING AND DIMENSIONAL DRAWING WITH THEIR OFFER, AUTHENTICATING SIMILAR ITEM TO WSF.)					19	5	
92	31353812	PNEOPHONIC HORN AIR OPERATED TYPE B-7-30 TO WSF PT.NO.IC-70010/3 OR SIMILAR (FIRMS OTHER THAN WSF TO ENCLOSE MANUFACTURING AND DIMENSIONAL DRAWING WITH THEIR OFFER, AUTHENTICATING SIMILAR ITEM TO WSF.)		CLW		Safety as per LOCO safety list	24	30	Qty.for KGP included.
93	31353848	ISOLATING COCK 3/8" WITH VENT TO WSF PT.NO. IB 70370/2 OR SIMILAR (FIRMS OTHER THAN WSF TO ENCLOSE MANUFACTURING AND DIMENSIONAL DRAWING WITH THEIR OFFER, AUTHENTICATING SIMILAR ITEM TO WSF.)					0	-	KGP Qty. Revised from 84 to nil.
94	31354014	FOOT OPERATED HORN VALVE TYPE F TO WSF'S PT.NO.J 042/2 OR SIMILAR EASTERN RAILWAY (KPA) DRG. NO. ER/KPA/EL/AR 3HE 1802 B ALONG WITH LATEST AMENDMENT/ALTERATION IF ANY.			Every Third POH	Safety as per LOCO safety list	36	0	TPKR Qty. Revised from 36 to nil

**STORES COMPENDIUM PERTAINING TO EMU/MEMU**

Updated upto 31.03.2011

Sl. No.	P.L.No.	Description	PAC	RDSO / ICF	Must Change item	Safety	EAC		Remarks
							KGP	TPKR	
95	31357430	MOVING CORE FOR MAGNET VALVE OF WSF MAKE EP UNIT TO WSF PT.NO.J.73457/1 ALONGWITH LATEST AMENDMENT/ ALTERATION IF ANY.	WSF			safety as per COS Ltr.13.04.11	24	-	
96	31357441	PISTON HOLDING VALVE WSF PART NO. J 71050/2 REF NO.48 ALONG WITH LATEST AMMENDMENT / ALTERATION IF ANY	WSF				24	-	
97	31357490	PISTON FOR APPLICATION MAGNET VALVE OF EP UNIT TO WSF PART NO. J73462/2 ALONG WITH LATEST AMMENDMENT / ALTERATION IF ANY	WSF				24	-	
98	31357556	TRIPPLE VALVE FE 114SO SIZE 12" FOR EP UNIT TO ESCORTS DRG.NO. IA 68053/C. ALONGWITH LATEST AMENDMENT/ ALTERATION IF ANY.	ESCORTS				36	-	
99	31357568	APPLICATION MAGNET VALVE EV 207 - 3VT TO ESCORTS DRG.NO.3A 82337. ALONGWITH LATEST AMENDMENT/ ALTERATION IF ANY.	ESCORTS		Every fourth POH	safety as per COS Ltr.13.04.11	24	-	
100	31357581	EP UNIT 16" TO ESCORT'S DRG NO OA 68051/A ALONGWITH LATEST AMENDMENT/ALTERATION IF ANY.	ESCORTS				-	2	
101	31393147	VALVE HEAD FOR STABILIZING VALVE OF ESCORTS E.P. UNIT TO ESCORTS DRG. NO.4A-47235. ALONGWITH LATEST AMENDMENT/ ALTERATION IF ANY.	ESCORTS			safety as per COS Ltr.13.04.11	24	-	
102	31393603	DC CONTATOR PANEL FOR BRAKE APPLICATION RELAY TO ICF'S DRG.NO. ICF/SK.7.2.395 ALT.'C' ALONGWITH LATEST AMENDMENT/ ALTERATION IF ANY.		ICF		Safety ICF/E Sl.No.11 Page 04	6	12	Qty.for KGP included.
103	31397311	KIT OF SPARES OF RUBBER ITEMS OF ESCORTS EP UNIT CONSISTING OF 30 ITEMS AS LISTED IN CEE/GRC'S SPECN.NO. RS/TS/EMU/120 ITEM 4.2.ALT.'D' ALONGWITH LATEST AMENDMENT/ ALTERATION IF ANY.	ESCORTS		Every POH		36	100	
104	31397323	OVERHAULING KIT FOR ESCORTS EP UNIT CONSISTING OF 41 ITEMS AS LISTED IN CEE/GRC'S SPECN. NO. RS/TS/EMU/120 ITEM 4.1. ALT.'D' ALONGWITH LATEST AMENDMENT / ALTERATION IF ANY.	ESCORTS		Every POH		144	30	
105	31397335	RUBBER HOSE COMPLETE WITH STEEL END FITTINGS FOR BP. AS PER TPKR CARSHEDS DRG NO. SR. DEE/TRS/M/343 ALT.C. ALONGWITH LATEST AMENDMENT/ALTERATION IF ANY.		RDSO	Every POH	Safety ICF/M Sl.No.01 Page 01	288	96	
106	31397347	RUBBER HOSE COMPLETE WITH STEEL END FITTINGS FOR MR AS PER TPKR CARSHEDS DRG NO SR.DEE/TRS/M/343 ALT.C. ALONGWITH LATEST AMENDMENT/ ALTERATION IF ANY.		RDSO	Every POH	Safety ICF/M Sl.No.01 Page 01	288	90	

**STORES COMPENDIUM PERTAINING TO EMU/MEMU**

Updated upto 31.03.2011

Sl. No.	P.L.No.	Description	PAC	RDSO / ICF	Must Change item	Safety	EAC		Remarks
							KGP	TPKR	
107	31397359	FLEXIBLE HOSE CONECTION FOR 1/2" BORE(15mm Bore)WITH END FITTINGS COMPLETE FOR BRAKE CYCLINDER TO ICF DRAWING NO. EMU/M-3-5-079 ALT. NO. Q/2 ITEM NO. 3 ALONGWITH LATEST AMENDMENT/ALTERATION IF ANY.		ICF	Every POH	Safety ICF/M Sl.No.01 Page 01	2552	350	
108	31530072	WINDOW GUIDE FRAME CONSISTING OF 1 NO EACH OF WINDOW GUIDE LH AND RH AS PER DRG. NO. SR.DEE/TRS/M/395 ALT. 'A' AND 1 NO. WINDOW SILL AS PER DRG. NO. SR.DEE/TRS/M/396.- ALT.'A' to RDSO specn.No.RDSO/2007/CG-03(Rev.I) ALONG WITH LATEST AMENDMENT/ALTERATION IF ANY.		RDSO			-	10	
109	31540004	BODY SIDE WINDOW ARRANGEMENT WITH EQUALISING DEVICE TO ICF DRG.NO.EMU-5-4-031 ALT-m/5 COL.III to RDSO specn.No.RDSO/2007/CG-02(Rev.I) ALONGWITH LATEST AMENDMENT/ALTERATION IF ANY (SHUTTERS, GUIDE FRAME, WINDOW SILI MADE OF FRP).		RDSO			120	-	
110	31540260	FRP LOUVRE SHUTTER ASSLY FOR 2Ft. 6 Inch. WINDOW TO ICF DRG. NO.ICF/SK-5-4-207 ALT.B to RDSO specn. No. RDSO/2007/CG-02 (Rev.I) ALONG WITH LATEST AMENDMENT/ ALTERATION IF ANY.		RDSO			360	156	
111	31540340	GLASS SHUTTER ARRANGEMENT FOR 2'-6" WIDE WINDOW AS PER ICF DRG.NO. ICF/SK-5-4-105 ALT-'E'. AND PART DRG. NO. ICF/SK-5-4-106 ALT.'G', ICF/SK-5-4-144 ALT.'A' & ICF/SK-5-4-081 ALT.'E/2' to RDSO specn. No.RDSO/2007/CG-02 (Rev.I) ALONGWITH LATEST AMENDMENT/ALTERATION IF ANY.		RDSO			900	81	
112	31580397	DOOR SLIDING ARRANGEMENT COMPLETE TO ICF DRG. NO. EMU-5-8-044 ALT.U COL-I AND PART DRG GIVEN THERE IN. ALONGWITH LATEST AMENDMENT/ ALTERATION IF ANY.					240	15	
113	31580403	DOOR SLIDING ARRANGEMENT COMPLETE TO ICF DRG. NO. EMU-5-8-044 ALT.U COL - II AND PART DRG GIVEN THERE IN ALONGWITH LATEST AMENDMENT/ALTERATION IF ANY.					240	15	
114	31610328	FRAME FOR WALL SIDE THIRD CLASS 7 SEATS (R.H.) OF EMU COACHES TO ICF DRG. NO.EMU-6-1-023 ALT. G/7 COL.I AND PART DRAWING NO. EMU-6-1-022 ALT. N/5 ALONG WITH LATEST AMENDMENT/ALTERATION IF ANY.					24	-	
115	31610330	FRAME FOR WALL SIDE THIRD CLASS 7 SEATS (L.H.) OF EMU COACHES TO ICF DRG. NO.EMU-6-1-023 ALT. G/7 COL.II AND PART DRAWING NO. EMU-6-1-022 ALT. N/5 ALONG WITH LATEST AMENDMENT/ALTERATION IF ANY.					24	-	
116	31610470	SEAT CUM BACK REST PRECESSING (COMPREG PLYWOOD) TO ICF DRG. NO.EMU/M2 6-1-507 ALT L/12 & RDSO SPEC. C-9407 TYPE-1 ALONGWITH LATEST AMENDMENT/ALTERATION IF ANY.		ICF			4200	600	

**STORES COMPENDIUM PERTAINING TO EMU/MEMU**

Updated upto 31.03.2011

Sl. No.	P.L.No.	Description	PAC	RDSO / ICF	Must Change item	Safety	EAC		Remarks
							KGP	TPKR	
117	31617013	FRAME FOR WALL SEAT III RD CL 3 SEATS (L.H.) OF EMU COACHES TO ICF DRG.NO.EMU-6-1-021, ALT e/8 COL.-II & PART DRAWING NO. EMU-6-1-022 ALT n/5 ALONG WITH LATEST AMENDMENT/ALTERATION IF ANY.					240	-	
118	31617025	FRAME FOR WALL SEAT III RD CL 3 SEATS (R.H.) OF EMU COACHES TO ICF DRG.NO.EMU-6-1-021, ALT e/8 COL.-I & PART DRAWING NO. EMU-6-1-022 ALT n/5 ALONG WITH LATEST AMENDMENT/ALTERATION IF ANY.					240	-	
119	31617037	FRP SEAT CUM BACK REST FOR EMU COACHES TO RDSO'S SKETCH NO.84078 Alt.1 ITEM-1 AND TECHNICAL REQUIREMENTS TO RDSO's Spec. No. RDSO/2007/CG-01 FOR SHEET MOULDING COMPOUND AND C-8415 FOR FINISHED SEAT CUM BACK REST ALONG WITH LATEST AMENDMENT/ALTERATION IF ANY.					-	300	
120	31717007	CABLE ENTRY HALF BUSH FOR INTER VEHICLE COUPLER PLUG ASSLY TO ICF DRG NO ICF/SK-7-5-054 ALT 'D'. COL-1 ITEMS NO.10,11,12&13 ALONG WITH LATEST AMENDMENT/ALTERATION IF ANY.		ICF		Safety ICF/E Sl.No.08 Page 04	72	-	
121	31717019	SET OF PLUG SOCKET PIN HOUSING, COVER AND BUSH COMPLETE FOR INTER VEHICLE COUPLER ICF DRG NO ICF/SK-7-5-053 ALT 'G' .COL -1 ITEM 15 = 1 NO., ICF/SK-7-5-054 ALT 'D' COL -1 ITEM 2 = 1 NO AND ITEM NO 8 = 2 NOS. ALONGWITH LATEST AMENDMENT/ALTERATION OF DRGS. IF ANY.		ICF		Safety ICF/E Sl.No.08 Page 04	72	-	
122	31717100	SIMPLIFIED BATTERY CHARGER TO ICF SPECN. NO.ICF/ELECT/067CS-3 ALONGWITH LATEST AMENDMENT/ALTERATION IF ANY.		ICF			12	2	
123	31727037	CABLE TERMINAL FOR SOLDERLESS CRIMPING CABLE SIZE 4 sq.mm. DOWELL'S CAT NO. PSD 7621 OR SIMILAR. (FIRMS OTHER THAN DOWELL TO ENCLOSE THEIR MANUFACTURING AND DIMENSIONAL DRAWING AUTHENTICATING SIMILAR ITEM TO DOWELL).					6000	5000	
124	31727232	SOCKET ASSLY. FOR INTER VEHICLE COUPLER FOR EMU TO ICF DRG NO ICF/SK-7-5-053 ALT'G' SHEET 1 TO 11. ALONGWITH LATEST AMENDMENT/ALTERATION IF ANY.(QUANTITY OF SOCKETS VIDE DRG.SHEET-NO.-2 TO BE SUPPLIED UNDER EQUAL DISTRIBUTION).		ICF		Safety ICF/E Sl.No.08 Page 04	48	-	KGP Qty. reduced from 72.
125	31727244	PLUG ASSLY FOR INTER VEHICLE COUPLER TO ICF DRG NO ICF/SK-7-5-054 ALT'D' COL-I SHEET 1 TO 7.(POSITION OF INTER LOCKING PIN SHOULD BE AT ZERO DEGREE INSTEAD OF NOTE 3 OF SHEET 2 OF DRG.) ALONGWITH LATEST AMENDMENT/ALTERATION IF ANY.		ICF		Safety ICF/E Sl.No.08 Page 04	48	-	KGP Qty. reduced from 72.

**STORES COMPENDIUM PERTAINING TO EMU/MEMU**

Updated upto 31.03.2011

Sl. No.	P.L.No.	Description	PAC	RDSO / ICF	Must Change item	Safety	EAC		Remarks
							KGP	TPKR	
126	31727281	LED TYPE DRIVER'S INDICATION PANEL FOR EMU TO ICF DRG NO. SK-7-2-388 ALT 'E' COL - 1. ALONGWITH LATEST AMENDMENT/ALTERATION IF ANY.					12	0	Qty.for KGP included & TPKR Qty.revised from 06 to nil.
127	31790010	OIL PUMP WITH MOTOR AND STARTING CAPACITOR 1.5 HP 240 VOLT SINGLE PHASE AC SUITABLE FOR TRANSFORMER OF BG AC EMU/MEMU CONFORMING TO ICF SPECN. NO. ICF/ELEC/018 ALONGWITH LATEST AMENDMENT/ALTERATION IF ANY.		ICF			5	-	
128	31790070	COMPRESSOR REGISTER (TYPE B 102) TO BHEL'S DRG.NO.25751030031V00.FIG.REF.-000 ALONGWITH LATEST AMENDMENT/ALTERATION IF ANY.	BHEL				5	2	
129	31790094	TRANSITION RESISTOR CASE ASSLY. TO BHEL DRG.NO.05751030006V00 FIG. REF.-000. ALONGWITH LATEST AMENDMENT/ALTERATION IF ANY.	BHEL				12	-	
130	31790100	MOTOR CONNECTION BOXES TO ICF DRG.NO. ICF/SK-7-1-138 ALT-'E/2' COL - III. ALONGWITH LATEST AMENDMENT/ ALTERATION IF ANY.					60	12	
131	31790677	TAP CHANGE CONTACTOR COMPLETE TO BHEL DRG No:05801030003V00 FIG. REF.-000. ALONGWITH LATEST AMENDMENT/ ALTERATION IF ANY.	BHEL				45	12	
132	31790720	SHUNT TO BHEL'S DRG. NO. 35801130047 VOO FIG. REF.-C016 ALONGWITH LATEST AMENDMENT/ALTERATION IF ANY.	BHEL				-	0	TPKR Qty. Revised from 10 to nil
133	31790872	SHORT FINGER COMPLETE TO BHEL'S DRG.NO .35831730039V00 FIG. REF -B006 ALONGWITH LATEST AMENDMENT/ ALTERATION IF ANY.	BHEL		Every Alternate POH		-	54	
134	31791104	KNUCKLING SPRING TO BHEL'S DRG.NO. 45801130025P1 FIG. REF.-C007 ALONGWITH LATEST AMENDMENT/ALTERATION IF ANY.	BHEL				1428	25	KGP Qty. enhanced from 576.
135	31791438	PRIMARY OVERLOAD & EARTH FAULT RELAY M25 STR-8 TO BHEL'S DRG.NO. 05831030006 V00 FIG. REF.-000 ALONGWITH LATEST AMENDMENT/ ALTERATION IF ANY.	BHEL				12	4	
136	31791633	ADJUSTABLE CONTACT/CONTACT SCREW COMPLETE TO BHEL DRG.NO.35801430004V00 FIG. REG.-B005 ALONG WITH LATEST AMENDMENT/ALTERATION IF ANY.	BHEL		Every Alternate POH		3927	-	

**STORES COMPENDIUM PERTAINING TO EMU/MEMU**

Updated upto 31.03.2011

Sl. No.	P.L.No.	Description	PAC	RDSO / ICF	Must Change item	Safety	EAC		Remarks
							KGP	TPKR	
137	31791736	CAM LETTERED W & V TO BHEL DRG.NO. 35801430033 V00 FIG. REF.-B023 ALONGWITH LATEST AMENDMENT/ALTERATION IF ANY.	BHEL				960	-	
138	31791748	CAM LETTERED X & Y TO BHEL DRG.NO.35801430032V00 FIF. REF.-B024 ALONGWITH LATEST AMENDMENT/ALTERATION IF ANY.	BHEL				1800	-	
139	31791827	4 FINGER INTERLOCK UNIT COMPLETE FOR SWITCH M1 TO BHEL'S DRG.NO.15801430007V13 FIG. REF.-000 ALONGWITH LATEST AMENDMENT/ALTERATION IF ANY.	BHEL				36	8	Qty.for KGP included.
140	31791840	VALVE BOLT TO BHEL DRG NO. 45880530004 P1 FIG.REF.A011 ALONGWITH LATEST AMENDMENT/ALTERATION IF ANY.					20	-	
141	31792492	PINION 20 TEETH (CASE CARBURISHED) TO BHEL'S DRG.NO.24391637007V00 FIG. REF.-F015 ALONGWITH LATEST AMENDMENT/ALTERATION IF ANY.	BHEL				45	15	
142	31792509	EARTH RETURN BRUSH SPRING TO BHEL DRG. NO.34391337003P1 FIG. REF.-000 ALONGWITH LATEST AMENDMENT/ALTERATION IF ANY.	BHEL				24	-	
143	31792546	AXLE BEARING PE & CE TO SR.DEE'S DRAWING NO. SR.DEE/RS/M/333 OF BORE DIA 181.0,181.5, 182.0, 182.5, 183.0, 183.5, 184.0 & 184.5 (QTY PROPORATIONATELY DISTRIBUTED FOR EACH SIZE OF BORE DIA, ALONGWITH LATEST AMENDMENT/ALTERATION IF ANY.		RDSO	Every Alternate POH		576	23	
144	31792728	SET OF FIBRE GLASS FRONT AND BACK COVERS FOR TAP CHANGER SWITCH GROUP CASE, ITEM NO. 1 & 4 i.e. COL. A & D OF SR.DEE/RS/TPKR'S DRG.NO. SR.DEE/RS/M/265 ALT-'A' & PART DRG.NO SR.DEE/TRS/M/480 ALONGWITH LATEST AMENDMENT/ALTERATION IF ANY.					36	14	
145	31792741	SET OF FIBRE GLASS FRONT AND BACK COVERS FOR TAP CHANGER SWITCH GROUP CASE, TO TPKR'S DRG.NO SR.DEE/RS/M/265 ALT-'A' ITEM NO. 2 & 3, COL. B & C PART DRG.NO SR.DEE/TRS/M/480 ALONGWITH LATEST AMENDMENT/ALTERATION IF ANY.					24	5	
146	31792753	MASTER CONTROLLER TO BHEL DRG.NO. 05771030010V04 FIG. REF.-000 ALONGWITH LATEST AMENDMENT/ALTERATION IF ANY.	BHEL				12	-	
147	31792868	BEARING TO BHEL'S DRG.NO 15771230004P26 FIG. REF.-B029 ALONGWITH LATEST AMENDMENT/ALTERATION IF ANY.	BHEL				-	6	
148	31793204	SPRING PLATE FOR PANTO OPERATING VALVE TO BHEL'S DRG.NO.45880130010P1 FIG.REF.A025 ALONGWITH LATEST AMENDMENT/ALTERATION IF ANY.			Every Alternate POH		6	0	Qty.for KGP included & TPKR Qty. revised from 05 to nil.

**STORES COMPENDIUM PERTAINING TO EMU/MEMU**

Updated upto 31.03.2011

Sl. No.	P.L.No.	Description	PAC	RDSO / ICF	Must Change item	Safety	EAC		Remarks
							KGP	TPKR	
149	31793435	LONG FINGER COMPLETE TO BHEL'S DRG. NO. 35831730018V00 FIG. REF.-B016 ALONG WITH LATERST AMMENDMENT/ ALTERATION IF ANY	BHEL		Every Alternate POH		252	7	KGP Qty. enhanced from 75.
150	31793538	FIXED CONTACT COMPLETE TO BHEL'S DRG.NO. 35831730017P1 FIG. REF.-B007 ALONGWITH LATEST AMENDMENT/ ALTERATION IF ANY.	BHEL		Every POH		48	0	KGP Qty. enhanced from 24 & TPKR Qty. revised from 08 to nil..
151	31793708	GEAR WHEEL 91 TEETH (CASE CARBURISHED) TO BHEL DRG.NO.24391637006P1 ALONGWITH LATEST AMENDMENT/ALTERATION IF ANY.	BHEL				9	-	
152	31793745	FAN MARK V FOR EXTENDED SHAFT TO BHEL'S DRG.NO.14394037002V00 FIG. REF.-B025 ALONGWITH LATEST AMENDMENT/ALTERATION IF ANY.	BHEL				-	12	
153	31793976	DP LATCH CONTACTOR WITH COIL FOR FAN TO BHEL'S DRG.NO.05825030003V01 FIG. REF.-000 ALONGWITH LATEST AMENDMENT/ALTERATION IF ANY.	BHEL				24	3	
154	31794038	CONTACT CARRIER ASSEMBLY TO BHEL'S DRG.NO. 35801130033V00 FIG. REF.-B002 ALONGWITH LATEST AMENDMENT/ ALTERATION IF ANY.	BHEL				36	8	KGP Qty. enhanced from 24.
155	31794075	EARTHING SWITCH COMPLETE TO BHEL DRG.NO. 05790130002V00 FIG. REF.-000 ALONGWITH LATEST AMENDMENT/ALTERATION IF ANY.	BHEL				9	-	
156	31794348	BRIDGE CONTACT TO BHEL'S DRG.NO. 45781630003P1 FIG.REF.A006 ALONGWITH LATEST AMENDMENT/ALTERATION IF ANY.					-	50	KGP Qty. revised from 72 to nil.
157	31794350	MAGNET VALVE COMPLETE TO BHEL'S DRG.NO.25880530001V01 FIG. REF.-000 ALONG WITH LATEST AMENDMENT/ALTERATION IF ANY.	BHEL			safety as per COS Ltr.13.04.11	36	6	
158	31797167	RELAY CBAR TO BHEL'S DRG.NO. 35831030015P6 FIG. REF.- A015 ALONGWITH LATEST AMENDMENT/ALTERATION IF ANY.	BHEL				5	6	
159	31797192	SIX FINGER INTERLOCK UNIT COMPLETE FOR SWITCH T7 TO BHEL'S DRG.NO.15801430007V07 FIG. REF.-000 ALONGWITH LATEST AMENDMENT/ALTERATION IF ANY.	BHEL				-	10	



**STORES COMPENDIUM PERTAINING TO EMU/MEMU**

Updated upto 31.03.2011

Sl. No.	P.L.No.	Description	PAC	RDSO / ICF	Must Change item	Safety	EAC		Remarks
							KGP	TPKR	
160	31797234	TRANSITION RESISTOR UNIT TYPE D 277 FOR RESISTOR BOX OF EMU BHEL'S DRG.NO. 35750030001F-1 OR SR.DEE/TRS/TPKR's DRG NO SR.DEE/TRS/E/111 ALONG WITH LATEST AMENDMENT/ALTERATION IF ANY.					40	16	
161	31797337	OVERLOAD RELAY TYPE M25 STR-7 TO BHEL'S DRG.NO. 05831030005V00 FIG. REF.-000 ALONGWITH LATEST AMENDMENT/ ALTERATION IF ANY.	BHEL				-	3	
162	31797568	OVERLOAD RELAY PANEL COMPLETE TO BHEL'S DRG NO. 05831030004V00 FIG. REF.-000 ALONGWITH LATEST AMENDMENT/ALTERATION IF ANY.	BHEL				9	-	
163	31797611	CURRENT LIMIT RELAY TYPE M17AR8 TO BHEL DRG. NO.15831030009V00 FIG. REF.-000 ALONGWITH LATEST AMENDMENT/ ALTERATION IF ANY.	BHEL				6	-	
164	31797647	ARC BOX COMPLETE TO BHEL DRG.NO. 05801330003V00 FIG. REF.-A003 ALONGWITH LATEST AMENDMENT/ALTERATION IF ANY.	BHEL				36	-	
165	31797659	MAGNET VALVE COMPLETE WITH COIL TYPE 23 MV8E1 TO BHEL'S DRG.NO. 15880530003V00 FIG.REF.-000 ALONGWITH LATEST AMENDMENT/ ALTERATION IF ANY.	BHEL				60	-	
166	31797696	FINGER ASSLY. TO BHEL'S DRG.NO. 35831030035V00 FIG. REF.-B021 ALONG WITH LATEST AMENDMENT/ALTERATION IF ANY.	BHEL		Every POH		-	144	
167	31797787	TRIP COIL TO BHEL' DRG.NO. ES 853215 FIG. REF.-A033 ALONG WITH LATEST AMENDMENT/ALTERATION IF ANY.	BHEL				-	0	TPKR Qty. revised from 04 to nil.
168	31797829	RESET COIL TO BHEL DRG.NO. 35880530010V00 FIG. REF.-A007 ALONG WITH LATEST AMENDMENT/ALTERATION IF ANY.	BHEL				6	-	
169	31797910	SEQUENCE TEST SWITCH SUITABLE FOR EMU/MEMU MOTOR COCAHES TO M/S.KAYCEE TYPE NO. RP145PH OR SIMILAR 16 AMPS. 250V, HAVING THE FOLLOWING SWITCHING SEQUENCE. POSITION 1-RUN-4-D , POSITION 2-TEST-1-A,2-B,3-C, POSITION 3-RUN-4-D, POSITION 4-TEST-1-A,2-B,3-C ALONG WITH LATEST AMMENDMENT/ ALTERATION IF ANY.		RDSO			22	12	
170	31797957	MOTOR CUT OUT SWITCH SUITABLE FOR EMU/MEMU MOTOR COACHECS TO M/S.KAYCEE TYPE NO. RP11623FA 82/LMX OR SIMILAR ,16 AMPS/250V WITH SWITCHING SEQUENCE AS UNDER : POSITION1-1-A,2-B,4-D,5-E,6-F,7-G,9-J,10-K,11-L,13-N,14-P. POSITION2-3-C,4-D,5-E,7-G,11-L,14-P,15-R POSITION3-3-C,8-H,12-M,15-R,16-S POSITION4-3-C,4-D,5-E,6-F,11-L,13-N,16-S		RDSO			24	8	

**STORES COMPENDIUM PERTAINING TO EMU/MEMU**

Updated upto 31.03.2011

Sl. No.	P.L.No.	Description	PAC	RDSO / ICF	Must Change item	Safety	EAC		Remarks
							KGP	TPKR	
171	31797969	BATTERY ISOLATING SWITCH 2 POLE SUITABLE FOR EMU/MEMU MOTOR COACHES, 250 VOLTS, 200 AMPS ALONGWITH INDICATING PLATE MARKING OFF-ON-OFF- TO M/S.KAYCEE TYPE NO. C-2023 OR SIMILAR.		RDSO			24	0	KGP Qty. enhanced from 14 & TPKR Qty. revised from 12 to nil.
172	31798482	PANTO OPERATING VALVE TO BHEL'S DRG.NO 05880130001V00 FIG. REF.-000 ALONG WITH LATEST AMENDMENT/ ALTERATION IF ANY.	BHEL				10	7	
173	31798603	OPERATING COIL TO BHEL'S DRG.NO ES851131FIG. REF.-A008 ALONG WITH LATEST AMENDMENT/ALTERATION IF ANY.	BHEL				-	22	
174	31798676	EARTH RETURN BRUSH ASSEMBLY TO BHEL DRG. NO.34391337002P1 FIG. REF.-E011 ALONGWITH LATEST AMENDMENT/ ALTERATION IF ANY.	BHEL				48	26	
175	31798780	INSULATED SUPPORT PIN ASSLY TO BHEL DRG.NO.3439 2041003V00 FIG. REF.-D017. ALONGWITH LATEST AMENDMENT/ ALTERATION IF ANY.	BHEL				40	-	
176	31798822	ROLLER BEARING COMMUTATOR END FOR 253 BX/4601 AZ TRACTION MOTOR BEARING NO. NUP 318/M/C4 WITH RADIAL CLEARANCE 0.105 TO 0.140 MM ALONGWITH LATEST AMENDMENT/ALTERATION IF ANY.		RDSO	Every Fourth POH		56	23	KGP Qty. enhanced from 35.
177	31798858	TRANSFORMER CHANGEOVER SWITCH TO BHEL'S DRG.NO. 15781030003V00 FIG. REF.-000 ALONG WITH LATEST AMENDMENT/ALTERATION IF ANY.	BHEL				6	-	
178	31799012	CONTACTOR COMPLETE TO BHEL DRG NO. 15815030013V00 FIG. REF.-000. ALONGWITH LATEST AMENDMENT/ALTERATION IF ANY.	BHEL				20	7	
179	31799188	DP LATCH CONTACTOR WITH COIL FOR LIGHT TO BHEL'S DRG.NO. 05825030003V00 FIG. REF.-000. ALONGWITH LATEST AMENDMENT/ALTERATION IF ANY.	BHEL				-	4	
180	31799255	PISTON INSULATOR WITH PHENOLEC MOULDING TO BHEL DRG. NO. 35801130076VOO FIG. REF.-C041 ALONGWITH LASTEST AMENDMENT / ALTERATION IFANY.	BHEL				-	75	
181	31799267	PISTON SEALING RING FOR TAP CHANGING CONTACTOR OF BOSCO MAKE (NT) CONFORMING BOSCO DRG.NO. 1006/99 ALONGWITH LATEST AMENDMENT/ALTERATION IF ANY.	BHEL		Every POH		2125	3000	
182	31799279	CYLINDER SPRING TO BHEL'S DRG.NO. 45801130019P1 FIG. REF.-C024 ALONG WITH LATEST AMENDMENT/ALTERATION IF ANY.	BHEL				60	40	

**STORES COMPENDIUM PERTAINING TO EMU/MEMU**

Updated upto 31.03.2011

Sl. No.	P.L.No.	Description	PAC	RDSO / ICF	Must Change item	Safety	EAC		Remarks
							KGP	TPKR	
183	31799334	CONTACT CARRIER COMPLETE TO BHEL'S DRG.NO. 35801130048V00 FIG. REF.-000.ALONGWITH LATEST AMENDMENT/ ALTERATION IF ANY.	BHEL				72	24	
184	31799541	CONTRACTOR TYPE 22PC6 WITHOUT MV & IL TO BHEL'S DRG.NO. 05801030002V00 FIG. REF.-000. ALONGWITH LATEST AMENDMENT/ALTERATION IF ANY.	BHEL				36	-	
185	31799700	FINGER ASSLY. COMPLETE TO BHEL'S DRG.NO.25801430018V00 FIG. REF.-B001ALONG WITH LATEST AMENDMENT/ALTERATION IF ANY.	BHEL		Every Alternate POH		1200	250	
186	31799802	BUCHHOLZ RELAY TO BHEL/JHANSI'S DRG.NO. 24665150002# 16. ALONGWITH LATEST AMENDMENT/ ALTERATION IF ANY.	BHEL				4	1	
187	31799814	MOTOR SWITCH GROUP FIBRE GLASS COVER (FRONT) TO TPKR DRG.NO.SR.DEE/TRS/M/327 ITEM-1 ALT 'A'. ALONGWITH LATEST AMENDMENT/ALTERATION IF ANY.					36	-	
188	31799826	MOTOR SWITCH GROUP FIBRE GLASS COVER (BACK) TO TPKR DRG.NO.SR.DEE/TRS/M/327 ITEM-2 ALT 'A'. ALONGWITH LATEST AMENDMENT/ALTERATION IF ANY.					24	-	
189	31799875	SET OF CONTACTS FOR TAP CHANGING CONTACTORS TO TPKR's DRG NO. DEE/RS/E/006 ITEM 2 & 4 FOR TOP CONTACTS AND ITEMS 1 & 3 FOR BOTTOM CONTACT WITH TOLERANCE OF DIMENSIONS AS PER IS 2102 PART-I (MEDIUM) ALONG WITH LATEST AMMENDMENT / ALTERATION IF ANY.			Every POH		756	190	KGP Qty. enhanced from 540.
190	31907027	AIR BELLOWS FOR EMU TRACTION MOTOR TO ICF DRG NO EMU/91/001 MOD-2 CONFIRMING TO RDSO's SPECN NO.E-7/06(REV-2)JULY 2002. ALONGWITH LATEST AMENDMENT/ALTERATION IF ANY.		RDSO	Every POH		288	60	
191	31907076	MOTOR WITH CAPACITOR FOR TRANSFORMER OIL COOLER FOR BG AC EMU COMPLETE WITH FAN 0.5HP, 240V, 2.5 AMPS SINGLE PHASE AC, CAPACITOR START & CAPACITOR RUN AS PER ICF SPECN NO. ICF/ELECT/014 REV-A AND AS PER ICF DRG.NO. ICF/SK-9-0-606 ALONGWITH LATEST AMENDMENT/ ALTERATION IF ANY.		ICF			6	-	
192	31907088	WORM DRIVE HOSE CLIP FOR TR.MOTOR BELLOW OF NOMINAL DIA 250 MM (MAX.250MM & MIN.225 MM) TO MATERIAL SPECN. CONFORMING IS 4762-2002. ALONGWITH LATEST AMENDMENT/ ALTERATION IF ANY.		CLW			288	0	TPKR Qty. revised from 400 to nil.
193	31907090	WIPER ASSLY. CONSISTING OF i) WIPPER MOTOR ASSLY. (ICF) FOR EMU TO M/S.ELGI PT. NO. 09021052B - 1 NO. ii) WIPPER CONTROL VALVE ASSLY. (ICF) TO ELGI PT. NO.090442770 - 1 NO. ALONGWITH LATEST AMENDMENT/ALTERATION IF ANY	ELGI			safety as per COS Ltr.13.04.11	24	18	

**STORES COMPENDIUM PERTAINING TO EMU/MEMU**

Updated upto 31.03.2011

Sl. No.	P.L.No.	Description	PAC	RDSO / ICF	Must Change item	Safety	EAC		Remarks
							KGP	TPKR	
194	31907106	WIND SCREEN WIPER ARM & BLADE ASSLY FOR EMU/MEMU AS PER RDSO's SPECN NO.C-K306 (REV-01) WITH DIMENSION 'L = 530 mm', ' L1=510 mm', L2=250 mm' ALONG WITH LATEST AMENDMENT/ ALTERATION IF ANY.		ICF	Blade-Every POH, Arm-Every Alternate POH		18	60	
195	31907180	TRANSFORMER OIL COOLER (WITHOUT BLOWER MOTOR) TO ICF SPECN. NO. ICF/ELEC/014 REV-A ALONGWITH LATEST AMENDMENT / ALTERATION IF ANY.		ICF			7	-	
196	31907234	BALL BEARING NO.62062Z FOR FREE END OF RADIATOR FAN MOTOR OF EMU. . ALONG WITH LATEST AMMENDMENT / ALTERATION IF ANY.		RDSO	Every Alternate POH		96	-	
197	31908652	MAGNET VALVE EV 207-3 VT 110V TO ESCORTS DRG.NO.3A 82337 ALONG WITH LATEST AMENDMENT/ALTERATION IF ANY.	ESCORTS		Every fourth POH		-	30	
198	31908779	MAGNET VALVE EV 208.3VT 110 VOLT TO ESCORTS DRG. NO. 3A 82339. ALONGWITH LATEST AMENDMENT/ALTERATION IF ANY.	ESCORTS		Every fourth POH		24	30	
199	31909050	STABLIZING VALVE TO ESCORT'S DRG.NO. 3A-47492/1 FOR EP BRAKE SYSTEM ALONG WITH LATEST AMENDMENT/ALTERATION IF ANY.	ESCORTS				-	7	
200	31911936	GUN METAL VALVE 2 1/2" BORE TO BHEL/JHANSI's NEW DRG NO. 24665150005#1 ALONGWITH LATEST AMENDMENT/ALTERATION IF ANY.	BHEL				15	-	
201	31912102	CATCH TO BHEL DRG.NO.25771030014V00 FIG.REF.-A008 ALONGWITH LATEST AMENDMENT/ALTERATION IF ANY.	BHEL				78	-	
202	31912655	VALVE STEM TO BHEL DRG. NO. 45772130003P1 FIG.REF.-D004 ALONGWITH LATEST AMENDMENT/ALTERATION IF ANY.	BHEL		Every Third POH		44	-	
203	31912709	VALVE BODY TO BHEL DRG NO 25772130002P1 FIG.REF.-D007 ALONGWITH LATEST AMENDMENT /ALTERATION IF ANY.	BHEL				9	-	
204	31912710	VALVE TO BHEL DRG. NO. 25880130005P1 FIG.REF.-A002 ALONGWITH LATEST AMENDMENT/ ALTERATION IF ANY.	BHEL		Every Fourth POH		18	-	
205	31912722	VALVE SEAT TO BHEL DRG. NO. 35880130005P1 FIG.REF.A003 ALONG WITH LATEST AMENDMENT/ALTERATION IF ANY.	BHEL			safety as per COS Ltr.13.04.11	15	-	
206	31912771	MAGNET VALVE COMPLETE WITH COIL TYPE 23MV8E1 TO BHEL'S DRG.NO. 15880530003V00 FIG.REF.-000 ALONGWITH LATEST AMENDMENT/ALTERATION IF ANY.					-	15	
207	31912837	ARMATURE TO BHEL DRG. NO. 45880530009P1 FIG. REF.-A002 ALONGWITH LATEST AMENDMENT/ ALTERATION IF ANY.	BHEL		Every Third POH		25	-	

**STORES COMPENDIUM PERTAINING TO EMU/MEMU**

Updated upto 31.03.2011

Sl. No.	P.L.No.	Description	PAC	RDSO / ICF	Must Change item	Safety	EAC		Remarks
							KGP	TPKR	
208	31912862	VALVE STEM(2P) FOR TAP CHANGING CONTACTOR OF BOSCO MAKE CONFORMING BOSCO PT NO/DRG NO 1061/99 ALONGWITH LATEST AMENDMENT/ ALTERATION IF ANY.	BOSCO		Every POH		1680	200	KGP Qty. enhanced from 900.
209	31912886	OPERATING COIL TO BHEL'S DRG.NO. ES851131 FIG.REF.-A008 ALONGWITH LATEST AMENDMENT/ ALTERATION IF ANY.	BHEL				84	-	KGP Qty. enhanced from 36.
210	31912977	VALVE(1.P) FOR MAGNET VALVE OF TAP CHANGING CONTACTORS OF BOSCO MAKE CONFORMING BOSCO PT.NO/DRG NO. 1063/99 ALONGWITH LATEST AMENDMENT/ ALTERATION IF ANY.	BOSCO		Every POH		1680	150	KGP Qty. enhanced from 900.
211	31913880	AIR DUCT TO BHEL DRG.NO. 14390237004V01 FIG. REF.-A001 ALONG WITH LATEST AMENDMENT/ALTERATION IF ANY.	BHEL				48	12	
212	31913970	WEARING PLATE TO BHEL DRG.NO. C450082P7 FIG.REF.-A022 ALONG WITH LATEST AMENDMENT/ALTERATION IF ANY.	BHEL		Every POH		288	48	
213	31914147	FAN CHAMBER ASSY. TO BHEL DRG.NO.04390237002V00 FIG. REF. A057 ALONG WITH LATEST AMENDMENT/ALTERATION IF ANY.	BHEL				-	20	
214	31914159	END SHIELD TO BHEL DRG.NO.14394337001V00 FIG.REF.-B001 ALONG WITH LATEST AMENDMENT/ALTERATION IF ANY.	BHEL		Every Fourth POH		48	18	
215	31914172	BEARING CARTRIDGE CE TO BHEL DRG.NO. 04394441001V01 FIG. REF.-B009 ALONGWITH LATEST AMENDMENT/ALTERATION IF ANY.	BHEL		Every Fourth POH		36	12	
216	31914202	OUTER BEARING CAP CE TO BHEL DRG.NO. 24394437001P1 FIG.REF.-B022 ALONGWITH LATEST AMENDMENT/ALTERATION IF ANY.	BHEL		Every Fourth POH		24	11	
217	31914240	ARMATURE NUT TO BHEL DRG.NO. 34394041002P1 FIG.REF.-B028 ALONG WITH LATEST AMENDMENT/ALTERATION IF ANY.	BHEL				45	-	
218	31914263	COMMUTATOR FOR TM TYPE 253 BX/4601 AZ (BONDED ASSLY) TO TWM CENTRAL RLY. NASIK ROAD"s DRG NO 2TMW/DRG-CA/157 ALT 4 ALONG WITH LATEST AMENDMENT/ALTERATION IF ANY.					24	-	
219	31914299	COMMUTATOR MICA BUSH TO BHEL DRG.NO.24394241003P3 FIG. REF.-B035 ALONGWITH LATEST AMENDMENT/ALTERATION IF ANY.	BHEL				24	-	
220	31914305	COMMUTATOR MICA VEE RING (REAR) TO BHEL DRG.NO.24394241003P2 FIG. REF.-B036 ALONGWITH LATEST AMENDMENT/ALTERATION IF ANY.	BHEL				24	-	

**STORES COMPENDIUM PERTAINING TO EMU/MEMU**

Updated upto 31.03.2011

Sl. No.	P.L.No.	Description	PAC	RDSO / ICF	Must Change item	Safety	EAC		Remarks
							KGP	TPKR	
221	31914342	SET OF ARMATURE POWER & EQUILISER COILS FOR TM TYPE 253BX/4601AZ FOR EMU'S TO CEE/S.E.RLY'S SPEC. NO. EL/TM/EMU/002 REF DRG NO. (1) EMU/4/TM/021(MOD-A) (2) emu/2/TM/022(MOD.3) (3) EMU/3/TM/023 ALT.4 (4) RDSO'S DRG. NO. SKEL 3727 REF. SPEC. NO. EL/TM/EMU/001(MOD.A) ALONGWITH LATEST AMENDMENT/ALTERATION IF ANY.EACH SET SHALL CONSIST OF (1) 46 NOS POWER COIL(2)46 NOS EQUALISER CONNECTIONS.		RDSO			12	-	
222	31914378	SLOT WEDGE FOR EMU TRACTION MOTOR TYPE 253 BX/4601 AZ OF BHEL TO DRG NO DY.CEE/WS/KGP/ EMU/ 5093(REVISED) ALONGWITH LATEST AMENDMENT/ ALTERATION IF ANY.					2208	-	
223	31914380	INNER BEARING SLEEVE PE TO BHEL DRG.NO. 34394341002P1 FIG.REF.-B048 ALONGWITH LATEST AMENDMENT/ALTERATION IF ANY.	BHEL		Every Fourth POH		24	25	
224	31914433	EPOXY COMPOLE WITH COIL (BRAZED) TO BHEL DRG.NO. 34393237004 FIG.REF.-C010 ALONGWITH LATEST AMENDMENT/ ALTERATION IF ANY.	BHEL				-	6	
225	31914536	EPOXY MAIN POLE WITH COIL (CROSSED-BRAZED) TO BHEL'S DRG.NO. 34393241009V06 FIG. REF.-C015 ALONGWITH LATEST AMENDMENT/ ALTERATION IF ANY.	BHEL				24	-	
226	31915206	CYLINDER TO BHEL DRG NO. 15801130009P1. FIG REF.C022 ALONGWITH LATEST AMENDMENT/ ALTERATION IF ANY.	BHEL				24	-	KGP Qty. reduced from 150.
227	31915255	PISTON INSULATOR WITH FHEOLEC MOULDING TO BHEL'S BHEL DRG. NO. 35801130076VOO. FIG REF.C041 ALONGWITH LATEST AMENDMENT/ ALTERATION IF ANY.	BHEL				571	-	
228	31915486	KNUCKLING SPRING FOR MOTOR CONTACTOR TO BHEL'S DRG.NO. 45801130025P1.FIG REF.B023. ALONG WITH LATEST AMENDMENT / ALTERATION IF ANY.	BHEL				-	0	TPKR Qty. revised from 125 to nil.
229	31916223	RELAY LTR TO BHEL DRG. NO. 35831030015 P2 FIG. REF.A010 ALONG WITH LATEST AMENDMENT/ALTERATION IF ANY.	BHEL				10	-	
230	31916235	RELAY TTR TO BHEL'S DRG.NO.35831030015P8 FIG.REF.A014 ALONG WITH LATEST AMENDMENT/ALTERATION IF ANY.	BHEL				10	4	
231	31916247	RELAY RFAR TO BHEL's DRG. NO. 35831030015 P7 FIG. REF.A013 ALONG WITH LATEST AMENDMENT/ALTERATION IF ANY.	BHEL				10	-	
232	31916983	CARBON BRUSH (SPLIT) WITH FLEXIBLE & TERMINAL FOR 253 ,BX/4601 AZ. TR. MOTOR. AC EMU TO SR.DEE/TRS/TIKIPARA'S DRG.NO. DEE/RS/E/085 ALT. 'B'. ALONGWITH LATEST AMENDMENT/ ALTERATION IF ANY.		RDSO	Every POH		2304	3800	

**STORES COMPENDIUM PERTAINING TO EMU/MEMU**

Updated upto 31.03.2011

Sl. No.	P.L.No.	Description	PAC	RDSO / ICF	Must Change item	Safety	EAC		Remarks
							KGP	TPKR	
233	31917008	6 FINGER INTERLOCK UNIT COMPLETE FOR SWITCH T-1 TO BHEL'S DRG.NO. 15801430007V00 FIG. REF. 000 ALONGWITH LATEST AMENDMENT/ALTERATION IF ANY.	BHEL				36	6	
234	31917010	6 FINGER INTERLOCK UNIT COMPLETE FOR SWITCH T-2 TO BHEL'S DRG.NO. 15801430007V01 FIG. REF.000 ALONG WITH LATEST AMENDMENT/ALTERATION IF ANY.	BHEL				36	6	
235	31917021	6 FINGER INTERLOCK UNIT COMPLETE FOR SWITCH T-3 TO BHEL'S DRG.NO. 15801430007V02 FIG. REF. 000 ALONG WITH LATEST AMENDMENT/ALTERATION IF ANY.	BHEL				36	6	
236	31917033	6 FINGER INTERLOCK UNIT COMPLETE FOR SWITCH T-4 TO BHEL'S DRG.NO. 15801430007V03 FIG. REF. 000 ALONG WITH LATEST AMENDMENT/ALTERATION IF ANY.	BHEL				36	6	
237	31917045	6 FINGER INTERLOCK UNIT COMPLETE FOR SWITCH T-5 TO BHEL'S DRG.NO. 15801430007V04 FIG. REF. 000 ALONG WITH LATEST AMENDMENT/ALTERATION IF ANY.	BHEL				36	6	
238	31917057	6 FINGER INTERLOCK UNIT COMPLETE FOR SWITCH T-6 TO BHEL'S DRG.NO. 15801430007V06 FIG. REF. 000 ALONG WITH LATEST AMENDMENT/ALTERATION IF ANY.	BHEL				36	6	
239	31917069	6 FINGER INTERLOCK UNIT COMPLETE FOR SWITCH T-7 TO BHEL'S DRG.NO. 15801430007V07 FIG. REF. 000 ALONG WITH LATEST AMENDMENT/ALTERATION IF ANY.	BHEL				29	-	
240	31917070	6 FINGER INTERLOCK UNIT COMPLETE FOR SWITCH T-8 TO BHEL'S DRG.NO. 15801430007V08 FIG. REF. 000 ALONG WITH LATEST AMENDMENT/ALTERATION IF ANY.	BHEL				36	6	
241	31917082	4 FINGER INTERLOCK UNIT COMPLETE FOR SWITCH T-5 AUXILIARY TO BHEL'S DRG.NO. 15801430007V05 FIG. REF. 000 ALONG WITH LATEST AMENDMENT/ALTERATION IF ANY.	BHEL				12	6	
242	31917094	INTERLOCK ASSLY. COMPLETE FOR REVERSOR TO BHEL'S DRG.NO.15781630003V00 FIG. REF. A013 ALONG WITH LATEST AMENDMENT/ALTERATION IF ANY.	BHEL				10	-	
243	31917100	INTERLOCK ASSLY. COMPLETE FOR CHANGEOVER SWITCH TO BHEL'S DRG.NO.15781630001V00 FIG. REF. A013 ALONG WITH LATEST AMENDMENT/ALTERATION IF ANY.	BHEL				24	-	
244	31917112	6 FINGER INTERLOCK UNIT COMPLETE FOR RELAY WGR TO BHEL'S DRG.NO.15801430007V10 FIG. REF. 000 ALONG WITH LATEST AMENDMENT/ALTERATION IF ANY.	BHEL				36	6	
245	31917124	4 FINGER INTERLOCK UNIT COMPLETE FOR SWITCH T9 TO BHEL'S DRG.NO.15801430007V09 FIG. REF. 000 ALONG WITH LATEST AMENDMENT/ALTERATION IF ANY.	BHEL				29	6	

**STORES COMPENDIUM PERTAINING TO EMU/MEMU**

Updated upto 31.03.2011

Sl. No.	P.L.No.	Description	PAC	RDSO / ICF	Must Change item	Safety	EAC		Remarks
							KGP	TPKR	
246	31917136	4 FINGER INTERLOCK UNIT COMPLETE FOR SWITCH M2 TO BHEL'S DRG.NO.15801430007V14 FIG. REF. 000 ALONGWITH LATEST AMENDMENT/ ALTERATION IF ANY.	BHEL				29	12	
247	31917173	4 FINGER INTERLOCK UNIT COMPLETE FOR NR1 TO BHEL'S DRG.NO.15801430007V11 FIG. REF. 000 ALONG WITH LATEST AMENDMENT/ ALTERATION IF ANY.	BHEL				15	6	
248	31917185	4 FINGER INTERLOCK UNIT COMPLETE FOR NR2 TO BHEL'S DRG.NO.15801430007V12 FIG. REF. 000 ALONG WITH LATEST AMENDMENT/ ALTERATION IF ANY.	BHEL				24	6	
249	31917197	RELAY NVR TO BHEL DRG. NO. 35831030015 P1 FIG. REF. A012 ALONGWITH LATEST AMENDMENT/ ALTERATION IF ANY.	BHEL				7	-	
250	31917203	RELAY CR TO BHEL'S DRG.NO.35831030015 P4 FIG. REF. A009 ALONG WITH LATEST AMENDMENT/ALTERATION IF ANY.	BHEL				7	9	
251	31917215	RELAY ARR TO BHEL'S DRG.NO 35831030015 P5 FIG. REF. A011 ALONG WITH LATEST AMENDMENT/ALTERATION IF ANY.	BHEL				7	8	
252	31917227	RELAY BIR TO BHEL'S DRG.NO 35831030015 P9 FIG. REF. A015 ALONG WITH LATEST AMENDMENT/ALTERATION IF ANY.	BHEL				7	4	
253	31917239	RELAY COIL TO BHEL DRG. NO. ES800472 FIG. REF. 0000 ALONG WITH LATEST AMMENDMENT / ALTERATION IF ANY	BHEL				-	6	
254	31917252	BOTTOM COMMUTATOR COVER assly. TO BHEL'S DRG.NO. 14391741001V00 FIG. REF. A043 ALONG WITH LATEST AMENDMENT/ ALTERATION IF ANY.	BHEL				12	10	
255	31917320	RELAY COIL FOR RELAY ABR & CR TO BHEL'S DRG. NO. ES800472 FIG.REF.0000 ALONG WITH LATEST AMMENDMENT / ALTERATION IF ANY	BHEL				10	-	
256	31917495	BEARING WIPER CE FOR EXTENDED SHAFT TO BHEL DRG.NO. 34394437001P1 FIG. REF. B021 ALONG WITH LATEST AMENDMENT/ALTERATION IF ANY.	BHEL		Every Fourth POH		30	24	
257	31917525	SPRING TO BHEL DRG. NO. 35781130002 P1 FIG. REF. B027 ALONG WITH LATEST AMENDMENT/ALTERATION IF ANY.	BHEL				36	-	
258	31917641	INTER LOCK TO BHEL'S DRG. NO. 25781630005V00 FIG. REF.000 ALONG WITH LATEST AMMENDMENT / ALTERATION IF ANY.	BHEL				41	-	
259	31917653	REVERSER TO BHEL'S DRG. NO.15781030002V00 FIG. REF.000 ALONG WITH LATEST AMMENDMENT / ALTERATION IF ANY.	BHEL				12	-	
260	31917665	TRANSFORMER CHANGEOVER SWITCH TO BHEL'S DRG. NO. 15781030003V00. FIG. REF.000 ALONG WITH LATEST AMMENDMENT / ALTERATION IF ANY	BHEL				-	1	
261	31917690	FIXED CONTACT FOR E.M.CONTACTOR M 50 EC TYPE TO BHEL DRG NO 45815730018V00 FIG.REF.A054 ALONG WITH LATEST AMENDMENT/ALTERATION IF ANY.					48	-	



**STORES COMPENDIUM PERTAINING TO EMU/MEMU**

Updated upto 31.03.2011

Sl. No.	P.L.No.	Description	PAC	RDSO / ICF	Must Change item	Safety	EAC		Remarks
							KGP	TPKR	
262	31917768	ARMATURES SHAFT FOR TM TYPE 253 BX/4601 AZ TO CEE'S DRG.NO. EMU/2/TM/025 MOD-C. FIRM TO USE SHAFT BY FORGING FROM RDSO APPROVED FIRMS ALONG WITH LATEST AMENDMENT/ALTERATION IF ANY.		RDSO			12	-	
263	31917781	BRUSH GEAR FLEXIBLE CONNECTOR TO BHEL DRG.NO. 24393041002V01 FIG.REF. C024 ALONGWITH LATEST AMENDMENT/ ALTERATION IF ANY.	BHEL				24	12	
264	31917800	COMPOLE COIL CONNECTOR TO BHEL DRG.NO. 24393041001V00 FIG.REF. C025 ALONGWITH LATEST AMENDMENT/ ALTERATION IF ANY.	BHEL				24	-	
265	31917811	COMPOLE COIL CONNECTOR TO BHEL DRG.NO.24393041001 V01 C026 ALONGWITH LATEST AMENDMENT/ ALTERATION IF ANY.	BHEL				24	-	
266	31917823	BRUSH GEAR FLEXIBLE CONNECTOR TO BHEL DRG.NO.24393041002 V00 FIG. REF. C001 ALONGWITH IATEST AMENDMENT/ ALTERATION IF ANY.	BHEL				24	-	
267	31917835	GEAR CASE COMPLETE (MODIFIED) WITH FELT SEALED EACH SET CONSISTING OF 1) TOP HALF GEAR CASE TO SR.DEE'S DRG.NO. SR.DEE/RS/M/287 ALT. 'B' - 1 NO. 2) BOTTOM HALF GEAR CASE TO SR.DEE'S DRG.NO. SR.DEE/RS/M/288 ALT. 'C' - 1 NO. 3) JOINT BOLT (SMALL SIZE) ALONGWITH NUT AND SPLIT PINS TO DRG.NO SR.DEE/TRS/M/375 ALT.'A'.ITEM1-2NOS. 4) JOINT BOLT (BIG SIZE) ALONGWITH NUT AND SPLIT PINS ETC DRG.NO TO SR.DEE/TRS/M/375 ALT. 'A' .ITEM 2-2NOS. ALONGWITH LATEST AMENDMENT/ALTERATION OF ALL THE ABOVE REFERRED DRG.IF ANY.			Every Fourth POH		72	20	
268	31917847	BEARING WIPER PE TO BHEL DRG.NO. 24394341002 P1 FIG. REF. B021 ALONGWITH LATEST AMENDMENT/ ALTERATION IF ANY.	BHEL		Every Fourth POH		36	30	
269	31917859	OUTER BEARING CAP PE TO BHEL DRG.NO.14394341003 V00 FIG. REF. B009 ALONGWITH LATEST AMENDMENT/ALTERATION IF ANY.	BHEL		Every Fourth POH		36	30	
270	31920135	L.P.CYLINDER LINER FOR KPC MAKE COMPRESSOR TYPE 3HC55 TO M/S.KPCL PT.NO. 091.00303.50 ALONGWITH LATEST AMENDMENT/ ALTERATION IF ANY.	KPCL		Every Alternate POH		36	12	KGP Qty. reduced from 120.
271	31920184	H.P.CYLINDER FOR KPC MAKE COMPRESSOR TYPE 3HC55 TO KPCL PT.NO. 0910126550 ALONGWITH LATEST AMENDMENT/ ALTERATION IF ANY.	KPCL		Every Alternate POH		24	8	
272	31920330	L.P.CYLINDER HEAD FOR KPC MAKE COMPRESSOR TYPE 3HC55 TO KPCL PT.NO.0910060101 ALONGWITH LATEST AMENDMENT/ ALTERATION IF ANY	KPCL		Every third POH		25	-	

**STORES COMPENDIUM PERTAINING TO EMU/MEMU**

Updated upto 31.03.2011

Sl. No.	P.L.No.	Description	PAC	RDSO / ICF	Must Change item	Safety	EAC		Remarks
							KGP	TPKR	
273	31920354	H.P.CYLINDER HEAD FOR KPC MAKE COMPRESSOR TYPE 3HC55 TO KPCL PT.NO.0910060301 ALONGWITH LATEST AMENDMENT/ ALTERATION IF ANY	KPCL		Every third POH		15	6	
274	31920585	CLAMPING BUSH FOR SUCTION VALVE ASSLY. FOR KPC MAKE COMPRESSOR TYPE 3HC55 TO M/S.KPCL PT.NO.091.00.608.00 ALONGWITH LATEST AMENDMENT/ ALTERATION IF ANY.	KPCL		Every third POH		60	0	Qty. for KGP included & TPKR Qty. revised from 60 to nil
275	31921772	TOP MOUNTING FITTINGS FOR EMU PANTOGRAPH TO M/S. SIL PART NO.S0221126804 (OLD PART NO S000287) PT. 'D' OR SIMILAR ALONGWITH LATEST AMENDMENT/ALTERATION IF ANY		RDSO	Every Alternate POH		42	0	Qty. for KGP included & TPR Qt. revised from 18 to nil
276	31921802	SET OF PEDASTAL CONSISTING OF (1) PEDASTAL PART -A TO SIL PT.NO. S0221120401 [OLD SIL Pt. NO. S000200] = 1 NO. (2) PEDASTAL PART-B TO SIL PT.NO. S0221120402 [OLD SIL Pt. NO. S000201] = 1 NO OR SIMILAR FOR PANTOGRAPH		RDSO			36	14	KGP Qty. enhanced from 12.
277	31921826	JOINT PERFECT (OIL SEAL) FOR PANTOGRAPH TYPE AM 12 TO M/S STONE INDIA LTD'S OLD REF. NO. S000203 (NEW REF.NO.S0221136301) OR SIMILAR.		RDSO	Every POH		168	-	KGP Qty. enhanced from 78.
278	31922259	FILTER ELEMENT FOR KPC COMPRESSOR TYPE 3HC 55 TO KPCL PT.NO.091.00712.50 ALONGWITH LATEST AMENDMENT/ALTERATION IF ANY.	KPCL		Every POH		-	100	
279	31922478	L.P.PISTON FOR KPC MAKE COMPRESSOR TYPE 3HC55 TO KPCL PT.NO. 0910138850 ALONG WITH LATEST AMENDMENT/ALTERATION IF ANY.	KPCL		Every Alternate POH		60	12	
280	31922557	H.P.PISTON FOR KPC MAKE COMPRESSOR TYPE 3HC55 TO KPCL PT.NO. 0910138750 ALONGWITH LATEST AMENDMENT/ALTERATION IF ANY.	KPCL		Every Alternate POH		30	12	
281	31922636	BIG END BOLT FOR KPC COMPRESSOR TYPE 3HC55 TO KPCL PT.NO. 091.00.403.00 ALONGWITH LATEST AMENDMENT/ ALTERATION IF ANY.	KPCL		Every third POH		180	149	
282	31922661	CLAMPING BUSH FOR DELIVERY VALVE FOR KPC COMPRESSOR TYPE 3HC55 TO KPCL PT.NO. 091.00.609.00. ALONGWITH LATEST AMENDMENT/ ALTERATION IF ANY.	KPCL		Every third POH		80	-	

**STORES COMPENDIUM PERTAINING TO EMU/MEMU**

Updated upto 31.03.2011

Sl. No.	P.L.No.	Description	PAC	RDSO / ICF	Must Change item	Safety	EAC		Remarks
							KGP	TPKR	
283	31922971	AUX.COMPRESSOR WITH MOTOR FOR AC BG-EMU TO ICF'S SPEC.NO.ICF/ELEC/050 ALONGWITH LATEST AMENDMENT/ ALTERATION IF ANY.		ICF			9	-	
284	31923173	CYLINDER PISTON OF ELGI MAKE AUXILIARY COMPRESSOR TYPE CRC 150 TO ELGI'S DRG NO. C 1210. ALONGWITH LATEST AMENDMENT/ALTERATION IF ANY.	ELGI				12	-	
285	31923252	CYLINDER VALVE FLAT FOR ELGI MAKE AUXILIARY COMPRESSOR TYPE CRC 150 TO ELGI PT.NO. 0310431 ALONG WITH LATEST AMENDMENT/ALTERATION IF ANY.	ELGI				12	-	
286	31923318	AIR FILTER WITH COVER FOR AUX.COMPRESSOR TO M/S. ELGI'S DRG.NO.000417500 ALONG WITH LATEST AMENDMENT/ ALTERATION IF ANY.	ELGI				30	-	
287	31927257	CARBON BRUSH FOR KPC MAKE COMPRESSOR TYPE 3HC55 TO GRADE: MORGANITE EG-14 OR EQUIVALENT TO CEE'S DRG.NO.CEE/RS/32/20/603 MOD 'D' ALONGWITH LATEST AMENDMENT/ALTERATION IF ANY.			Every POH		320	250	
288	31927269	CARBON BRUSH FOR AUXILIARY COMP. TO CEE'S DRG. NO. CEE/RS/32/20/604A MOD'C' ALONGWITH LATEST AMENDMENT/ALTERATION IF ANY.			Every POH		-	229	
289	31927695	SINGLE POLE, 130 VOLT DC M.C.B. 16 AMPS. TO RDSO SPEC.NO. SPEC/E-12/1/04 WITH AMENDMENT NO.1 JUNE 1993 AND RDSO'S DRG. NO. SKEL 3700 ALT.1 DATED 05.09.94 ALONGWITH LATEST AMENDMENT /ALTERATION OF SPEC/DRG IF ANY.		RDSO	Every Fourth POH	Safety ICF/E Sl.No.01 Page 06	100	72	
290	31927701	SINGLE POLE, 130 VOLT DC M.C.B. 10A TO RDSO SPEC.NO.SPEC/E-12/1/04 WITH AMMENDMENT NO.1 OF JUNE 1993 &RDSO'S DRG. NO. SKEL-3700 ALT.1 DATED 05.09.94 ALONGWITH LATEST AMENDMENT/ ALTERATION OF SPEC/DRG IF ANY.		RDSO	Every Fourth POH	Safety ICF/E Sl.No.01 Page 06	140	60	
291	31927725	SINGLE POLE, 130 VOLT DC M.C.B. 5A TO RDSO SPEC.NO.SPEC/E-12/1/04 WITH AMMENDMENT NO.1 OF JUNE &1993 RDSO'S DRG. NO. SKEL-3700 ALT.1 DATED 05.09.94 ALONGWITH LATEST AMENDMENT /ALTERATION OF SPEC/DRG IF ANY.		RDSO	Every Fourth POH	Safety ICF/E Sl.No.01 Page 06	336	72	
292	31927749	SINGLE POLE, 130 VOLT DC M.C.B. 2.5 A TO RDSO SPEC.NO.SPEC/E-12/1/04 WITH THE AMENDMENT NO.1 OF JUNE 1993 &RDSO'S DRG. NO. SKEL-3700 ALT.1 DATED 05.09.94 ALONGWITH LATEST AMENDMENTALTERATION OF SPEC/DRG IF ANY.		RDSO	Every Fourth POH	Safety ICF/E Sl.No.01 Page 06	320	35	

**STORES COMPENDIUM PERTAINING TO EMU/MEMU**

Updated upto 31.03.2011

Sl. No.	P.L.No.	Description	PAC	RDSO / ICF	Must Change item	Safety	EAC		Remarks
							KGP	TPKR	
293	31927798	ROTARY SWITCH SUITABLE FOR EMU/MEMU MOTOR COACHES TO M/S.KAYCEE TYPE NO. RP124P-57/LM OR SIMILAR FOR GUARDS CONTROLLING CIRCUIT 16 AMPS, 250V, AC/DC HAVING THE FOLLOWING SWITCHING SEQUENCES WITH QUICK MAKE & BRAKE MECHANISM SUITABLE FOR FLUSH MOUNTING AT THE BACK OF PANNEL IN OPEN TERMINALS. THE SWITCH HAVING COMMON REMOVABLE KEY (WITHOUT LOCK & KEY ) WHICH CAN BE REMOVED IN POSITION 2 ONLY .SWITCHING SEQUENCE : POSITION-1-OFF, POSITION-2-OFF, POSITION-3-1-A&2-B, POSITION-4-OFF .		RDSO			24	24	Qty. for KGP included
294	31928225	HRC FUSE 250 A. GE POWER CONTROL(P) LTD'S TYPE TKF250 OR SIMILAR ALONGWITH LATEST AMENDMENT/ALTERATION IF ANY					24	-	
295	31928390	PANTOGRAPH COMPLETE FOR EMU/MEMU TO RDSO SPEC. NO. RDSO/2008/EL/SPEC/0066, REV.O OF 20.06.2008 AND AMEND 1 DATED 31.12.2008 AND STR NO RDSO/2008/EL/STR/0049, REV.O OF JUNE 08, EXCEPT FOOT INSULATOR, BASE FRAME, LOWER ARM ASSEMBLY, SERVO MOTOR ASSLY AND THROTTLE VALVE		RDSO		safety as per COS Ltr.13.04.11	4	10	
296	31928456	EARTH RETURN ASSLY.COMPLETE TO BHEL'S DRG.NO.04391337001V00 FIG. REF. 000 ALONGWITH LATEST AMENDMENT/ ALTERATION IF ANY.	BHEL				36	8	
297	31928481	BONDED RUBBER SANDWICH MOUNTING FOR NOSE SUSPENSION OF EMU TRACTION MOTOR TO RDSO'S SKETCH NO. SK-EL-3148 & GEL 932 ALONGWITH LATEST AMENDMENT/ALTERATION IF ANY.		RDSO	Every POH		288	25	
298	31928547	ROLLER BEARING PINION END FOR 253BX/4601AZ TRACTION MOTOR BEARING TYPE NO. NU 326/M/C4 WITH RADIAL CLEARANCE 0.145 TO 0.190 MM.		RDSO	Every Fourth POH		56	24	KGP Qty. enhanced from 48.
299	31928559	BRUSH HOLDER COMPLETE L.H.TO BHEL DRG NO. 04392041001V01 FIG. REF.000 ALONGWITH LATEST AMENDMENT/ ALTERATION IF ANY.	BHEL		Every Fourth POH		48	16	
300	31928560	BRUSH HOLDER COMPLETE R.H .TO BHEL DRG NO. 04392041001V02 FIG. REF. 000 ALONGWITH LATEST AMENDMENT/ALTERATION IF ANY.	BHEL		Every Fourth POH		48	16	
301	31928687	CONNECTING ROD & CAP WITH SMALL END BUSH FOR KPC COMPRESSOR TYPE 3HC 55 TO KPC'S PT NO. 091.00401.00. ALONGWITH LATEST AMENDMENT/ ALTERATION IF ANY.	KPCL		Every third POH		22	-	
302	31928882	HRC FUSE LINK SUITABLE FOR SILICON RECTIFIER OF EMU/MEMU MOTOR COACHES 800V RMS. 500 AMPS TO GE POWER CONTROL (I) PVT. LTD'S TYPE NO RGS 500 OR SIMILAR.		ICF			-	16	

**STORES COMPENDIUM PERTAINING TO EMU/MEMU**

Updated upto 31.03.2011

Sl. No.	P.L.No.	Description	PAC	RDSO / ICF	Must Change item	Safety	EAC		Remarks
							KGP	TPKR	
303	31928894	0.1 MFD 1200V AC CAPACITOR BRAND EI-Ci -Ar ALONGWITH TWO NOS M-4 NUT&TWO NOS SPRING WASHER AS PER KGP'S DRG NO DY/CEE/WS/KGP/EMU/50/2K. ALONGWITH LATEST AMENDMENT/ALTERATION IF ANY.					105	-	KGP Qty. enhanced from 12.
304	31928900	OIL FILLED METALISED PAPER CONDENSER 16 M.FD. 500 V. AC (+,-) 5% OF MAKE GE/USA OR ICAR/ITALY MODEL NO MLR-25 M 50 160 40 10/3/1-MK .PHYSICAL DIMENSIONS AND OTHER PARAMETERS AS PER DRG NO DY CEE/WS/KGP/EMU /23/01 ALONGWITH LATEST AMENDMENT/ALTERATION IF ANY.					148	-	KGP Qty. enhanced from 38.
305	31928912	OIL FILLED METALISED PAPER CONDENSER 10M.FD. 500V AC (+,-) 5% MAKE GE/USA OR ICAR/ITALY MODEL NO MLR 25 M 50 10035103/1-MK PHYSICAL DIMENSIONS AND OTHER PARAMETERS AS PER DRG NO DY CEE (WS)/KGP/EMU/48/2000 ALONGWITH LATEST AMENDMENT/ALTERATION IF ANY.					48	-	
306	31928924	OIL FILLED MATALISED PAPER CONDENSER 5 MFD. 500V AC (+,-)5% MAKE GE/USA OR ICAR/ITALY MODEL NO. MLR-25M50503078/1-MK PHYSICAL DIMENSIONS AND OTHER PARAMETERS AS PER DRG NO DY CEE (WS)/KGP/EMU/34/2001 ALONGWITH LATEST AMENDMENT/ALTERATION IF ANY.					24	-	KGP Qty. enhanced from 12.
307	31928936	OIL FILLED METALISED PAPER CONDENSER 8 M.FD. 500 V. AC (+,-) 5% MAKE GE/USA OR ICAR/ITALY MODEL NO MLR 25 M 50803578/1MK PHYSICAL DIMENSIONS AND OTHER PARAMETERS AS PER DRG NO DY CEE(WS)/KGP /EMU/49/2000 ALONGWITH LATEST AMENDMENT/ ALTERATION IF ANY.					180	-	
308	31928948	OIL FILLED METALISED PAPER CONDENSER 0.22 M.FD. 640 V AC (+,-) 10% MAKE GE/USA OR ICAR/ITALY MODEL NO BI ENERGY A-11B-22.90. PHYSICAL DIMENSIONS AND OTHER PARAMETERS AS PER DRG NO. DY.CEE/WS/EMU/KGP/ EMU/24-03. ALONGWITH LATEST AMENDMENT/ALTERATION IF ANY.					6	-	
309	31929084	CRANK SHAFT ASSLY.FOR KPC MAKE COMPRESSOR TYPE 3HC 55 TO KPC'S PT NO. 091.00.200.01(OLD) 0910146550 (NEW). ALONGWITH LATEST AMENDMENT/ALTERATION IF ANY.	KPCL		Every third POH		4	4	
310	31929096	GEAR CASE JOINT BOLT SQ HEAD WITH NUT & WASHER. (SMALL SIZE) TO DRG. NO.SR.DEE/TRS/M/375 ALT 'A' ITEM NO.1. ALONGWITH LATEST AMENDMENT/ALTERATION IF ANY.		RDSO	Every POH		96	96	
311	31929102	GEAR CASE JOINT BOLT (BIG SIZE) TO DRG. NO.SR.DEE/TRS/M/375 ALT 'A' ITEM NO.2. ALONGWITH LATEST AMENDMENT/ALTERATION IF ANY.		RDSO	Every POH		96	66	
312	31929114	DUST GUARD COMPLETE AS PER DRG.NO SR.DEE/TRS/M/376. ALT.NIL. ALONGWITH LATEST AMENDMENT/ALTERATION IF ANY.			Every Alternate POH		144	60	

**STORES COMPENDIUM PERTAINING TO EMU/MEMU**

Updated upto 31.03.2011

Sl. No.	P.L.No.	Description	PAC	RDSO / ICF	Must Change item	Safety	EAC		Remarks
							KGP	TPKR	
313	31929126	SILICON DIODE TYPE NO SH 30 C725 of M/S HIND RECTIFIERS LTD.	HIND RECTIFIER				-	4	
314	31929138	CARBON BRUSH FOR DC COMPRESSOR (ELGI MAKE), GRADE EG 236 S OF ASSAM CARBON OR E49 ( I) OF CARBON LORRAINE,SR.DEE/TRS/TPKR'S SKETCH NO. SR.DEE/TRS/SK/150			Every POH		200	200	Qty. for KGP included
315	31937044	COVER FOR 4 FINGER BOX TO BHEL DRG No.25801430009 P1 FIG. REF. B008 ALONG WITH LATEST AMENDMENT/ALTERATION IF ANY.	BHEL				48	-	KGP Qty. enhanced from 36.
316	31937056	COVER 6 FINGER BOX TO BHEL DRG NO 25801430010 P1 FIG. REF. B008 ALONG WITH LATEST AMENDMENT/ALTERATION IF ANY.	BHEL				4	-	
317	31937160	CONTACT BRACKET TO BHEL DRG. NO. 25801130032P1 FIG. REF. C019 ALONGWITH LATEST AMENDMENT/ALTERATION IF ANY.	BHEL				24	24	
318	31980053	METRICATED HEX HEAD GEAR CASE MOUNTING BOLT WITH 2 NOS. SPRING WASHER FOR 253 BX/4601AZ TRACTION MOTOR AS PER TPKR CARSHED DRG. NO. DEE/RS/M/196 ALT. 'D'. ALONG WITH LATEST AMENDMENT/ALTERATION IF ANY.		RDSO	Every POH		120	300	
319	31980065	SOLIDERLESS CRIMPING TYPE CABLE TERMINAL 95 SQ.MM CABLE TO DOWELL'S CAT NO. CUS-82 OR SIMILAR CORRESPONDING ICF DRG.NO.ICF/SK/7-2/604 ALT E ITEM 3 ALONG WITH LATEST AMENDMENT/ALTERATION IF ANY.		ICF			96	0	TPR Qty. revised from 100 to nil.
320	31980272	DOUBLE ACTING TELESCOPIC HYDRAULIC SHOCK ABSORBER FOR VERTICAL APPLICATION HAVING CAPACITY OF 900 KGS. (+,-) 10% AT PISTON SPEED OF 10 CMS/SEC. TO ICF'S DRG.NO.ICF/SK-05-015/ALT.K ITEM 2 OR ESCORT'S DRG.NO.3.359.440B/1 3 M/S. GABRIEL PT.NO.CS 900007-2 (ITEM-2) ALONGWITH LATEST AMENDMENT/ALTERATION IF ANY		RDSO	Every Alternate POH	Safety ICF/M Sl.No.27 Page33 & COS Ltr. 13.04.11	-	81	
321	31980338	EUQALISING STAY COMPLETE FOR MOTOR COACH TO ICF DRG. NO. EMU/M-0-5-048 ALT. 'F' COL-1 . ALONGWITH LATEST AMENDMENT/ALTERATION IF ANY. (NOTE - NYLON BUSHES TO BE PROCURED FROM RDSO APPROVED SOURCES)		RDSO (for nylon bush only)			60	-	
322	31980648	SILICON DIODE TYPE S-20 HR 400 OF 2000 PIV of M/S HIND RECTIFIERS LTD.	HIND RECTIFIER				-	4	

**STORES COMPENDIUM PERTAINING TO EMU/MEMU**

Updated upto 31.03.2011

Sl. No.	P.L.No.	Description	PAC	RDSO / ICF	Must Change item	Safety	EAC		Remarks
							KGP	TPKR	
323	31980650	SPARE PARTS OF MUDDULAR BRAKE CONTROLLER CONSISTING OF 53 ITEMS AS LISTED IN CEE/GRC's SPECN.NO. RS/TS/EMU/119 ITEMS NO. 4.1 TO 4.7 (KIT-"A" TO "G"). ALT. A ALONGWITH LATEST AMENDMENT/ALTERATION IF ANY.	ESCOR TS		Every POH		36	30	
324	31980661	RUBBER PARTS OF WSF MAKE E.P. UNIT LD-2 WESTERN RAILWAY DRG. NO. TR/RS/EMU-1287 1/3R, TR/RS/EMU-1287 2/3R1, TR/RS/EMU-1287 3/3R1 AND TR/RS/EMU-1288 ALONG WITH LATEST AMENDMENT / ALTERATION IF ANY. RDSO STR NO RDSO/PE/STR/EMU/0021 2008[REV.O] FOR OTHER THAN OEM.		RDSO	Every POH		144	100	
325	31980673	SUCTION & DELIVERY VALVE REBUILD KIT TO KPCL PRT NO. 0919000350 COMPRISING OF SUCTION VALVE ASSLY. 1 NO. DELIVERY VALVE ASSLY. 1 NO. ALONGWITH LATEST AMENDMENT/ ALTERATION IF ANY.	KPCL		Every POH	safety as per COS Ltr.13.04.11	24	24	Qty. for KGP included
326	31980685	OVERHAULING KIT OF SPARES FOR KPCL MAKE COMPRESSOR TYPE 3HC55 CONSISTING OF FOLLOWING 14 ITEMS 1. SUCTION VALVE ASSLY. TO KPCL PART NO. 0910138550-3 NOS. (2) DELIVERY VALVE ASSLY. TO KPCL PART NO.0910138650 - 3 NOS. (3) SEALING JOINT TO KPCL PART NO. 0910070500 - 2 NOS. (4) SEALING JOINT TO KPCL PART NO. 0910071500 - 1 NO. (5) SEALING RING TO KPCL PART NO. 0122212000 - 1 NO. (6) KIT PISTON RING LP TO KPCL PART NO. 0912011900 - 1 NO. COMPRISING OF PISTON RING LP 2 NOS. INTERNAL 'L' RING 4 NOS. SCRAPPER RING LP 2 NOS. SCRAPPER LP SPRING LOADED 2 NOS. (7) KIT PISTON RING HP -1 NO.TO KPCL PART NO. 0912012000 COMPRISING OF PISTON RING HP -1NO. INTERNAL L RING HP 2 NOS., SCRAPPER RING HP 2 NOS., SCRAPPER RING HP SPRING LOADED 1 NO. (8) OIL SEAL TO KPCL PART NO.0912011100 - 1 NO. (9) BIG END BEARING ASSLY. KPCL PART NO.0910139050 - 3 NOS. (10) INTERNAL CIRCUIT TO KPCL PART NO.9991371550 - 6NOS. (11) THRUST BEARING BUSH TO KPCL PART NO.0910138950 - 2 NOS. (12) FILTER ELEMENT TO KPCL PART NO.0910071250 - 1 NO. (13) GUDGEON PIN LP TO KPCL PART NO.0910040600 - 2 NOS.(14) GUDGEON PIN HP TO KPCL PART NO. 0910041100 - 1 NOS.	KPCL		Every POH		60	24	

**STORES COMPENDIUM PERTAINING TO EMU/MEMU**

Updated upto 31.03.2011

Sl. No.	P.L.No.	Description	PAC	RDSO / ICF	Must Change item	Safety	EAC		Remarks
							KGP	TPKR	
327	31980715	SET OF PACKINGS, GASKET ., 'O' RINGS TO KPCL;S PT NO 0919000150 COMPRISING OF 20 ITEMS AS FOLLOWS - (1) GASKET C/ CASE TO H.P.CYL.-01 NO., 2) GASKET C/CASE TO SIDE COVER - 01 NO. 3) GASKET (C/CASE COVER TO LP CYL. HEDAD).-01NO. 4) GASKET (C/CASE TO OOIL PUMP) -01NO. 5) GASKET (C/CASE TO OIL FILTER ) -01NO. 6) GASKET (C/ CASE TO VENT PIPE FLANGE) -01NO. 7) GASKET ( C/CASE TO SHROUD ) -01NO. 8) GASKET (SHROUD TO SHROUD COVER -01NO. 9) GASKET (C/CASE TO MOTOR MOUNTING BKT. )-01NO. 10) GASKET ( MOTOR MOUNTING BKT. TO MOTOR -01 NO. 11) GASK3ET (HP.CYL. ) -01 NO. 12) GASKET (LP CYL LINER ) -02 NO. 13) `O' RING -01 NO. 14) `O' RING (LPCYL. HEAD ) -01NO.15) `O' RING ( LP/HP CYL. HEAD) -03 NO 16) `O' RING ( OIL PUMP)-01NO. 17) `O' RING (OIL SEAL ASSLY. )-01 NO. 18) `O' RING ( OIL SEAL ASSLY. ) -01 NO. 19) OIL FILLER ASSLY. 02NO. 20 ) SETOF VAVE GASKETS TO KPCL OPT. NO 0919000250 COMPRISING OF COPPER WASHER -06 NOS.	KPC		Every POH		60	24	
328	31980739	OVERHAULING KIT CONSISTING OF 34 RUBBER ITEMS OF MODULAR BRAKE CONTROLLER TYPE ESBC II OF M/S ESCORTS AS LISTED CEE'S SPECN.NO. RS/TS/EMU/121 ALT A ALONG WITH LATEST AMENDMENT/ALTERATION IF ANY.	ESCOR TS		Every POH		-	60	
329	31980740	SET OF BRAKE SHOE ADJUSTING BOLT, NUT, WASHER AND SPLIT PIN ETC. FOR EMU MOTOR COACH. EACH SET SHALL CONSIST OF THE FOLLOWING ITEMS. (1) ADJUSTING BOLT SR.DEE/RS/M/282ALT-A - 1 NO (2.) SPRING SR.DEE/RS/M/283 - 1 NO. (3) SPRING WASHER BS-1802 - 1 NO (4 ) HEX NUT 1/2" BSN BS-1803 -1 NO. ( 5). SPLIT PIN 1/8"Y38 IS 549- 1 NO. GALVANISED TABLE I.ALONGWITH LATEST AMENDMENT/ALTERATION IF ANY.			Every POH		1200	300	
330	31980752	KEY FOR BRAKE SHOE FOR EMU COACHES TO SR DEE/TRS/TPKR'S DRG NO.SR.DEE/TRS/M/014A. ALONGWITH LATEST AMENDMENT/ ALTERATION IF ANY.		ICF	Every POH	Safety ICF/M Sl.No.105 Page127	1808	1000	
331	31980764	SET OF 3/8" FLEXIBLE RUBBER HOSE COMPLETE TO ICF'S DRG. NO. ICF/SK-3-5-517ALT S/18.ALONGWITH LATEST AMENDMENT/ALTERATION IF ANY. EACH SET CONSISTING OF THE FOLLOWING : 1) ITEM NO 1 - 3 NOS. (2) ITEM NO 2 - 3NOS. (3) ITEM NO 5 - 3NOS. (4) ITEM NO 6 - 4NOS. 5) ITEM NO 7 -5 NOS		ICF	Every POH	Safety ICF/M Sl.No.01 Page 01 & COS Ltr. 13.04.11	72	62	
332	31980788	AXLE SHIELD FOR 253 BX TR. MOTOR AS PER DRG. NO. DYCEE/WS/KGP/EMU/3193 ALONG WITH LATEST AMMENDMENT/ ALTERATION IF ANY			Every Third POH		36	-	



**STORES COMPENDIUM PERTAINING TO EMU/MEMU**

Updated upto 31.03.2011

Sl. No.	P.L.No.	Description	PAC	RDSO / ICF	Must Change item	Safety	EAC		Remarks
							KGP	TPKR	
333	31980790	AXLE CAP BOLT WITH SPRING WASHER FOR TR.MOTOR TYPE 253 BX/4601AZ TO DY.CEE/WS/KGPS DRG NO DY.CEE/WS/KGP/EMU/1494 ALT.2. ALONGWITH LATEST AMENDMENT/ALTERATION IF ANY.		RDSO	Every POH		60	-	
334	31980806	NOSE SUSPENSION PIN TO DY. CEE(WS)/KGP'S DRG.NO. DY.CEE/WS/KGP/EMU/1594. ALONGWITH LATEST AMENDMENT/ALTERATION IF ANY.			Every POH		24	-	
335	31980818	FILTER ELEMENT AND FILTER SPACING PLATE FOR AIR FILTER INSERT ASSLY OF EMU TR.MOTOR TO DRG. NO. DY.CEE/WS/KGP/EMU/2498 REF.2&3. ALONGWITH LATEST AMENDMENT/ALTERATION IF ANY.(EACH SET SHOULD CONSISTS OF ONE FILTER UNIT AND THREE NOS ELEMENT SPACING PLATE.)		CLW	Every POH		720	-	
336	31980820	TIN COATED HARD STEEL WIRE SIZE - 1.6225 MM DIA CONFORMING TO IS SPECN.NO.8510 PT II 1997.ALONGWITH LATEST AMENDMENT/ALTERATION IF ANY.TENSILE STRENGTH 210 TO 250 KGF PER SQ MM.					80	-	
337	31980843	SUPPORT ROD CYLINDER ASSLY. FOR EMU/MEMU PANTOGRAPH SIL REF.S000295. ALONGWITH LATEST AMENDMENT/ ALTERATION IF ANY.		RDSO	Every Third POH		92	-	
338	31980922	HELICAL SPRING SET FOR BOGIE BOLSTER SUSPENSION 591 ONWARDS AS PER ICF DRG.NO. EMU/M-0-5-050 ALT.D ITEM NO.1&2 ALONG WITH LATEST AMENDMENT/ALTERATION IF ANY		ICF	Every Third POH		54	40	
339	31980934	HELICAL SPRING SET FOR BOLSTER OF MEMU MOTOR COACH TO ICF DRG.NO. MEMU/DMC-0-5-001 ALT.B ITEM NO.1&2 ALONG WITH LATEST AMENDMENT/ALTERATION IF ANY		ICF	Every Third POH		27	15	
340	31980946	HELICAL SPRING FOR AXLE BOX GUIDE OF MEMU MOTOR COACH TO ICF DRG.NO. MEMU/DMC-0-1-001 ALT.A ALONG WITH LATEST AMENDMENT/ALTERATION IF ANY		ICF	Every Third POH		96	72	
341	31980958	HELICAL SPRING SET FOR BOLSTER OF MEMU TRAILER COACH TO ICF DRG.NO. MEMU/TC-0-5-004 ALT.B item 1 & 2 ALONG WITH LATEST AMENDMENT/ALTERATION IF ANY		ICF	Every Third POH		66	6	
342	31980960	HELICAL SPRING FOR AXLE BOX GUIDE OF MEMU TRAILER COACH TO ICF DRG.NO. MEMU/TC-0-1-002 ALT.C ALONG WITH LATEST AMENDMENT/ALTERATION IF ANY		ICF	Every Third POH		87	30	
343	31980971	VERTICAL DAMPER FOR SECONDARY - AIR SPRING SUSPENSION ARRANGEMENT HAVING CAPACITY OF 300 KG. TO ICF DRG. NO. DMU/DPC 5-0-5-503 ITEM - 2 AND RDSO SPECN NO C-8703 REV-2 ALONG WITH LATEST AMENDMENT / ALTERATION IF ANY.		RDSO	Every Alternate POH	Safety ICF/M Sl.No.27 Page33	48	-	

**STORES COMPENDIUM PERTAINING TO EMU/MEMU**

Updated upto 31.03.2011

Sl. No.	P.L.No.	Description	PAC	RDSO / ICF	Must Change item	Safety	EAC		Remarks
							KGP	TPKR	
344	31980983	VERTICAL DAMPER FOR SECONDARY - AIR SPRING SUSPENSION ARRANGEMENT HAVING CAPACITY OF 400 KG. TO ICF DRG. NO. DMU/DPC 5-0-5-503 ITEM -1 AND RDSO SPECN. NO. C-8703 REV-2 ALONG WITH LATEST AMENDMENT / ALTERATION IF ANY.		RDSO	Every Alternate POH	Safety ICF/M Sl.No.27 Page33	36	-	
345	31980995	LATERAL DAMPER FOR SECONDARY - AIR SPRING SUSPENSION ARRANGEMENT HAVING CAPACITY OF 400 KG TO ICF DRG. NO. DC EMU/M/ASR-0-5-005 ITEM-3 AND RDSO SPECN. NO. C-8703 REV-2 ALONG WITH LATEST AMENDMENT / ALTERATION IF ANY.		RDSO	Every Alternate POH	Safety ICF/M Sl.No.27 Page33	24	-	
346	31981008	LATERAL DAMPER FOR SECONDARY - AIR SPRING SUSPENSION ARRANGEMENT HAVING CAPACITY OF 200 KG. TO ICF DRG. NO. DC EMU/M/ASR-0-5-005 ITEM-2 AND RDSO SPECN. NO. C-8703 REV-2 ALONG WITH LATEST AMENDMENT / ALTERATION IF ANY.		RDSO	Every Alternate POH	Safety ICF/M Sl.No.27 Page33	48	-	
347	31981010	HELICAL SPRING FOR AXLE BOX GUIDE ARRANGEMENT AS PER ICF DRG.NO. DC/EMU/M2-0-1-203 ALT.G/4 ALONG WITH LATEST AMENDMENT/ALTERATION IF ANY.		ICF	Every Third POH		240	-	
348	31981021	FRONT PLATE FOR SCHAKU COUPLER TO ESCORTS OR WSF DRG. NO. 40.586.06.02 (4) & RDSO SPECN. NO. 61-B-36 REV. 68-1 ALONG WITH LATEST AMENDMENT/ALTERATION IF ANY.		RDSO		Safety ICF/M Sl.No.32 Page38	24	-	
349	31981033	DRAW HOOK WITH COLLAR AS PER ICF DRG. NO. EMU-2-1-011 ALT-G ALONG WITH LATEST AMENDMENT / ALTERATION IF ANY.		ICF		Safety ICF/M Sl.No.74 Page 92	36	-	
350	31981043	PARKING BRAKE COMPLETE CONSISTING OF 5 ITEMS 1) PARKING BRAKE RELEASE LEVER, PART NO.3KB 4326 - 01 NO. 2) PARKING BRAKE CYLINDER, PART NO. 2A96416- 01 NO. 3) MANUAL RELEASE OPERATING TOOL, PART NO. 2KB4441- 01 NO. 4) FLEXIBLE HOSE CONNECTION 1/2" x 600, PART NO. 3EB6586/1 - 04 NOS. 5) CONNECTING LEVER ASSEMBLY CONSISTING OF 7 ITEMS, PART NO.3KB4325- SET OF 7 ITEMS		ICF		Safety ICF/M Sl.No.133 Page 157	36	-	
351	31981057	KIT OF BRAKE GEAR NYLON BUSHES FOR EMU/MEMU TRAILER COACHES AS PER RDSO'S DRG. NO. SKETCH- 90024 ALT. 4 CONSISTING OF 9 ITEMS, I.E. ITEM NOS. J 13 NOS., K-16 Nos., L-08 NOS, M-24 NOS, N-64 NOS, P-16 NOS, Q-32 NOS., R-08 NOS, S-32 NOS, ALONG WITH LATEST AMENDMENT/ALTERATION IF ANY.		RDSO	Every POH	Safety ICF/M Sl.No.04 Page 05	240	-	

**STORES COMPENDIUM PERTAINING TO EMU/MEMU**

Updated upto 31.03.2011

Sl. No.	P.L.No.	Description	PAC	RDSO / ICF	Must Change item	Safety	EAC		Remarks
							KGP	TPKR	
352	40120041	FLEXIBLE ELASTOMARIC INSULATED CABLE FOR POWER ROLLING STOCK WITH COPPER CONDUCTOR SINGLE CORE 25 SQ.MM (196/0.4MM) 750V GRADE CONFORMING RDSO SPEC.NO. SPEC/E-14/01 (PT.I) REV.II FEB 1993 AND AMMENDMENT 2 OF 1998 ALONG WITH LATEST AMENDMENT/ALTERATION IF ANY.		RDSO			300	-	
353	40120272	FLEXIBLE ELASTOMERIC CABLES FOR POWER ROLLING STOCK WITH COPPER CONDUCTORS (MULTICORE) SIZE 19X3 Sq.mm 750V TO RDSO's SPEC.NO.E-14/01 (PT-I) / REV-II, FEB'1993 AND AMMENDMENT 2 OF 1998 ALONGWITH LATEST AMENDMENT/ALTERATION IF ANY.		RDSO			600	-	
354	40983092	FLEXIBLE ELASTOMARIC INSULATED CABLE WITH COPPER CONDUCTOR SINGLE CORE 50 SQ.MM (396/0.4MM) 750V GRADE CONFORMING RDSO SPEC.NO. SPEC/E-14/01 (PT.I) REV.II 1993 WITH AMENDMENT NO.2/1998 TAB-1 & 2 SR NO. 13. ALONGWITH LATEST AMENDMENT/ALTERATION IF ANY.		RDSO			600	-	
355	40983109	FLEXIBLE ELASTOMARIC CABLE WITH COPPER CONDUCTOR 19 CORE 4 SQ.MM (56/0.3MM) 750V GRADE CONFORMING RDSO SPEC.NO. SPEC/E-14/01 (PT.I) REV.II 1993 WITH AMENDMENT NO.2/1998 TAB-3 OF APRIL-2000 SR NO.7.. ALONGWITH LATEST AMENDMENT/ALTERATION IF ANY.		RDSO			200	-	
356	40983110	FLEXIBLE ELASTOMARIC INSULATED CABLE WITH COPPER CONDUCTOR SINGLE CORE 95 SQ.MM (475/0.5MM) 750V GRADE CONFORMING RDSO SPEC.NO. SPEC/E-14/01 (PT.I) TAB-2 REV.II 1993 AND AMMENDMENT 2 OF 1998 ALONG WITH LATEST AMENDMENT/ALTERATION IF ANY.		RDSO			100	-	
357	40983122	FLEXIBLE ELASTOMARIC CABLE WITH COPPER CONDUCTOR SINGLE CORE 16 SQ.MM (126/0.4MM) 750V GRADE CONFORMING RDSO SPEC.NO. SPEC/E-14/01 (PT.I) REV.II 1993 AND AMENDMENT NO.2/1998 TAB 1 & 2 SR NO.10 ALONGWITH LATEST AMENDMENT/ALTERATION IF ANY.		RDSO			300	-	
358	40983134	FLEXIBLE HRPVC CABLE WITH COPPER CONDUCTOR SINGLE CORE 6 SQ.MM (84/0.3MM) 750V GRADE CONFORMING RDSO SPEC.NO. SPEC/E-14/01 (PT.III) TAB-2 REV.II 1993 AND AMENDMENT NO.2/1998. ALONGWITH LATEST AMENDMENT/ALTERATION IF ANY.		RDSO			600	-	
359	41980773	CLASS 200 RESIN-PREIMPREGNATED POLY GLASS BANDING TAPE SIZE 0.33 (+,-) 0.05 MM. THICK x 20MM (+,-) 1.5MM. WIDTH x 200M. (+,-) 5 M. LENGTH IN A ROLL FOR TRACTION MOTOR BANDING OF ELECTRIC LOCO/EMU AS PER RDSO'S SPECN. NO. SPECN./E-7/17 REV-1 OF MAY 2004 ALONGWITH LATEST AMENDMENT/ALTERATION IF ANY.					7200	-	
360	41980815	PUTTY (H-CLASS) STARLING HYVAR GRADE 075/1381 OF M/S BAKELITE HYLAM LTD OR INTAF GRADE H 200 OF M/S INDUSTRIAL TAPES & FABRICS (P) LTD.RDSO's SPECIFICATION NO E-7/19 OF DEC.96 & AMMENDMENT 1 OF 6/99 AND AMEND. NO.2 OF 8/2000 ALONGWITH LATEST AMENDMENT/ALTERATION IF ANY.					70	-	

**STORES COMPENDIUM PERTAINING TO EMU/MEMU**

Updated upto 31.03.2011

Sl. No.	P.L.No.	Description	PAC	RDSO / ICF	Must Change item	Safety	EAC		Remarks
							KGP	TPKR	
361	41980888	ANTI- TRACKING VARNISH RE - 118 OF M/S ROTOMAC OR F -93 OF M/S ELANTAS BACK INDIA LTD.AS PER RDSO'S SMI NO. ELRS/SMI/200(REV.) WITH AMENDMENT NO.1 OF FEB' 07.					-	50	
362	42114986	2 FEET TUBULAR FL LAMP FOR GLS OPERATED BY USE OF BALLAST & STARTER (BUT WITHOUT BALAST & STARTER) CONFIRMING TO IS 2418 (PT. 1 TO 4)/LATEST WITH G-13 BY CAP RATING 20W. ALONGWITH LATEST AMENDMENT/ALTERATION IF ANY.					-	6250	
363	42983691	SIEMENS MAKE HRC FUSE 160 AMPS SIEMENS TYPE 3 NA 3136 -7Y OR SIMILAR (FIRMS OTHER THAN SIEMENS TO ENCLOSE MANUFACTURING AND DIMENSIONAL DRAWING WITH THEIR OFFER) ALONG WITH LATEST AMENDMENT/ALTERATION IF ANY.		ICF			24	15	
364	42983708	SIEMENS MAKE HRC FUSE 100 AMPS SIEMENS TYPE 3 NA 3130 -7Y OR SIMILAR (FIRMS OTHER THAN SIEMENS TO ENCLOSE MANUFACTURING AND DIMENSIONAL DRAWING WITH THEIR OFFER) ALONG WITH LATEST AMENDMENT/ALTERATION IF ANY.		ICF			24	22	
365	42983710	SIEMENS MAKE HRC FUSE 415 VOLT AC 63 AMPS SIEMENS TYPE 3 NA 3122 -7Y OR SIMILAR (FIRMS OTHER THAN SIEMENS TO ENCLOSE MANUFACTURING AND DIMENSIONAL DRAWING WITH THEIR OFFER) ALONG WITH LATEST AMENDMENT/ALTERATION IF ANY.		ICF			120	40	
366	42983721	HRC FUSE 'D' TYPE WITH KNIEF EDGE BLADE SUITABLE FOR EMU/MEMU MOTOR COACHES FOR 50 AMPS, 415 V, 80 KA CONFINED TO IS 9224 PART 2 ALONG WITH LATEST AMMENDMENT/ ALTERATION IF ANY		ICF			12	24	Qty. for KGP included
367	42983733	SIEMENS MAKE HRC FUSE 415 VOLT AC 32 AMPS SIEMENS TYPE 3 NA 12-01 OR SIMILAR (FIRMS OTHER THAN SIEMENS TO ENCLOSE MANUFACTURING AND DIMENSIONAL DRAWING WITH THEIR OFFER) ALONG WITH LATEST AMENDMENT/AL TERATION IF ANY		ICF			96	28	
368	42983812	COPPER CRIMPING SOCKET SUITABLE FOR 4 SQ MM CABLE FOR EMU COACH TO CAT. REF.PSD-7621 OF M/S DOWELL'S.(FIRMS OTHER THAN DOWELLS TO QUOTE WITH THEIR DIMENSIONAL DRG. AND CAT.NO), ALONG WITH LATEST AMENDMENT/ALTERATION IF ANY.					4000	-	
369	42983824	DOWELLS COPPER CRIMPING SOCKET 4MM SQ. AS PER CAT. REF. PSD 7619 OF M/S DOWELLS ( FIRMS OTHER THAN DOWELLS TO QUOTE WITH THEIR DIMENSIONAL DRG. AND CAT. NO), ALONG WITH LATEST AMENDMENT/ALTERATION IF ANY.		ICF			3000	-	
370	42983850	DOWELLS COPPER CRIMPING SOCKET 2.5MM SQ. AS PER CAT. REF. PSD 7619 OF M/S DOWELLS (FIRMS OTHER THAN DOWELLS TO QUOTE WITH THEIR DIMENSIONAL DRG. AND CAT.NO), ALONG WITH LATEST AMENDMENT/ALTERATION IF ANY.		ICF			3000	-	

**STORES COMPENDIUM PERTAINING TO EMU/MEMU**

Updated upto 31.03.2011

Sl. No.	P.L.No.	Description	PAC	RDSO / ICF	Must Change item	Safety	EAC		Remarks
							KGP	TPKR	
371	42983927	COMPACT 'E' TYPE MINER'S CAP LAMP CONFIRMING IS:5679 - 1986 AND IS:2512-1978 4 V, 9 AH LEAD ACID BATTERY COMPLETE WITH BATTERY AND HEAD PIECE.					-	60	
372	42984075	ELECTRONIC BALLAST FOR 18W 600mm X 26 mm TUBULAR FLUROCENT LAMP INPUT VOLTAGE 110V AC FOR EMU AS PER RDSO's SPECIFICATION NO. RDSO/PE/SPEC/TL/0011-2000 (REV-1) SECTION II TYPE 3 AMEND.NO.1 OF JULY 01 ALONGWITH LATEST AMENDMENT/ALTERATION IF ANY.		ICF			-	1800	
373	45180180	CARRIAGE FAN 400 MM SWEEP 140V AC 50 HZ FIXED TYPE WITHOUT REGULATOR CONFORMING IS 6680-1992 WITH ANNEXURE H REVISED IN DEC.2002 WITH AMMENDMENT 1. ALONGWITH LATEST AMENDMENT/ALTERATION IF ANY.		ICF			600	530	
374	45981840	90 AH LOW MAINTENANCE LEAD ACID TRACTION BATTERY FOR EMU CONSISTING OF 10 NOS. 10 VOLT 5 CELL UNIT IN PP-CP/HR CONTAINER COMPLETE WITH INTER UNIT AND INTER CELL CONNECTOR CONFORMING RDSO SPECN. NO. PE/EMU/SPEC/0014-2000(REV-0) WITH AMMENDMENT NO 1 DT.22/10/03 . ALONGWITH LATEST AMENDMENT/ALTERATION IF ANY.		RDSO	Every Third POH		29	6	
375	80011019	SERVO SYSTEM 57 ALONGWITH LATEST AMENDMENT/ALTERATION IF ANY.		RDSO	Every POH		200	4500	Qty. for KGP included
376	80012553	AXLE BEARING SUSPENSION OIL TYPE SERVO SYSTEM 57 OF M/S.IOC LTD. OR SERVO SYSTEM 68 OF M/S.IOC LTD. OR EQUIV. FOR 253 BX/4601 AZ TM		RDSO	Every POH		-	35000	
377	80031365	CARDIUM COMPOUND F(SHELL) OR CRATER -2 (CALTEX) OR GEATAK-2(HPC) OR CAMAX-F(BPC). ALONGWITH LATEST AMENDMENT/ALTERATION IF ANY.			Every POH		1700	15000	Qty. for KGP included
378	84980606	WOOLEN FELT 18 MM X 7MM X 460 MM. CONFORMING IS-1719 HARD ALONGWITH LATEST AMENDMENT/ALTERATION IF ANY.			Every POH		3100	2016	Qty. for KGP included
379	85157120	SINGLE ROW CYLINDRICAL ROLLER BEARING SKF NO. CRM-9 OR FAG NO.RMS11 OR NBC NO RMS 11 OR NTN NO, CRM-9 OR KOYO NO. CRM-9 NFY .BEARING DIMENSIONS ID-1 1/8", OD-2 13/16", WIDTH 13/16"			Every Alternate POH		60	-	
380	85982611	DOUBLE ROW SELF ALIGNING DIRECT MOUNTED ROLLER BEARING NO. SKF/22328C/C3 RDSO APPROVED FIRMS TO QUOTE THEIR PART/DRG. NO.		ICF		safety as per list of AMM/ELECT/ KGP	96	-	