दक्षिण पूर्व रेलवे/South Eastern Railway

NOTE/No. SER/P-KGPW/Staff/210/IAM(Elect.)/Ans.key Dtd: 24.04.2025

Sub.: Publication of final Answer Key of Written Examination held on 17.01.2025 for Selection to the post of Jr. Engineer in Pay Level-6(7th PC) in Electrical Unit/ KGPW against 25% IAQ.

Ref: 1. Your Office L.No: SER/P-KGP/WS/EL/A/732/284 Dated.11.02.2025 & 12.02.2025.

2. This Office L.No: SER/P-KGPW/Staff/210/IAM(Elect.)/ 201 Dated 03.02.2025.

****

Provisional **Answer Key** of Written test held on **17.01.2025** in connection with the subject Selection has been published vide this office letter under reference (2). The same has also been uploaded in the Official website ***ser.indianrailways.gov.in*** for information of the candidates who were appeared in the written examination held on 17.01.2025, given an opportunity to make representation if any against the provisional Answer Key, within seven day's.

Further, on receipt of the representations against the Provisional Answer Key which were sent to this Office vide your Office letter under reference (1), has been examined and the revised (Final) Answer key as well as the remarks of the Question setter against observations of each questions are annexed herewith for information amongst the staff who made representations under reference(1).

In this regard it is stated that the Answer paper will be evaluated in adherence to RBE No: 122/2023 circulated under SER Estt. Srl. No: 138/2023.

Hence, the **Revised / Final Answer Key** of Written test held on 17.01.2025 in connection with the subject Selection is enclosed herewith for wide circulation amongst the staff concerned who were appeared in the written test, for transparency and accuracy in terms of RBE No: 91/2022 circulated under Estt. Srl. No: 99/2022. The same has also been uploaded in Official website ***ser.indianrailways.gov.in*** .

However, no further correspondence in this regard will be entertained in terms of SER Estt. Srl. No: 99/2022.

This is for your information and necessary action please.

Encl: As above

(Jaydip Sengupata)
Workshop Personnel Officer/KGPW

Copy forwarded to:

1. *Dy. CEE (W)/KGPW for publication of Final Answer key amongst the concerned staff please.*
2. *Dy. CEE (ERS-POH)/KGPW for information please.*
3. *OS (Confidential)/WPO's Office /KGPW. Necessary action towards Publication of Final Answer Key in Official website.*

24/4/25
(Jaydip Sengupata)
Workshop Personnel Officer/KGPW

Answer key (revised) for Written Test to the post Jr. Engineer against 25% IAM quota in Electrical Unit /KGPW Dated : 17.01.2025 at MDZTI/KGPW

Q.NO	Correct Answer	Q.NO	Correct Answer	Q.NO	Correct Answer
1	d	48	b	95	C
2	a	49	b	96	b
3	d	50	c	97	b
4	a	51	b	98	a
5	b	52	b	99	d
6	b	53	a	100	b
7	c	54	a	101	a
8	d	55		102	a
9	a	56	a	103	a
10	c	57	c	104	c
11	c	58	c	105	a
12	a	59	c	106	a
13	c	60	d	107	a
14	b	61		108	c
15		62	a	109	
16	c	63	d	110	d
17	b	64	d		
18	a	65	b		
19	a	66	a		
20		67			
21	d	68	b		
22		69	a		
23	b	70	c		
24	b	71	b		
25	d	72			
26	c	73	b		
27	a	74	a		
28	c	75	d		
29	c	76	a		
30	c	77	b		
31	a	78	c		
32	b	79	c		
33	a	80	a		
34	a	81	d		
35	c	82	a		
36	c	83	a		
37	a	84	d		
38	c	85	d		
39	a	86	a		
40	b	87	b		
41	b	88	a		
42	a	89	c		
43		90	a		
44	b	91	a		
45	c	92	c		
46	c	93	a		
47	d	94	b		

* Q.No.15: All options are incorrect
*Q.No 20: All options are incorrect.
* Q.No 22 : Question is incomplete.
*Q.No43: Question incomplete.
*Q.NO 55: All options are incorrect.
* Q.No 61 : All options are incorrect.
Q.No: 67: All options are incorrect.
*Q.No.72 : All options are incorrect.
* Q.No.109: All options are incorrect

13.3.25

उ. मु. वि. अभियंता (ई. आर. एस. पी. ओ. एच)
द. पू. रेलवे, खड़गपुर कारखाना
Dy. C. E. E. (ERS -POH)
S. E. Railway, Kharagpur (W/S)

Scanned with OKEN Scanner

Reply of Representation against Answer key for the written test for the post of Jr. Engineer against 25% IAM quota in Electrical Unit / KGPW dated 17.01.2025 at MDZTI/KGPW

Q.No.	Answer provided in Departmental answer key	Candidates' answer	Remarks
01	(d)	(b)	Not agreed with (b). Correct option is (d).
10	(c)	(a)	Not Agreed with (a). Correct Answer is (c)
15	(d)	All given options incorrect	Agreed with all options are incorrect
30	(c)	(a)	Correct answer is (c)
34	(a)	(b)	Not Agreed with (b) Correct Answer is (a)
37	(d)	(a)	Agreed with (a)
43	(a)	Question incomplete	Agreed for incomplete question.
49	(a)	(b)	Agreed with (b)
51	(b)	(d)	Not agreed with (d). Correct option is (b).
55	Question is omitted.	(c)	Agreed with all options are incorrect.
60	(c)	(d)	Agreed with (d)
61	Question is omitted	(d)	Agreed with all options are incorrect
65	(d)	(b)	Agreed with (b)
67	(d)	All options are incorrect.	Agreed with all options are incorrect.
72	(a)	All given options incorrect	Agreed with all options are incorrect
94	(b)	Permanent Negotiating Machinery	Not agreed. Correct option is (b)
104	(a)	(c)	Agreed with (c)
106	(b)	(a)	Agreed with (a)
107	(b)	(a)/ Question incorrect	Agreed with (a)

13.3.25

उ. मु. वि. अभियंता (ई. आर. एस. पी. ओ. एच)
द. पू. रेलवे, खड़गपुर कारखाना
Dy. C. E. E. (ERS -POH)
S. E. Railway, Kharagpur (W/S)

Scanned with OKEN Scanner