

PO value more than 5 CR as on 04.07.2025

Sr.	P.O. No. and Date	PO Value	PL.No	Item Description	PO Sr.	Consignee	A.I.Rate	PO Qty	Qty. Recd/Covd	Dely.Dt	DP-START	Paid Va
1	4725501720 2854 dt.11-JUN-25 on M/s. CUMMINS INDIA LIMITED-PUNE.	59373575.4 (FP)	2900073023	D- Check schedule material of M/s Cummins make diesel engine model KTAA-19-G-10 fitted in LHB power cars. One Kit consisting of 101 items. List of items attached as Annexure - A NOTE - Material should	1	SER:SSE/54 (RS-D) /KGPWS	989559.59	60 Set	R.Note Qty. : 0 Set Accp.Qty. : 0 Set	5-Aug-25		0
2	6025515820 2884 dt.12-JUN-25 on M/s.MUVA INDUSTRIES PRIVATE LIMITED-RANCHI	68392800 (FP)	60060529	Manufacture and supply of Mono-Block Pre-Stressed Concrete Line Sleeper (Pre-tensioned type) conforming to RDSO Drg. No. T8746 and IRS Specification no. T-39 (6th revision, March-2021 or latest upto t	1	SER: SSE/PW/C/ KGP	3419.64	20000 Nos.	R.Note Qty. : 0 Nos. Accp.Qty. : 0 Nos.	31-Dec-25	13-Jun-25	0
3	9024186570 2902 dt.14-JUN-25 on M/s.TATA STEEL LIMITED-KOLKATA	53177747 (FP)	90402261	Plate Steel 5x1500x3200/6400 mm to IS: 2062/2011 Grade Designation E 250 (Fe410 W) Quality 'A' with Copper.	1	SER: WWS/KGP	68429.38	200 MT	0 MT	15-Oct-25	15-Jun-25	0
					2	SER: DGSD/ADR A	68429.38	150 MT	0 MT	15-Oct-25	15-Jun-25	0
					3	SER: ROHS/BND M	57991	150 MT	0 MT	15-Oct-25	15-Jun-25	0
					4	SER: DGSD/TAT A	68429.38	150 MT	0 MT	15-Oct-25	15-Jun-25	0
					5	SER: ROHS/BKS C	68429.38	150 MT	0 MT	15-Oct-25	15-Jun-25	0
4	3325347710 2944 dt.18-JUN-25 on M/s.KNORR BREMSE INDIA PVT LTD-PALWAL	51613200 (FP)	33575046	Must change kit of FIBA. Drawing No.: KBI Part No- II74619, As per Annexure - A. Material & Specification: As per firms Part No.	1	SER: WCS/KGP	31860	810 Set	0 Set	19-Oct-25	19-Jun-25	0
					2	SER: WCS/KGP	31860	810 Set	0 Set	18-Aug-26	18-Nov-25	0

5	6025000310 3020 dt.23-JUN-25 on M/s.PANNA LAL KANHIYA LAL BANSAL LLP-DELHI	407383200 (FP)	60110028	Manufacture and Supply of Elastic Rail Clip MK-V with flat toe for 60kg /52kg rail sections to RDSO'S Drg. No. T-5919/Alt.-2 or latest with IRS specification No. T-31- 2021 (5th revision) with corrige	1	SER:N-GSD/KGP	113.16	740550 Nos.	0 Nos.	24-Sep-25	24-Jun-25	0
					2	SER:N-GSD/KGP	113.16	740550 Nos.	0 Nos.	24-Dec-25	24-Jun-25	0
					3	SER:N-GSD/KGP	113.16	740550 Nos.	0 Nos.	24-Mar-26	24-Jun-25	0
					4	SER:N-GSD/KGP	113.16	740550 Nos.	0 Nos.	24-Jun-26	24-Jun-25	0
					5	SER:N-GSD/KGP	113.16	637800 Nos.	0 Nos.	24-Sep-26	24-Jun-25	0
6	6025000310 3021 dt.23-JUN-25 on M/s. UTKARSH INDIA LIMITED- Kolkata	163725000 (FP)	60110028	Manufacture and Supply of Elastic Rail Clip MK-V with flat toe for 60kg /52kg rail sections to RDSO'S Drg. No. T-5919/Alt.-2 or latest with IRS specification No. T-31- 2021 (5th revision) with corrige	1	SER:N-GSD/KGP	109.15	375000 Nos.	0 Nos.	24-Sep-25	24-Jun-25	0
					2	SER:N-GSD/KGP	109.15	375000 Nos.	0 Nos.	24-Dec-25	24-Jun-25	0
					3	SER:N-GSD/KGP	109.15	375000 Nos.	0 Nos.	24-Mar-26	24-Jun-25	0
					4	SER:N-GSD/KGP	109.15	375000 Nos.	0 Nos.	24-Jun-26	24-Jun-25	0
7	3325318580 3093 dt.26-JUN-25 on M/s.ICF Headquartes, Chennai	79937094 (FP)	33500678	PRIMARY SPRING (OUTER) FOR LHB NON AC COACH, TYPE-LWSN. Drawing No. : RCF DRAWING NO. LG01100, Alt. - Nil. Matl. & Specn : Conforming to RDSO Specification No. RDSO/2017/CG-01, Rev.- 02, along	1	SER: WCS/KGP	13098	6103 Nos.	0 Nos.	31-Mar-27		0
8	9024192570 3117 dt.27-JUN-25 on M/s.STEEL AUTHORITY OF INDIA LIMITED- KOLKATA	60969870 (FP)	90221035	Channel MS 100x50mm in length of 5.5 to 13.5 metres to IS: 808/1989 (3rd Rev.) Amdt-1 and IS:2062/2011 E250 (FE410W)	1	SER: WWS/KGP	72570	257 MT	0 MT	28-Nov-25	28-Jun-25	0
					2	SER: ROHS/BND M	172815	142 MT	0 MT	28-Nov-25	28-Jun-25	0
					3	SER: DGSD/TAT A	72570	170 MT	0 MT	28-Nov-25	28-Jun-25	0
					4	SER: ROHS/BKS C	72570	75 MT	0 MT	28-Nov-25	28-Jun-25	
9	9225501320 1727 dt.03-APR-25 on M/s.INDIAN Oil	355253920. (FP)	200093001	High Speed Diesel oil (HSD) confirming to IS: 1460	1	SER:SE (Fuel) /RCD/HATI A	95447.05	3722 KLTR	R.Note Qty. : 0 KLTR Accp.Qty. : 0 KLTR	31-Mar-26		0
10	6024004810 1796 dt.08-APR-25 on M/s.	73673064 (FP)	60060281	Manufacturing and supply of 1 in 8.5 BG , 60 kg Weldable CMS Crossing on PSC Sleepers in accordance with RDSO's standard Drg. No. T-6441(Alt. 2) including supply of 6mm thick	1	SER:N-GSD/KGP	391878	94 Set	0 Set	9-Jul-25	9-Apr-25	0
					2	SER:N-GSD/KGP	391878	94 Set	0 Set	9-Oct-25	9-Apr-25	0

11	9024186570 1854 dt.09-APR-25 on M/s. STEEL	104076000 (PC)	90402261	Plate Steel 5x1500x3200/6400 mm to IS: 2062/2011, Grade Designation E 250 (Fe410 W) Quality 'A' with Copper	1	SER: WWS/KGP	69384	1500 MT	530.86 MT	10-Aug-25	10-Apr-25	0
12	9024194470 1855 dt.09-APR-25 on M/s. STEEL	69384000 (PC)	90403289	Plate Steel 6x1250x3200/6400 mm to IS: 2062/2011, Grade Designation E 250 (Fe410 W) Quality 'A' with Copper	1	SER: WWS/KGP	69384	1000 MT	378.28 MT	10-Aug-25	10-Apr-25	0
13	6025007320 2057 dt.22-APR-25 on M/s. BRIDGE TRACK AND TOWER PRIVATE	50239233.6 (FP)	60060554	Manufacture and supply of Improved Switch Expansion Joints [Complete set] for long welded Rail with fittings for B.G. 60 Kg UIC on PSC Sleeper to RDSO s drg. No. T-6922 [with 65 mm maximum gap] , Alt	1	SER:N- GSD/KGP	398724.08	32 Set	0 Set	22-Jul-25		0
					2	SER:N- GSD/KGP	398724.08	32 Set	0 Set	22-Oct-25		0
					3	SER:N- GSD/KGP	398724.08	31 Set	0 Set	22-Jan-26		0
					4	SER:N- GSD/KGP	398724.08	31 Set	0 Set	22-Apr-26		0
14	2925500210 2288 dt.06-MAY-25 on M/s.RP EQUIPMENTS -KOLKATA	62873143.5 (FP)	9011502001	MAIN COMPRESSOR (OIL LUBRICATED) WITH ONBOARD MOUNTING ACCESSORIES ALONG WITH MOTOR (WOUND WITH CORONA RESISTANT WIRE), CAPACITY 1745 LPM TO SPECIFICATION: (1) RDSO/2018/EL/SPEC/0137 REV. 0 (2) SPEC/E	1	SER: SSE/TRS/S RC	838308.58	58 Set	R.Note Qty. : 0 Set Accp.Qty. : 0 Set	3-Nov-25	7-May-25	0
					2	SER:DY- CEE(ERS- POH)KGP	838308.58	17 Set	R.Note Qty. : 0 Set Accp.Qty. : 0 Set	3-Nov-25	7-May-25	0
15	5625506120 2520 dt.20-MAY-25 on M/s.LASER POWER AND INFRA PRIVATE LIMITED-KOLKATA	174856753. (FP)	56509959	Supply of Under Ground Railway Signalling Cable unscreened, PVC insulated, PVC inner sheathed armoured and PVC outer jacket with high conductivity annealed copper conductor conforming to RDSO's Specif	1	SER: SSE/S/P/K GP	242856.6	330 KM	R.Note Qty. : 0 KM Accp.Qty. : 0 KM	20-Sep-25		0
					2	SER: SSE/S/P/K GP	242856.6	350 KM	R.Note Qty. : 0 KM Accp.Qty. : 0 KM	20-Nov-25		0
					3	SER:SrSE (Sig)/KGP	242856.6	3 KM	R.Note Qty. : 0 KM Accp.Qty. : 0 KM	20-Sep-25		0
					4	SER:SSE (SIG)CKP	242856.6	30 KM	R.Note Qty. : 0 KM Accp.Qty. : 0 KM	20-Sep-25		0
			56509959 B	Supply of Under Ground Railway Signalling Cable unscreened, PVC insulated, PVC inner sheathed armoured and PVC outer jacket	5	SER:SrSE (Sig)/KGP	242856.6	7 KM	R.Note Qty. : 0 KM Accp.Qty. : 0 KM	20-Sep-25		0
16	5625506120 2523 dt.20-MAY-25 on M/s.KK WIRES AND	84951663.3 (FP)	56509959	Supply of Under Ground Railway Signalling Cable unscreened, PVC insulated, PVC inner sheathed armoured and PVC outer jacket with high conductivity annealed copper conductor conforming to RDSO's Specif	1	SER: SSE/S/P/K GP	242719.04	120 KM	R.Note Qty. : 0 KM Accp.Qty. : 0 KM	20-Sep-25		0
					2	SER: SSE/S/P/K GP	242719.04	230 KM	R.Note Qty. : 0 KM Accp.Qty. : 0 KM	20-Nov-25		0
17	3324502210 2775 dt.06-JUN-25 on M/s.AIRCON AUTOMATIO	55761560.8 (FP)	8431302005	Supply and fitting of Pressurized Flushing System in LHB Coaches considering 4 units per coach as per MMDTS 19027 Rev - 3 dt.	1	SER:F O CARR/KGP W	132136.4	97 Set	R.Note Qty. : 0 Set Accp.Qty. : 0 Set	7-Oct-25	7-Jun-25	0
			8431302008	Supply and fitting of Pressurized Flushing System in LHB Coaches considering 4 units per coach as per MMDTS 19027 Rev - 3 dt.	2	SER:F O CARR/KGP W	132136.4	325 Set	R.Note Qty. : 0 Set Accp.Qty. : 0 Set	7-Oct-25	7-Jun-25	0
	4625501630	53309690.75	8422263001	Jointless hard drawn grooved copper contact wire 107 sq mm, made out of continuous cast	1	SER: SSE/BB/P	1055637.44	.5 MT	R.Note Qty. : 0 MT Accp.Qty. : 0 MT	9-Nov-25	9-Sep-25	0

18	2799 dt.09-JUN-25 on M/s.J K CABLES LIMITED-NOIDA	(FP)		wire 107 sq.mm. made out of continous cast copper wire rods as per RDSO's Spec. No.		SSE/RRD/R NC			Accp.Qty. : R.Note			
			46550306	Jointless Grooved Copper Contact Wire 107 SQ.MM made out of Continuous cast copper wire rods.Spec:TI SPC OHE CW 0971, STR: TI STR 017 Rev02.	2	SER: SSE/EL/CO N/RNC	1055637.44	1.5 MT	Accp.Qty. : R.Note	9-Nov-25	9-Sep-25	0
					3	SER: SSE/EL/CO N/RNC	1055637.44	2 MT	Accp.Qty. : R.Note	9-Nov-25	9-Sep-25	0
					4	SER: SSE/EL/CO N/RNC	1055637.44	8 MT	Accp.Qty. : R.Note	9-Nov-25	9-Sep-25	0
					5	SER:SSE/ (EL) CON/CKP	1055637.44	37 MT	Accp.Qty. : R.Note	9-Nov-25	9-Sep-25	0
					6	SER: SSE/TRD/R RD/CKP	1055637.44	1.5 MT	Accp.Qty. : R.Note	9-Nov-25	9-Sep-25	0
19	6025007320 2056 dt.22-APR-25 on M/s. PACHERIA	75757574.6	60060554	Manufacture and supply of Improved Switch Expansion Joints [Complete set] for long welded Rail with fittings for B.G. 60 Kg UIC on PSC Sleeper to RDSO s drg. No. T-6922 [with 65 mm maximum gap] , Alt	1	SER:N- SER/KGP	398724.08	48 Set	0 Set	22-Jul-25		0
		(FP)			2	SER:N- SER/KGP	398724.08	48 Set	0 Set	22-Oct-25		0
					3	SER:N- SER/KGP	398724.08	47 Set	0 Set	22-Jan-26		0
					4	SER:N- SER/KGP	398724.08	47 Set	0 Set	22-Apr-26		0
20	6524505810 2438 dt.15-MAY-25 on M/s.HYT ENGINEERING CO PVT LTD-PUNE	65573190	6524NS01	The cost of the basic machine.	1	SER:SSE [WHEELSH OP/19]KGP	48928700	1 Nos.	R.Note Accp.Qty. :	9-Jun-26		0
		(FP)										
			6524NS02	Cost of the concomitant accessories according to tender specifications.	2	SER:SSE [WHEELSH OP/19]KGP	13384032	1 Nos.	R.Note Accp.Qty. :	9-Jun-26		0
			6524NS04	Cost of foundation of the machine.	3	SER:SSE [WHEELSH OP/19]KGP	1652472	1 Nos.	R.Note Accp.Qty. :	9-Jun-26		0
			6524NS05	Cost of installation & commissioning etc.	4	SER:SSE [WHEELSH OP/19]KGP	761100	1 Nos.	R.Note Accp.Qty. :	9-Jun-26		0
			6524NS06	Cost of Preventive Maintenance during 1st & 2nd year of Warranty Period.	5	SER:SSE [WHEELSH OP/19]KGP	846886	1 Nos.	R.Note Accp.Qty. :	9-Jun-26		0
21	5625506120 2524 dt.20-MAY-25 on M/s.RMS POWER SOLUTIONS PRIVATE LIMITED-ALWAR	142071112.	56509959	Supply of Under Ground Railway Signalling Cable unscreened, PVC insulated, PVC inner sheathed armoured and PVC outer jacket with high conductivity annealed copper conductor conforming to RDSO's Specif	1	SER: SSE/S/P/K GP	242856.6	300 KM	R.Note Accp.Qty. :	20-Sep-25		0
		(FP)			2	SER: SSE/S/P/K GP	242856.6	80 KM	R.Note Accp.Qty. :	20-Nov-25		0
					3	SER:SSE (SIG)CKP	242856.6	17 KM	R.Note Accp.Qty. :	20-Nov-25		0
					4	SER:SSE (SIG)CKP	242856.6	25 KM	R.Note Accp.Qty. :	20-Nov-25		0
					6	SER:SSE (SIG)CKP	242856.6	43 KM	R.Note Accp.Qty. :	20-Nov-25		0
			56509959 A	Supply of Under Ground Railway Signalling Cable unscreened, PVC insulated, PVC inner sheathed armoured and PVC outer jacket					R.Note			
					5	SER:SrSE (Sig)/KGP	242856.6	120 KM	Accp.Qty. :	20-Nov-25		0

22	5625512520 2595 dt.26-MAY-25 on M/s.S. PAL ENTERPRISES PVT LTD-ALWAR	74458868.6	56119550	UNDERGROUND RAILWAY POLYTHENE INSULATED JELLY FILLED TELECOM 6 QUAD CABLE 0.9 MM DIA FOR SIGNALLING & TELECOM INSTALLATION AS PER RDSO SPECIFICATION NO. IRS:TC 30/2005, VERSION-1 , AMENDMENT NO. 5 MAK	1	SER: SSE/S/P/K GP	305785.91	200 KM	R.Note	26-Sep-25		0	
		(FP)				Accp.Qty. :							
					2	SER: SSE/S/P/K GP	305785.91	35 KM	R.Note	26-Nov-25		0	
						Accp.Qty. :							
					3	SER:SSE(T) L/ADA	305785.91	1 KM	R.Note	26-Nov-25		0	
						Accp.Qty. :							
					6	SER:SrSE (Sig)/KGP	305785.91	1 KM	R.Note	26-Nov-25		0	
						Accp.Qty. :							
				5907354001	UNDERGROUND RAILWAY POLYTHENE INSULATED JELLY FILLED TELECOM 6 QUAD CABLE 0.9 MM DIA FOR SIGNALLING &	4	SER:SrSE (Sig)/KGP	305785.91	5.5 KM	R.Note	26-Nov-25		0
				5907355001	UNDERGROUND RAILWAY POLYTHENE INSULATED JELLY FILLED TELECOM 6 QUAD CABLE 0.9 MM DIA FOR SIGNALLING &	5	SER:SrSE (Sig)/KGP	305785.91	1 KM	R.Note	26-Nov-25		0
				Accp.Qty. :									
25	3825333710 2726 dt.03-JUN-25 on M/s.NF FORGINGS PVT. LTD.-	53754192	38130725	Knuckle for up-graded HT-CBC.Drawing No. : RDSO's Drg.No.SK-62724 Alt. 31 , Item No. 2. Material and Specification : RDSO's Spec. No. WD-70-BD-10 (Rev. 4) .	1	SER:N- SER/CKP	11788.2	400 Nos.	0 Nos.	3-Sep-25		0	
		(FP)			2	SER: SER/CKP	11788.2	2560 Nos.	0 Nos.	3-Sep-25		0	
					3	SER: SER/CKP	11788.2	680 Nos.	0 Nos.	3-Sep-25		0	
					4	SER: SER/CKP	11788.2	440 Nos.	0 Nos.	3-Sep-25		0	
					5	SER: ROHS/BKS	11788.2	480 Nos.	0 Nos.	3-Sep-25		0	
24	4625501630 2798 dt.09-JUN-25 on M/s.APAR INDUSTRIES LIMITED-	79172808	5422497001	Jointless hard drawn grooved copper contact wire 107 sq.mm. made out of continous cast copper wire rods as per RDSO's Spec. No.	1	SER: SSE/RRD/R NC	1055637.44	3 MT	R.Note	9-Nov-25	9-Sep-25	0	
		(FP)				Accp.Qty. :							
			5550816107	Joint less grooved Copper Contact Wire, 107 sq mm2, made out of continuous cast copper wire rods. Spec: TI SPC OHE CW 0971, STR: TI STR 017 Rev 02.		SER:SSE/ (EL)			R.Note				
					2	CON/CKP	1055637.44	72 MT	Accp.Qty. : 0 MT	9-Nov-25	9-Sep-25	0	